


राष्ट्रीय राजमार्ग एवं अवसंरचना विकास निगम लिमिटेड
सड़क परिवहन एवं राजमार्ग मंत्रालय, भारत सरकार
NATIONAL HIGHWAYS & INFRASTRUCTURE DEVELOPMENT CORPORATION LTD.
Ministry of Road Transport & Highways, Government of India
PMU Office: Smileland, Gidang Busty, Ranipool, East Sikkim-737135
E mail: nhidclskm@gmail.com/gmpsikkim@gmail.com
Regional Office: Executive Director - Gangtok (Sikkim), NHIDCL, Indira Bypass Road,



NHIDCL/PMU-SKM/IBP/Rehabilitation/2020/556

Dated 02.02.2020

To,

All Respective Bidders. **Subject:** - Rehabilitation of Sinking zone, Improvement of Riding Quality and Widening of Road including provision of traffic signage & Safety work of Indira Bypass from Km 0.000 to 10.117 in State of Sikkim on Item Rate Basis. (Tender ID: 2020_NHIDC_593244_1)- **Corrigendum-04** -Reg.

With reference to the above cited subject, it is informed to all prospective applicants that amendments are being carried out as per annexure-A enclosed with this letter.

Your Faithfully,

(M.S. Sodhi)
Executive Director (P)

Annexure-A

Sr. No.	Description	Reference	Existing provision	Proposed Modification
(a)	Mode of Payment	Table under para-1 NIT	Rs. 10,000/- in the form of DD in favour of NHIDCL payable at Gangtok (Non-Refundable)	Rs. 10,000/- in favour of NHIDCL in the form of RTGS (Syndicate Bank A/c 94113210000015, IFSC-SYNB0009411) / Demand Draft only in favor of "Executive Director, Sikkim, NHIDCL" payable at Gangtok.
(b)	Mode of Submission of Document/ Document fee/BID Security/ due date etc	Cl. 7 under NIT	<p>Bidder shall submit the following documents in physical form in original and in scanned copy to be uploaded.</p> <ul style="list-style-type: none"> i) Copy of PAN Card ii) Demand Draft for cost of documents iii) Demand Draft/Bank Guarantee for Bid Security 	Online uploaded Scan copy of PAN Card, Demand Draft for cost of documents, Demand Draft/Bank Guarantee for Bid Security declaration considered for evaluation of bid. however, The original copy of payment proof of Bid security, hard copy of Power of Attorney and Integrity pact etc. in original is to be submitted at the time of signing of Agreement as per MoRTH circular no. RW/NH-37010/4/2010-EAP (Printing) Vol IV dated 30.04.2020.
(c)		Cl. 7 under NIT	Bidders should get ready with the scanned copies of cost of documents & Bid Security as specified in the tender documents. The original instruments in respect of cost of documents, Bid Security and relevant documents will be submitted to the Tenders Inviting Authority by Registered post/courier/by hand as per time schedule specified.	Bidders should get ready with the scanned copies of cost of documents & Bid Security as specified in the tender documents. The original instruments in respect of cost of documents, Bid Security and relevant documents etc. will be submitted to the Tenders Inviting Authority by Registered post/courier/by hand at the time of signing of Agreement.
(d)		Cl. 4(a) Section II Instructions to Bidders (ITB)	Scanned copies of Original documents defining the constitution or legal status, place of registration, and principal place of business; scanned copy of written power of attorney of the signatory of the Bid to commit the Bidder; & original copy of Written Power of Attorney to be submitted in the envelop of physical form.(Pl. Refer clause 12.2 of ITB)	Scanned copies of Original documents defining the constitution or legal status, place of registration, and principal place of business; scanned copy of written power of attorney of the signatory of the Bid to commit the Bidder; & original copy of Written Power of Attorney, proof of payment of tender fee and bid security to be submitted in the envelop of physical form at the time of signing of Agreement.(Pl. Refer clause 12.2 of ITB)

(e)	Cl. 16.1 Section II Instructions to Bidders (ITB)	The Bidder shall furnish, as part of the Bid, Earnest Money/Bid Security, in the amount as specified in the NIT. (Bank guarantee/ demand draft must be in favour of NHIDCL payable at Gangtok.	The Bidder shall furnish, as part of the Bid, Earnest Money/Bid Security, in the amount as specified in the NIT. (Bank guarantee/ demand draft must be in favour of NHIDCL payable at Gangtok. The bidder can make online payment of tender document fee, bid security through RTGS/NEFT in the Project Account of ED (P) mentioned in RFP.
(f)	Cl. 20 Section II Instructions to Bidders (ITB)	Complete e-Bid to be uploaded on the CPP portal i.e https://eprocure.gov.in before due date & time. The Envelope containing "Documents in Physical Form" must also be received by the Employer at the address Executive Director(P) ,National Highways & Infrastructure Development Corporation Limited. Regional Office,plot no.956/1444/1449 Opposite of TT Garage, Near SDF Bhawan,Indira Bypass Road, Gangtok, East Sikkim-737102. Email: mehal.sodhi@nhidcl.com not later than the date and time indicated in the NIT.	Complete e-Bid to be uploaded on the CPP portal i.e https://eprocure.gov.in before due date & time. The Envelope containing "Documents in Physical Form" must also be received by the Employer at the address Executive Director(P) ,National Highways & Infrastructure Development Corporation Limited. Regional Office,plot no.956/1444/1449 Opposite of TT Garage, Near SDF Bhawan,Indira Bypass Road, Gangtok, East Sikkim-737102. Email: mehal.sodhi@nhidcl.com at the time of signing of Agreement
(g)	Cl. 20.1 Section II Instructions to Bidders (ITB)	Any document in physical form if received by the Employer after the deadline prescribed in Clause 20 will be returned unopened to the Bidder and also the e-bid submitted by such bidder shall not be considered.	Deleted.

(h)	Machine	(4.4)(B) (b) (i) under Appendix to ITB	<table border="1"> <thead> <tr> <th>Name of the Equipment</th> <th>Quantity</th> </tr> </thead> <tbody> <tr><td>Tipper/Trucks</td><td>8</td></tr> <tr><td>Hydraulic Excavator /JCB</td><td>2</td></tr> <tr><td>Motor Grader</td><td>1</td></tr> <tr><td>Excavator 1.0 cum bucket capacity</td><td>2</td></tr> <tr><td>Vibratory Roller</td><td>2</td></tr> <tr><td>Hot Mix plant with Electronic Control (Minimum 75 TPH Capacity)</td><td>1</td></tr> <tr><td>Paver finisher</td><td>1</td></tr> <tr><td>Front end Loader</td><td>-</td></tr> <tr><td>Smooth Wheeled Roller</td><td>1</td></tr> <tr><td>Tandem Roller</td><td>1</td></tr> <tr><td>Bitumen pressure distributor @ 1750 sqm per hr</td><td>1</td></tr> <tr><td>Water Tanker</td><td>2</td></tr> <tr><td>Concrete Mixer with Integrated weight batching facility</td><td>-</td></tr> <tr><td>Generator set (63/100/250 KVA)</td><td>1</td></tr> </tbody> </table>	Name of the Equipment	Quantity	Tipper/Trucks	8	Hydraulic Excavator /JCB	2	Motor Grader	1	Excavator 1.0 cum bucket capacity	2	Vibratory Roller	2	Hot Mix plant with Electronic Control (Minimum 75 TPH Capacity)	1	Paver finisher	1	Front end Loader	-	Smooth Wheeled Roller	1	Tandem Roller	1	Bitumen pressure distributor @ 1750 sqm per hr	1	Water Tanker	2	Concrete Mixer with Integrated weight batching facility	-	Generator set (63/100/250 KVA)	1	<table border="1"> <thead> <tr> <th>Name of the Equipment</th> <th>Quantity</th> </tr> </thead> <tbody> <tr><td>Tipper/Trucks</td><td>4</td></tr> <tr><td>Hydraulic Excavator /JCB</td><td>2</td></tr> <tr><td>Motor Grader</td><td>-</td></tr> <tr><td>Excavator 1.0 cum bucket capacity</td><td>2</td></tr> <tr><td>Vibratory Roller</td><td>2</td></tr> <tr><td>Hot Mix plant with Electronic Control (Minimum 60-75 TPH Capacity)/static drum mix plant of 60-75 TPH capacity</td><td>1</td></tr> <tr><td>Paver finisher</td><td>1</td></tr> <tr><td>Front end Loader</td><td>-</td></tr> <tr><td>Smooth Wheeled Roller</td><td>1</td></tr> <tr><td>Tandem Roller</td><td>1</td></tr> <tr><td>Bitumen pressure distributor @ 1750 sqm per hr</td><td>1</td></tr> <tr><td>Water Tanker</td><td>2</td></tr> <tr><td>Concrete Mixer with Integrated weight batching facility</td><td>-</td></tr> <tr><td>Generator set (63/100/250 KVA)</td><td>1</td></tr> </tbody> </table>	Name of the Equipment	Quantity	Tipper/Trucks	4	Hydraulic Excavator /JCB	2	Motor Grader	-	Excavator 1.0 cum bucket capacity	2	Vibratory Roller	2	Hot Mix plant with Electronic Control (Minimum 60-75 TPH Capacity)/static drum mix plant of 60-75 TPH capacity	1	Paver finisher	1	Front end Loader	-	Smooth Wheeled Roller	1	Tandem Roller	1	Bitumen pressure distributor @ 1750 sqm per hr	1	Water Tanker	2	Concrete Mixer with Integrated weight batching facility	-	Generator set (63/100/250 KVA)	1
			Name of the Equipment	Quantity																																																												
Tipper/Trucks	8																																																															
Hydraulic Excavator /JCB	2																																																															
Motor Grader	1																																																															
Excavator 1.0 cum bucket capacity	2																																																															
Vibratory Roller	2																																																															
Hot Mix plant with Electronic Control (Minimum 75 TPH Capacity)	1																																																															
Paver finisher	1																																																															
Front end Loader	-																																																															
Smooth Wheeled Roller	1																																																															
Tandem Roller	1																																																															
Bitumen pressure distributor @ 1750 sqm per hr	1																																																															
Water Tanker	2																																																															
Concrete Mixer with Integrated weight batching facility	-																																																															
Generator set (63/100/250 KVA)	1																																																															
Name of the Equipment	Quantity																																																															
Tipper/Trucks	4																																																															
Hydraulic Excavator /JCB	2																																																															
Motor Grader	-																																																															
Excavator 1.0 cum bucket capacity	2																																																															
Vibratory Roller	2																																																															
Hot Mix plant with Electronic Control (Minimum 60-75 TPH Capacity)/static drum mix plant of 60-75 TPH capacity	1																																																															
Paver finisher	1																																																															
Front end Loader	-																																																															
Smooth Wheeled Roller	1																																																															
Tandem Roller	1																																																															
Bitumen pressure distributor @ 1750 sqm per hr	1																																																															
Water Tanker	2																																																															
Concrete Mixer with Integrated weight batching facility	-																																																															
Generator set (63/100/250 KVA)	1																																																															
(i)	Due date of Submission of document	Cl. 12.1 Section II Instructions to Bidders (ITB)	Documents to be submitted in physical form must reach the Executive Director (P),National Highways & Infrastructure Development Corporation Limited. Regional Office,plot no.956/1444/1449 Opposite of TT Garage, Near SDF Bhawan,Indira Bypass Road, Gangtok, East Sikkim-737102 Email: mehal.sodhi@nhidcl.com by 17:00 Hrs on Bid Due Date.	Documents to be submitted in physical form must reach the Executive Director (P),National Highways & Infrastructure Development Corporation Limited. Regional Office,plot no.956/1444/1449 Opposite of TT Garage, Near SDF Bhawan,Indira Bypass Road, Gangtok, East Sikkim-737102 Email: mehal.sodhi@nhidcl.com at the time of signing of Agreement.																																																												

(j)		Cl. 12.2 Section II Instructions to Bidders (ITB)	<p>Though, the scanned copies of following documents is required to be uploaded during submission of e-bid on the e-tendering portal, As per clause 12.1 above, however, following original documents in physical form shall be submitted in a sealed envelope by 17:00 Hrs on the date of submission of bid and addressed to the addressee given in the NIT duly super scribed "Name of Work, Bid due date and time". Name and address of the bidder should also be indicated on the envelope.</p> <p>a) Bid Security b) Bid Document Fee c) Deleted</p>	<p>Though, the scanned copies of following documents is required to be uploaded during submission of e-bid on the e-tendering portal, As per clause 12.1 above, however, following original documents in physical form shall be submitted in a sealed envelope at the time of signing of Agreement duly super scribed "Name of Work, Bid due date and time". Name and address of the bidder should also be indicated on the envelope.</p> <p>a) Original copy of payment of proof of Bid Security b) Original copy of proof of payment of Bid Document Fee c) Deleted</p>
(k)	Performance Security	Cl. 28.3 & 33.1 Section II Instructions to Bidders (ITB)	Performance Security of 5%	Performance Security of 3%
(l)	Critical date		Date of submission of Tender/Bid (online& hard copy) i.e. 02.12.2020 (1700 Hrs)	Date of submission of Tender/Bid (online& hard copy) i.e. 09.12.2020 (1700 Hrs)
(m)			Opening of Technical BIDs at venue i.e. 03.12.2020 (1700 Hrs)	Opening of Technical BIDs at venue i.e. 10.12.2020 (1700 Hrs)

