

राष्ट्रीय राजमार्ग एवं अवसंरचना विकास निगम लिमिटेड

सड़क परिवहन और राजमार्ग मंत्रालय, भारत सरकार  
तीसरी मंजिल, पीटीआई बिल्डिंग, 4-संसद मार्ग, नई दिल्ली-110001

**National Highways & Infrastructure Development Corporation Limited**

Ministry of Road Transport & Highways, Govt. of India  
3rd Floor, PTI Building, 4-Parliament Street, New Delhi-110001, +91 11 23461600, www.nhidcl.com



(भारत सरकार का उद्यम)

(A Government of India Enterprise)

NHIDCL/HQ/A&N/Balance work of Middle Strait bridge/2022-23

Date: 17.05.2023

### Corrigendum No. III

**Name of Work:** "Construction of Balance works of Major Bridge over Middle Strait Creek between Km. 106.590 to km 107.762 of NH-04 connecting South Andaman & Baratang Island in the Union Territory of Andaman & Nicobar Islands on EPC Basis.

Tender ID: 2023\_NHIDC\_746407\_1

In reference to the RFP for the bids under the tender mentioned above and Corrigendum-I & II, following amendment mentioned at Annexure-I are made with the approval of the Competent Authority.

(Devender Kumar)  
DGM(T), NHIDCL

**Annexure-I**

Sr. No.	Clause No./Pages No.	Text appearing as per Existing RFP/Corrigendum-II	Modified text																																
1	Chainages mentioned in Table under Clause 7.1.2 of Schedule B	<table border="1"> <thead> <tr> <th data-bbox="497 806 608 907">Sr. No.</th> <th colspan="2" data-bbox="608 806 1271 907">Location (Km) Design Ch.</th> </tr> <tr> <td></td> <th data-bbox="608 907 895 952">From</th> <th data-bbox="895 907 1271 952">To</th> </tr> </thead> <tbody> <tr> <td data-bbox="497 952 608 1064">1</td> <td data-bbox="608 952 895 1064">0.415</td> <td data-bbox="895 952 1271 1064">1.375</td> </tr> <tr> <td data-bbox="497 1064 608 1120">2</td> <td data-bbox="608 1064 895 1120">0.400</td> <td data-bbox="895 1064 1271 1120">0.415</td> </tr> <tr> <td data-bbox="497 1120 608 1176">3</td> <td data-bbox="608 1120 895 1176">1.375</td> <td data-bbox="895 1120 1271 1176">1.390</td> </tr> </tbody> </table>	Sr. No.	Location (Km) Design Ch.			From	To	1	0.415	1.375	2	0.400	0.415	3	1.375	1.390	<table border="1"> <thead> <tr> <th data-bbox="1316 795 1426 896">Sr. No.</th> <th colspan="2" data-bbox="1426 795 2090 896">Location (Km) Design Ch.</th> </tr> <tr> <td></td> <th data-bbox="1426 896 1736 940">From</th> <th data-bbox="1736 896 2090 940">To</th> </tr> </thead> <tbody> <tr> <td data-bbox="1316 940 1426 1041">1</td> <td data-bbox="1426 940 1736 1041"><b>0.580</b> (Abut. -1)</td> <td data-bbox="1736 940 2090 1041"><b>1.540</b> (Abut. -2)</td> </tr> <tr> <td data-bbox="1316 1041 1426 1097">2</td> <td data-bbox="1426 1041 1736 1097"><b>0.565</b></td> <td data-bbox="1736 1041 2090 1097"><b>0.580</b></td> </tr> <tr> <td data-bbox="1316 1097 1426 1153">3</td> <td data-bbox="1426 1097 1736 1153"><b>1.540</b></td> <td data-bbox="1736 1097 2090 1153"><b>1.555</b></td> </tr> </tbody> </table>			Sr. No.	Location (Km) Design Ch.			From	To	1	<b>0.580</b> (Abut. -1)	<b>1.540</b> (Abut. -2)	2	<b>0.565</b>	<b>0.580</b>	3	<b>1.540</b>	<b>1.555</b>
Sr. No.	Location (Km) Design Ch.																																		
	From	To																																	
1	0.415	1.375																																	
2	0.400	0.415																																	
3	1.375	1.390																																	
Sr. No.	Location (Km) Design Ch.																																		
	From	To																																	
1	<b>0.580</b> (Abut. -1)	<b>1.540</b> (Abut. -2)																																	
2	<b>0.565</b>	<b>0.580</b>																																	
3	<b>1.540</b>	<b>1.555</b>																																	
2	Chainages mentioned in Table under Clause 7.3.2 of Schedule B	<table border="1"> <thead> <tr> <th data-bbox="497 1265 608 1366">Sr. No.</th> <th colspan="2" data-bbox="608 1265 1271 1366">Location (Km) Design Ch.</th> </tr> <tr> <td></td> <th data-bbox="608 1366 895 1411">From</th> <th data-bbox="895 1366 1271 1411">To</th> </tr> </thead> <tbody> <tr> <td data-bbox="497 1411 608 1523">1</td> <td data-bbox="608 1411 895 1523">0.415</td> <td data-bbox="895 1411 1271 1523">1.375</td> </tr> <tr> <td data-bbox="497 1523 608 1579">2</td> <td data-bbox="608 1523 895 1579">0.400</td> <td data-bbox="895 1523 1271 1579">0.415</td> </tr> <tr> <td data-bbox="497 1579 608 1635">3</td> <td data-bbox="608 1579 895 1635">1.375</td> <td data-bbox="895 1579 1271 1635">1.390</td> </tr> </tbody> </table>	Sr. No.	Location (Km) Design Ch.			From	To	1	0.415	1.375	2	0.400	0.415	3	1.375	1.390	<table border="1"> <thead> <tr> <th data-bbox="1316 1243 1426 1344">Sr. No.</th> <th colspan="2" data-bbox="1426 1243 2090 1344">Location (Km) Design Ch.</th> </tr> <tr> <td></td> <th data-bbox="1426 1344 1736 1388">From</th> <th data-bbox="1736 1344 2090 1388">To</th> </tr> </thead> <tbody> <tr> <td data-bbox="1316 1388 1426 1489">1</td> <td data-bbox="1426 1388 1736 1489"><b>0.580</b> (Abut. -1)</td> <td data-bbox="1736 1388 2090 1489"><b>1.540</b> (Abut. -2)</td> </tr> <tr> <td data-bbox="1316 1489 1426 1545">2</td> <td data-bbox="1426 1489 1736 1545"><b>0.565</b></td> <td data-bbox="1736 1489 2090 1545"><b>0.580</b></td> </tr> <tr> <td data-bbox="1316 1545 1426 1601">3</td> <td data-bbox="1426 1545 1736 1601"><b>1.540</b></td> <td data-bbox="1736 1545 2090 1601"><b>1.555</b></td> </tr> </tbody> </table>			Sr. No.	Location (Km) Design Ch.			From	To	1	<b>0.580</b> (Abut. -1)	<b>1.540</b> (Abut. -2)	2	<b>0.565</b>	<b>0.580</b>	3	<b>1.540</b>	<b>1.555</b>
Sr. No.	Location (Km) Design Ch.																																		
	From	To																																	
1	0.415	1.375																																	
2	0.400	0.415																																	
3	1.375	1.390																																	
Sr. No.	Location (Km) Design Ch.																																		
	From	To																																	
1	<b>0.580</b> (Abut. -1)	<b>1.540</b> (Abut. -2)																																	
2	<b>0.565</b>	<b>0.580</b>																																	
3	<b>1.540</b>	<b>1.555</b>																																	

~~1/5~~

Sr. No.	Clause No./Pages No.	Text appearing as per Existing RFP/Corrigendum-II	Modified text																																																																												
3	Chainages mentioned in Table under Clause 7.7 of Schedule B	<table border="1"> <thead> <tr> <th rowspan="2">Sr. No.</th> <th colspan="2">Location (Km) Design Ch.</th> </tr> <tr> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>0.415</td> <td>1.375</td> </tr> <tr> <td>2</td> <td>0.400</td> <td>0.415</td> </tr> <tr> <td>3</td> <td>1.375</td> <td>1.390</td> </tr> </tbody> </table>	Sr. No.	Location (Km) Design Ch.		From	To	1	0.415	1.375	2	0.400	0.415	3	1.375	1.390	<table border="1"> <thead> <tr> <th rowspan="2">Sr. No.</th> <th colspan="2">Location (Km) Design Ch.</th> </tr> <tr> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td>1</td> <td><b>0.580</b> (Abut. -1)</td> <td><b>1.540</b> (Abut. -2)</td> </tr> <tr> <td>2</td> <td>0.565</td> <td>0.580</td> </tr> <tr> <td>3</td> <td>1.540</td> <td>1.555</td> </tr> </tbody> </table>	Sr. No.	Location (Km) Design Ch.		From	To	1	<b>0.580</b> (Abut. -1)	<b>1.540</b> (Abut. -2)	2	0.565	0.580	3	1.540	1.555																																																
Sr. No.	Location (Km) Design Ch.																																																																														
	From	To																																																																													
1	0.415	1.375																																																																													
2	0.400	0.415																																																																													
3	1.375	1.390																																																																													
Sr. No.	Location (Km) Design Ch.																																																																														
	From	To																																																																													
1	<b>0.580</b> (Abut. -1)	<b>1.540</b> (Abut. -2)																																																																													
2	0.565	0.580																																																																													
3	1.540	1.555																																																																													
4	Chainages mentioned in Table under Clause 2.11 of Schedule B	<table border="1"> <thead> <tr> <th rowspan="2">Sl. No.</th> <th colspan="2">Location (Design Chainage)</th> <th rowspan="2">Width (m)</th> <th rowspan="2">Length (M)</th> <th rowspan="2">Typical Cross section (Ref. to enclosed drawing in tender documents)</th> </tr> <tr> <th>From (Km)</th> <th>To (Km)</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>0.00</td> <td>0.240</td> <td>12.0</td> <td>240</td> <td>TCS IA</td> </tr> <tr> <td>2</td> <td>0.240</td> <td>0.390</td> <td>12.0</td> <td>150</td> <td>TCS I B</td> </tr> <tr> <td>3</td> <td>0.390</td> <td>0.400</td> <td>14.4</td> <td>10</td> <td>TCS (Approach Slab)</td> </tr> <tr> <td>4</td> <td>0.400</td> <td>0.415</td> <td>14.8</td> <td>15</td> <td>TCS-III (Voided Slab)</td> </tr> <tr> <td>5</td> <td>0.415</td> <td>1.375</td> <td>14.8</td> <td>960</td> <td>TCS II (Bridge</td> </tr> </tbody> </table>	Sl. No.	Location (Design Chainage)		Width (m)	Length (M)	Typical Cross section (Ref. to enclosed drawing in tender documents)	From (Km)	To (Km)	1	0.00	0.240	12.0	240	TCS IA	2	0.240	0.390	12.0	150	TCS I B	3	0.390	0.400	14.4	10	TCS (Approach Slab)	4	0.400	0.415	14.8	15	TCS-III (Voided Slab)	5	0.415	1.375	14.8	960	TCS II (Bridge	<table border="1"> <thead> <tr> <th rowspan="2">Sl. No.</th> <th colspan="2">Location (Design Chainage)</th> <th rowspan="2">Width (m)</th> <th rowspan="2">Length (M)</th> <th rowspan="2">Typical Cross section (Ref. to enclosed drawing in tender documents)</th> </tr> <tr> <th>From (Km)</th> <th>To (Km)</th> </tr> </thead> <tbody> <tr> <td>1</td> <td><b>0.00</b></td> <td><b>0.405</b></td> <td>12.0</td> <td>405</td> <td>TCS IA</td> </tr> <tr> <td>2</td> <td><b>0.405</b></td> <td><b>0.555</b></td> <td>12.0</td> <td>150</td> <td>TCS I B</td> </tr> <tr> <td>3</td> <td><b>0.555</b></td> <td><b>0.565</b></td> <td>14.4</td> <td>10</td> <td>TCS (Approach Slab)</td> </tr> <tr> <td>4</td> <td><b>0.565</b></td> <td><b>0.580</b></td> <td>14.8</td> <td>15</td> <td>TCS-III (Voided Slab)</td> </tr> <tr> <td>5</td> <td><b>0.580</b></td> <td><b>1.540</b></td> <td>14.8</td> <td>960</td> <td>TCS II (Bridge</td> </tr> </tbody> </table>	Sl. No.	Location (Design Chainage)		Width (m)	Length (M)	Typical Cross section (Ref. to enclosed drawing in tender documents)	From (Km)	To (Km)	1	<b>0.00</b>	<b>0.405</b>	12.0	405	TCS IA	2	<b>0.405</b>	<b>0.555</b>	12.0	150	TCS I B	3	<b>0.555</b>	<b>0.565</b>	14.4	10	TCS (Approach Slab)	4	<b>0.565</b>	<b>0.580</b>	14.8	15	TCS-III (Voided Slab)	5	<b>0.580</b>	<b>1.540</b>	14.8	960	TCS II (Bridge
Sl. No.	Location (Design Chainage)			Width (m)	Length (M)				Typical Cross section (Ref. to enclosed drawing in tender documents)																																																																						
	From (Km)	To (Km)																																																																													
1	0.00	0.240	12.0	240	TCS IA																																																																										
2	0.240	0.390	12.0	150	TCS I B																																																																										
3	0.390	0.400	14.4	10	TCS (Approach Slab)																																																																										
4	0.400	0.415	14.8	15	TCS-III (Voided Slab)																																																																										
5	0.415	1.375	14.8	960	TCS II (Bridge																																																																										
Sl. No.	Location (Design Chainage)		Width (m)	Length (M)	Typical Cross section (Ref. to enclosed drawing in tender documents)																																																																										
	From (Km)	To (Km)																																																																													
1	<b>0.00</b>	<b>0.405</b>	12.0	405	TCS IA																																																																										
2	<b>0.405</b>	<b>0.555</b>	12.0	150	TCS I B																																																																										
3	<b>0.555</b>	<b>0.565</b>	14.4	10	TCS (Approach Slab)																																																																										
4	<b>0.565</b>	<b>0.580</b>	14.8	15	TCS-III (Voided Slab)																																																																										
5	<b>0.580</b>	<b>1.540</b>	14.8	960	TCS II (Bridge																																																																										

Sr. No.	Clause No./Pages No.	Text appearing as per Existing RFP/Corrigendum-II					Modified text						
						Proper)					Proper)		
		6	1.375	1.390	14.8	15	TCS-III (Voided Slab)	6	<b>1.540</b>	<b>1.555</b>	14.8	15	TCS-III (Voided Slab)
		7	1.390	1.400	14.4	10	TCS I B (Approach Slab)	7	<b>1.555</b>	<b>1.565</b>	14.4	10	TCS I B (Approach Slab)
		8	1.400	1.550	12.0	150	TCS I B	8	<b>1.565</b>	<b>1.715</b>	12.0	150	TCS I B
		9	1.550	1.963	12.0	413	TCS IA	9	<b>1.715</b>	<b>1.963</b>	12.0	<b>248</b>	TCS IA
		<b>Sum Total</b>				<b>1963</b>		<b>Sum Total</b>				<b>1963</b>	
5	Chainages mentioned in Table under Clause 7.8.7 of Schedule B	<b>RCC Retaining wall</b>				<b>RCC Retaining wall</b>							
		Sr.no.	Location (Design Chainage)		Length (m)	TCS Type	Sr.no.	Location (Design Chainage)		Length (m)	TCS Type		
			From	To				From	To				
		1	000+240	000+390	150 m	TCS I (B)	1	<b>000+405</b>	<b>000+555</b>	150 m	TCS I(B)		
		2	001+400	001+550	150 m	TCS I (B)	2	<b>001+565</b>	<b>001+715</b>	150 m	TCS I(B)		

Sr. No.	Clause No./Pages No.	Text appearing as per Existing RFP/Corrigendum-II	Modified text																																																				
6	Chainages mentioned in Table under Clause 7.8.8 of Schedule B	<table border="1"> <thead> <tr> <th rowspan="2">Sr.no.</th> <th colspan="2">Location (Design Chainage)</th> <th rowspan="2">Width</th> <th rowspan="2">Length</th> <th rowspan="2">TCS Type</th> </tr> <tr> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>000+400</td> <td>000+415</td> <td>14.8</td> <td>15 m</td> <td rowspan="2">Voided Slab-Cross section</td> </tr> <tr> <td>2</td> <td>001+375</td> <td>001+390</td> <td>14.8</td> <td>15 m</td> </tr> </tbody> </table>	Sr.no.	Location (Design Chainage)		Width	Length	TCS Type	From	To	1	000+400	000+415	14.8	15 m	Voided Slab-Cross section	2	001+375	001+390	14.8	15 m	<table border="1"> <thead> <tr> <th rowspan="2">Sr.no.</th> <th colspan="2">Location (Design Chainage)</th> <th rowspan="2">Width</th> <th rowspan="2">Length</th> <th rowspan="2">TCS Type</th> </tr> <tr> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>000+565</td> <td>000+580</td> <td>14.8</td> <td>15 m</td> <td rowspan="2">Voided Slab-Cross section</td> </tr> <tr> <td>2</td> <td>001+540</td> <td>001+555</td> <td>14.8</td> <td>15 m</td> </tr> </tbody> </table>	Sr.no.	Location (Design Chainage)		Width	Length	TCS Type	From	To	1	000+565	000+580	14.8	15 m	Voided Slab-Cross section	2	001+540	001+555	14.8	15 m														
Sr.no.	Location (Design Chainage)			Width	Length				TCS Type																																														
	From	To																																																					
1	000+400	000+415	14.8	15 m	Voided Slab-Cross section																																																		
2	001+375	001+390	14.8	15 m																																																			
Sr.no.	Location (Design Chainage)		Width	Length	TCS Type																																																		
	From	To																																																					
1	000+565	000+580	14.8	15 m	Voided Slab-Cross section																																																		
2	001+540	001+555	14.8	15 m																																																			
7	Chainages mentioned in Table under Clause 7.8.9 of Schedule B	<table border="1"> <thead> <tr> <th colspan="6">Balance Approach work</th> </tr> <tr> <th rowspan="2">Sr.no.</th> <th colspan="2">Location (Design Chainage)</th> <th rowspan="2">Width</th> <th rowspan="2">Length</th> <th rowspan="2">TCS Type</th> </tr> <tr> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>000+000</td> <td>000+240</td> <td>12</td> <td>240.00</td> <td>TCS I(A)</td> </tr> <tr> <td>2</td> <td>001+550</td> <td>001+963</td> <td>12</td> <td>413.00</td> <td>TCS I(A)</td> </tr> </tbody> </table>	Balance Approach work						Sr.no.	Location (Design Chainage)		Width	Length	TCS Type	From	To	1	000+000	000+240	12	240.00	TCS I(A)	2	001+550	001+963	12	413.00	TCS I(A)	<table border="1"> <thead> <tr> <th colspan="6">Balance Approach work</th> </tr> <tr> <th rowspan="2">Sr.no.</th> <th colspan="2">Location (Design Chainage)</th> <th rowspan="2">Width</th> <th rowspan="2">Length</th> <th rowspan="2">TCS Type</th> </tr> <tr> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>000+000</td> <td>000+405</td> <td>12</td> <td>405.00</td> <td>TCS I(A)</td> </tr> <tr> <td>2</td> <td>001+715</td> <td>001+963</td> <td>12</td> <td>248.00</td> <td>TCS I(A)</td> </tr> </tbody> </table>	Balance Approach work						Sr.no.	Location (Design Chainage)		Width	Length	TCS Type	From	To	1	000+000	000+405	12	405.00	TCS I(A)	2	001+715	001+963	12	248.00	TCS I(A)
Balance Approach work																																																							
Sr.no.	Location (Design Chainage)		Width	Length	TCS Type																																																		
	From	To																																																					
1	000+000	000+240	12	240.00	TCS I(A)																																																		
2	001+550	001+963	12	413.00	TCS I(A)																																																		
Balance Approach work																																																							
Sr.no.	Location (Design Chainage)		Width	Length	TCS Type																																																		
	From	To																																																					
1	000+000	000+405	12	405.00	TCS I(A)																																																		
2	001+715	001+963	12	248.00	TCS I(A)																																																		

*DM*

Sr. No.	Clause No./Pages No.	Text appearing as per Existing RFP/Corrigendum-II				Modified text					
		Sr.no.	Location (Design Chainage)		Width	Length	Sr.no.	Location (Design Chainage)		Width	Length
From	To		From	To							
8	Chainages mentioned in Table under Clause 7.8.10 of Schedule B	1	000+390	000+400	14.8	10 m	1	000+555	000+565	14.4	10 m
		2	001+390	001+400	14.8	10 m	2	001+555	001+565	14.4	10 m

~~Handwritten signature~~