

Reply to pre-bid queries - II

Name of Work: Empanelment of consultants for the Augmentation of Water Supply Scheme including distribution network/Retrofitting and Rehabilitation of the existing water supply network in various parts of India.

M/s ALPS Engineers - PMR Associates			
Sr. No.	Reference Clause	Query	Reply
1.	<p><i>Clause 4, Section I:</i></p> <p><i>Work Experience:</i></p> <p>The bidder must submit Experience Certificate/Completion Certificate of having successfully completed Augmentation of Water Supply Scheme including distribution network/Retrofitting and Rehabilitation of the existing water supply network during last 07 (seven) years with Central/State Government/ Central Autonomous Body/ Central Public Sector Undertaking/Municipal body.</p>	<p>We request to kindly keep it as 15 years in place of 7 years.</p>	<p>As per RFP.</p>
2.	<p><i>Clause 4, Section I:</i></p> <p><i>Work Experience:</i></p> <p>The bidder must submit Experience Certificate/Completion Certificate of having successfully completed Augmentation of Water Supply Scheme including distribution network/Retrofitting and Rehabilitation of the existing water supply network during last 07 (seven) years with Central/State Government/ Central Autonomous Body/ Central Public Sector Undertaking/Municipal body Successfully completed One Consultancy work for Augmentation of Water Supply Scheme including distribution network/Retrofitting and Rehabilitation of the existing water supply network having consultancy fees amounting to Rs. 5.00 Crore. Or Successfully completed Two Consultancy work of Augmentation of Water Supply Scheme including distribution network/Retrofitting and Rehabilitation of the existing water supply network having consultancy fees amounting to Rs. 4.00 Crore. Or Successfully completed Three Consultancy work of Augmentation of Water Supply Scheme including distribution network/Retrofitting and Rehabilitation of the existing water supply network having consultancy fees amounting to Rs. 3.00</p>	<p>We would like to state that in consultancy tender value/ cost of Project for which DPR is prepared is asked or the size of project (MLD of Water Treatment plant) is being asked for and not the consultancy fee taken. All certificates from State/PSU/Central Govt have cost of DPR/work mentioned and not the fee taken. DPR fee is maximum 1% of Project Cost and so a project in which consultant has been paid Rs. 5.00 Crore as fee the project/DPR will be of Rs. 500.00 Crore which is a huge amount of the said RFP. All consultancy tenders of JJM across country are selecting consultants based on the Project / DPR cost and not on consultancy fee. Based on the other JJM tender floated across country and assuming single project to value Rs 100.00 crore we request to keep the criteria as below: One project where DPR cost is Rs. 80.00 Crore OR Two projects where DPR cost is Rs. 50.00 Crore each OR Three projects where DPR cost is Rs. 40.00 Crore each.</p>	<p>Refer Corrigendum no. 2</p>



	Crore.....		
3.	Financial Capacity Minimum Average Annual Turnover of Rs. 200 Lakh during the last 05 (five) Financial Year ending FY 2018-19.....	We request it to be kept Rs.100 lakhs (Rs.1.00 Crore). All JJM tender & other DPR empanelment RFP ask for 1.00 Crore is average turnover of last 5 years. For reference consultancy tender of PHE Assam for JJM is enclosed (Annexure-B) Also max 30% of Turn Over is normally being asked for as per the CVC rules. If proposed Project whose DPR is to be prepared is roughly Rs. 300 crore the max consultancy fee will be 3 crore (1% of Project Cost) and so Qualifying criteria will be 30% of R	Refer Corrigendum No. 2
4.	<p>Clause 5, Section I:</p> <p><i>Evaluation Methodology</i></p> <p>Work experience of Augmentation of Water Supply Scheme including distribution network/Retrofitting and Rehabilitation of the existing water supply scheme (during last 07 years)</p> <p>i. Less than one work : 0 mark ii. One Work : 45 marks iii. More than 1 work : 5 marks for each additional work with maximum 15marks. (One similar work of Rs. 5.00 crore will be considered as one similar work ; two similar works each of Rs. 4.00 crore or above but less than Rs. 5.00 crore will be considered as one similar work ; three similar works each of Rs. 3.00 Crore or above but less than Rs.4.00 crore will be consider as one similar work for the evaluation process) 2. Annual turnover for the</p>	We request to kindly keep the work experience of last 15 years.	<p>Work experience of last 07 years will only be considered.</p> <p>However, the markings for evaluation have been modified as per Corrigendum No. 2.</p>
5.	<p>Clause 5, Section I:</p> <p><i>Evaluation Methodology</i></p> <p>Average Annual Turnover for the last 5 years i. Less than Rs. 200.00 Lakh : 0 mark ii. Equal to Rs. 200.00 Lakh : 16 marks iii. More than Rs. 200.00 Lakh : 1 marks for each additional Rs. 10.00 Lakh Turnover with maximum 4 marks</p>	We request to keep minimum average turnover as Rs.100 lakhs in place of Rs.200 lakhs. The Same is being taken as Rs.100 lakhs is all JJM tenders.	Refer Corrigendum No. 2.
6.	<p>Clause 5 (d), Section I:</p> <p><i>Evaluation Methodology</i></p> <p>Only the bidders who have obtained benchmark score of 75% in technical evaluation will qualify for empanelment.</p>	We request to kindly keep the qualifying percentage as 60% or maximum 65% in place of 75 % maximum tender have qualifying percentage as 60% or 65%, Request the same please	As per RFP.

7.	<p>Clause 7, Section I:</p> <p>Schedule of Bidding Process</p> <p>Bid Submission end date: 09.06.2020 (1500 hrs)</p>	<p>We request to kindly extend the bid submission end date by atleast 1 week in the present COVID-19 situation.</p>	<p>Refer Corrigendum No. 2.</p>
M/s DIMTS			
	<p>Clause 04 of Section I</p> <p>"Essential Qualification/Eligibility Criteria"</p> <p>Work Experience</p>	<p>We thank you for allowing JV for the "Empanelment of consultants for the Augmentation of Water Supply Scheme including distribution network/Retrofitting and Rehabilitation of the existing water supply network in various parts of India including J&K"</p> <p>However, the Corrigendum 1 mentions that the Lead member must fulfil complete "Essential qualification/ eligibility criteria". This goes against the basic sprit of having a JV.</p> <p>In a JV, partners pool in their credentials and strengths to meet the eligibility criteria and execute the project.</p> <p>We request that in JV, One member could meet Technical qualification while the other should meet and Financial criteria.</p>	<p>No change. Conditions of Corrigendum No. 1 prevails.</p>


 (PC Chanana)
 General Manager (Tech)

