

Schedules

SCHEDULE - A

(See Clauses 2.1 and 8.1)

SITE OF THE PROJECT

1. The Site

- 1.1 Intermediate /2-lane with Hard/Earthen Shoulder shall include the land, buildings, structures and road works as described in Annex-I of this Schedule-A.
- 1.2 The dates of handing over Right of Way to the Contractor are specified in the Annex-II of this Schedule A.
- 1.3 An inventory of the Site including the land, buildings, structures, road works, trees and any other immovable property on, or attached to, the Site shall be prepared jointly by the Authority Representative and the Contractor, and such inventory shall form part of the memorandum referred to in Clause 8.2.1 of this Agreement.
- 1.4 The alignment plans of the Project Highway are specified in Annex-III. In the case of sections where no modification in the existing alignment of the Project Highway is contemplated, the alignment plan has not been provided. Alignment plans have only been given for sections where the existing alignment is proposed to be upgraded. The proposed profile of the Project Highways shall be followed by the contractor with minimum FRL as indicated in the alignment plan. The contractor, however, improve/upgrade the Road Profile as indicated in Annexure-III based on site/design requirement.
- 1.5 The status of the environment clearances obtained or awaited is given in Annex - IV.

Rehabilitation and up-gradation and completion of balance work of section from Km 107.760 to Km 129.445 (After Middle strait to Humphrey) & Km 130.600 to Km 138.300 (After Humphrey to Kadamtala) of NH-04 to Intermediate / 2-Lane with hard shoulder in the Union Territory of Andaman & Nicobar Islands (**Pkg-III A**)

Annexure - I

(Schedule-A)

Site

Note: Through suitable drawings and description in words, the land, buildings, structures and road works comprising the Site shall be specified briefly but precisely in this Annex-I. All the chainages/location referred to in Annex-I to Schedule A shall be existing chainages; The risk pertaining to the adequacy of the executed works in accordance with the Manual & Contract Agreement shall be assumed solely by the Contractor. Prior to submitting the bid, the Contractor is permitted to conduct Non-Destructive Testing (NDT) on the structural elements. Any expenses to be incurred for rectification measures in the executed works, if deemed necessary, shall be assumed to be integrated into the bid by the Contractor.

1. Site

The Site of the Intermediate-Lane with shoulder Project Highway comprising the section of National Highway-04 is divided into two stretches which is not continuous i.e., 1st stretch after Middle Strait at Km 107.760 to Humphrey bridge at Km 129.445 and 2nd stretch after the Humphrey bridge at Km 130.600 to Jarawa-2 (Gate no-03) at Km 138.300 in the Union Territory of Andaman & Nicobar Islands. The land, carriageway and structures comprising the Site are described below.

2. Land

The Site of the Project Highway comprises the land (sum total of land already in possession and land to be possessed) as described below:

Land Details

S.No.	Chainage(km)	Existing ROW (in M)	Remarks
		Total	
1	107.700	15	Nilambur
2	107.800	21.5	
3	107.900	19	
4	108.000	17	
5	108.100	19	
6	108.200	19	
7	108.300	18	
8	108.400	24	
9	108.500	21	Kanchangarh
10	108.600	18	
11	108.700	18	
12	108.800	19	
13	108.900	19.5	
14	109.000	16	
15	109.100	22	
16	109.200	16.5	

Rehabilitation and up-gradation and completion of balance work of section from Km 107.760 to Km 129.445 (After Middle strait to Humphrey) & Km 130.600 to Km 138.300 (After Humphrey to Kadamtala) of NH-04 to Intermediate / 2-Lane with hard shoulder in the Union Territory of Andaman & Nicobar Islands (**Pkg-III A**)

S.No.	Chainage(km)	Existing ROW (in M)	Remarks
		Total	
17	109.300	13	
18	109.400	19	
19	109.500	15	
20	109.600	14	
21	109.700	15	
22	109.800	17.5	
23	109.900	17	
24	110.000	16	
25	110.100	16	
26	110.200	18.5	
27	110.300	16	
28	110.400	19.5	
29	110.500	19.5	
30	110.600	22	
31	110.700	23.5	
32	110.800	21	
33	110.900	16.5	
34	111.000	10.5	Sundergarh
35	111.100	11.5	
36	111.200	11.5	
37	111.300	14	
38	111.400	15	
39	111.500	13	
40	111.600	16	
41	111.700	24	
42	111.800	26	
43	111.900	25	
44	112.000	25	
45	112.100	23	
46	112.200	23.5	
47	112.300	19	
48	112.400	16	
49	112.500	20	
50	112.600	25	
51	112.700	25	

Rehabilitation and up-gradation and completion of balance work of section from Km 107.760 to Km 129.445 (After Middle strait to Humphrey) & Km 130.600 to Km 138.300 (After Humphrey to Kadamtala) of NH-04 to Intermediate / 2-Lane with hard shoulder in the Union Territory of Andaman & Nicobar Islands **(Pkg-III A)**

S.No.	Chainage(km)	Existing ROW (in M)	Remarks
		Total	
52	112.800	25	
53	112.900	20	
54	112.950	12	
55	113.000	12	
56	113.100	12	
57	113.200	12	
58	113.300	12	
59	113.400	12	
60	113.500	12	
61	113.600	12	
62	113.700	12	
63	113.800	12	
64	113.900	12	
65	114.000	12	
66	114.100	12	
67	114.200	12	
68	114.300	12	
69	114.400	12	
70	114.500	12	
71	114.600	12	
72	114.700	12	
73	114.800	12	
74	114.900	12	
75	115.000	12	
76	115.100	12	
77	115.200	12	
78	115.300	12	
79	115.400	12	
80	115.500	12	
81	115.600	12	
82	115.700	12	
83	115.800	12	
84	115.900	12	
85	116.000	12	
86	116.100	12	
86	116.200	12	

Rehabilitation and up-gradation and completion of balance work of section from Km 107.760 to Km 129.445 (After Middle strait to Humphrey) & Km 130.600 to Km 138.300 (After Humphrey to Kadamtala) of NH-04 to Intermediate / 2-Lane with hard shoulder in the Union Territory of Andaman & Nicobar Islands **(Pkg-III A)**

S.No.	Chainage(km)	Existing ROW (in M)	Remarks
		Total	
87	116.300	12	
88	116.400	12	
89	116.500	12	
90	116.600	12	
91	116.700	12	
92	116.800	12	
93	116.900	12	
94	117.000	12	
95	117.100	12	
96	117.200	12	
97	117.300	12	
98	117.400	12	
99	117.500	12	
100	117.600	12	
101	117.700	12	
102	117.800	12	
103	117.900	12	
104	118.000	12	
105	118.100	12	
106	118.200	12	
107	118.300	12	
108	118.400	12	
109	118.500	12	
110	118.600	12	
111	118.700	12	
112	118.800	12	
113	118.900	12	
114	119.000	12	
115	119.100	12	
116	119.200	12	
117	119.300	12	
118	119.400	12	
119	119.500	12	
120	119.600	12	
121	119.700	12	

Rehabilitation and up-gradation and completion of balance work of section from Km 107.760 to Km 129.445 (After Middle strait to Humphrey) & Km 130.600 to Km 138.300 (After Humphrey to Kadamtala) of NH-04 to Intermediate / 2-Lane with hard shoulder in the Union Territory of Andaman & Nicobar Islands (**Pkg-III A**)

S.No.	Chainage(km)	Existing ROW (in M)	Remarks
		Total	
122	119.800	12	
123	119.900	12	
124	120.000	12	
125	120.100	12	
126	120.200	12	
127	120.300	12	
128	120.400	12	
129	120.500	12	
130	120.600	12	
131	120.700	12	
132	120.800	12	
133	120.900	12	
134	121.000	12	
135	121.100	12	
136	121.200	12	
137	121.300	12	
138	121.400	12	
139	121.500	12	
140	121.600	12	
141	121.700	12	
142	121.800	12	
143	121.900	12	
144	122.000	12	
145	122.100	12	
146	122.200	12	
147	122.300	12	
148	122.400	12	
149	122.500	12	Adajig
150	122.600	24	
151	122.700	22	
152	122.800	23	
153	122.900	22	
154	123.000	25	
155	123.100	25	
156	123.200	27	

Rehabilitation and up-gradation and completion of balance work of section from Km 107.760 to Km 129.445 (After Middle strait to Humphrey) & Km 130.600 to Km 138.300 (After Humphrey to Kadamtala) of NH-04 to Intermediate / 2-Lane with hard shoulder in the Union Territory of Andaman & Nicobar Islands (**Pkg-III A**)

S. No.	Chainage(km)	Existing ROW (in M)	Remarks
		Total	
157	123.300	24	
158	123.400	22	
159	123.500	25	
160	123.600	22	
161	123.700	25.5	
162	123.800	27.5	
163	123.900	25	
164	124.000	12	
165	124.100	12	
166	124.200	12	
167	124.300	12	
168	124.400	12	
169	124.500	12	
170	124.600	12	
171	124.700	12	
172	124.800	12	
173	124.900	12	
174	125.000	12	
175	125.100	12	
176	125.200	12	
177	125.300	12	
178	125.400	12	
179	125.500	12	
180	125.600	12	
181	125.700	12	
182	125.800	12	
183	125.900	12	
184	126.000	12	
185	126.100	12	
186	126.200	12	
187	126.300	12	
188	126.400	12	
189	126.500	12	
190	126.600	12	
191	126.700	12	

Rehabilitation and up-gradation and completion of balance work of section from Km 107.760 to Km 129.445 (After Middle strait to Humphrey) & Km 130.600 to Km 138.300 (After Humphrey to Kadamtala) of NH-04 to Intermediate / 2-Lane with hard shoulder in the Union Territory of Andaman & Nicobar Islands (**Pkg-III A**)

S.No.	Chainage(km)	Existing ROW (in M)	Remarks
		Total	
192	126.800	12	
193	126.900	12	
194	127.000	12	
195	127.100	12	
196	127.200	12	
197	127.300	12	
198	127.400	12	
199	127.500	12	
200	127.600	12	
201	127.700	12	
202	127.800	12	
203	127.900	12	
204	128.000	12	
205	128.100	12	
206	128.200	12	
207	128.300	12	
210	128.400	12	
211	128.500	12	
212	128.600	12	
213	128.700	12	
214	128.800	12	
215	128.900	12	
216	129.000	12	
217	129.100	12	
218	129.200	12	
219	129.300	12	
220	129.400	12	
221	129.500	12	
222	130.600	21	
223	130.700	22	
224	130.800	22.5	
225	130.900	20.5	
226	131.000	19.5	
227	131.100	21	
228	131.200	20	

Rehabilitation and up-gradation and completion of balance work of section from Km 107.760 to Km 129.445 (After Middle strait to Humphrey) & Km 130.600 to Km 138.300 (After Humphrey to Kadamtala) of NH-04 to Intermediate / 2-Lane with hard shoulder in the Union Territory of Andaman & Nicobar Islands (**Pkg-III A**)

S.No.	Chainage(km)	Existing ROW (in M)	Remarks
		Total	
229	131.300	18	
230	131.400	20	
231	131.500	20	Santanu
232	131.600	20	
233	131.700	19.5	
234	131.800	19.75	
235	131.900	19.5	
236	132.000	14	
237	132.100	21	
238	132.200	19	
239	132.300	21	
240	132.400	19	
241	132.500	20	
242	132.600	18	
243	132.700	20	
244	132.800	20	
245	132.900	19	
246	133.000	20	
247	133.100	19	
248	133.200	19	
249	133.300	17	
250	133.400	20	
251	133.500	18.5	
252	133.600	22	
253	133.700	20	
254	133.800	24	
255	133.900	22	
256	134.000	22	
257	134.100	21	
258	134.200	23	
259	134.300	20	
260	134.400	20	
261	134.500	22	Kadamtala
262	134.600	25	
263	134.700	24	

Rehabilitation and up-gradation and completion of balance work of section from Km 107.760 to Km 129.445 (After Middle strait to Humphrey) & Km 130.600 to Km 138.300 (After Humphrey to Kadamtala) of NH-04 to Intermediate / 2-Lane with hard shoulder in the Union Territory of Andaman & Nicobar Islands (Pkg-III A)

S.No.	Chainage(km)	Existing ROW (in M)	Remarks
		Total	
264	134.800	24	
265	134.900	22.5	
266	135.000	24	
267	135.100	20	
268	135.200	20	
269	135.300	20.5	
270	135.400	21	
271	135.500	20	
272	135.600	20.5	
273	135.700	19	
274	135.800	19.5	
275	135.900	20	
276	136.000	20	
277	136.100	18.5	
278	136.200	20.5	
279	136.300	20.5	
280	136.400	20	
281	136.500	20	
282	136.600	20	
283	136.700	21	
284	136.800	24	
285	136.900	25	
286	137.000	25	
287	137.100	23	
288	137.200	20.75	
289	137.300	20	
290	137.400	12	
291	137.500	12	
292	137.600	12	
293	137.700	12	
294	137.800	12	
295	137.900	12	
296	138.300	12	

Note: Minimum Encumbrances free ROW is 12.0 m available all along the road.

Rehabilitation and up-gradation and completion of balance work of section from Km 107.760 to Km 129.445 (After Middle strait to Humphrey) & Km 130.600 to Km 138.300 (After Humphrey to Kadamtala) of NH-04 to Intermediate / 2-Lane with hard shoulder in the Union Territory of Andaman & Nicobar Islands **(Pkg-III A)**

3. Carriageway

The present carriageway of the Project Highway is of Intermediate Lane/two lane flexible pavement having varying carriageway width as tabulated below. The type of the existing pavement is flexible as per following details;

S.no.	Existing Chainage (km)		Existing carriageway width (m)	Remarks
	From	To		
1	107+760	108+000	10	
2	108+000	108+520	5.5	
3	108+520	109+220	10	
4	109+220	110+560	5.5	
5	110+560	111+500	10	
6	111+500	122+340	5.5	
7	122+340	122+581	10	
8	122+581	123+520	10	
9	123+520	129+445	5.5	
10	130+600	136+986	10	
11	136+986	138+300	5.50	

4. Major Bridges

The Site includes the following Major Bridges:

S. No.	Existing Chainage (km)	Type of Structure			No. of Spans with span length (m)	Width (m)
		Foundation	Sub-Structure	Super-Structure		
NIL						

5. Road over-bridges (ROB)/ Road under-bridges (RUB):

The Site includes the following ROB (road over railway line)/RUB (road under railwayline):

S. No.	Existing Chainage (km)	Type of Structure		No. of Spans with span length(m)	Width (m)	ROB/ RUB
		Foundation	Super Structure			
NIL						

6. Grade separators

The Site includes the following grade separators:

Existing	Type of Structure	No. of Spans with

Rehabilitation and up-gradation and completion of balance work of section from Km 107.760 to Km 129.445 (After Middle strait to Humphrey) & Km 130.600 to Km 138.300 (After Humphrey to Kadamtala) of NH-04 to Intermediate / 2-Lane with hard shoulder in the Union Territory of Andaman & Nicobar Islands (Pkg-III A)

S. No	Chainage (km)	Foundation	Superstructure	span length (m)	Width (m)
NIL					

7. Minor Bridges

The Site includes the following minor bridges

S. No.	Existing Chainage (km)	Type of Structure			No. of Spans with span length (c/c of expgap)	Total Width (m)
		Foundation	Sub-Structure	Super-Structure		
1	119.120	HP Type			16 x 0.9	6.0
2	122.171	Open	RC Wall	RC Solid Slab	2 x 5.7	7.4
3	131.327	Open	RC Wall	RC Solid Slab	3 x 6.0	7.8
4	136.122	Open	RC Wall	RC Solid Slab	3 x 6.0	7.8

8. Railway level crossings

The Site includes the following level crossing:

S. No.	Existing Chainage (km)	Remarks
NIL		

9. Underpasses (Vehicular, Non-Vehicular)

The Site includes the following underpasses:

S. No.	Existing Chainage (Km)	Type of Structure	No. of Spans with span length (m)	Width (m)
NIL				

10. Culverts

The Site has the following culverts:

SL NO	EXISTING CHAINAGE	TYPE OF CULVERT	SIZE OF SPAN (m)	Width
1	108+038	HPC	1x1.2	7.5
2	108+272	SLAB	1x2.3	7.5
3	108+272	SLAB	1x2.3	7.5
4	109+203	BOX	1x1.5x2	10
5	109+273	HPC	1x0.9	7.5
6	109+407	SLAB	1x1.6	7.5

Rehabilitation and up-gradation and completion of balance work of section from Km 107.760 to Km 129.445 (After Middle strait to Humphrey) & Km 130.600 to Km 138.300 (After Humphrey to Kadamtala) of NH-04 to Intermediate / 2-Lane with hard shoulder in the Union Territory of Andaman & Nicobar Islands (Pkg-III)

7	109+407	SLAB	1x1.6	7.5
8	109+638	BOX	1x2.0x2.0	7.5
9	109+856	HPC	1x1.2	7.5
10	110+093	HPC	1x1.2	7.5
11	110+408	SLAB	1x1.8	7.5
12	110+408	SLAB	1x1.8	7.5
13	110+574	BOX	1x2.0x2.0	10
14	110+714	HPC	1x1.2	10
15	110+803	HPC	1x1.2	10
16	110+962	SLAB	1x1.8	10
17	110+962	SLAB	1x1.8	10
18	111+391	HPC	2x1.2	10
19	111+626	BOX	1x4.0x2.4	7.5
20	112+268	BOX	1x2.0x2.0	7.5
21	112+471	SLAB	1x1.9	7.5
22	112+471	SLAB	1x1.9	7.5
23	112+839	HPC	2x0.9	7.5
24	113+658	HPC	1x1.2	7.5
25	113+775	HPC	1x1.2	7.5
26	114+955	HPC	1x1.2	7.5
27	115+257	HPC	1x1.2	7.5
28	115+621	HPC	1x1.2	7.5
29	119+934	HPC	1x1.2	7.5
30	120+292	HPC	1x1.2	7.5
31	121+597	HPC	2x0.9	7.5
32	121+943	SLAB	1x3.1	7.5
33	121+943	SLAB	1x3.1	7.5
34	123+169	HPC	1x1.2	7.5
35	124+412	HPC	1x1.2	7.5
36	124+555	HPC	1x1.2	7.5
37	124+750	HPC	1x1.2	7.5
38	124+879	SLAB	1x2.0	7.5
39	124+879	SLAB	1x2.0	7.5
40	125+075	HPC	1x1.2	7.5
41	125+395	SLAB	1x2.2	7.5
42	125+395	SLAB	1x2.2	7.5
43	127+302	HPC	1x1.2	7.5
44	128+318	HPC	1x1.2	7.5
45	129+095	HPC	1x1.2	7.5
46	129+212	HPC	1x1.2	7.5
47	131+060	HPC	1x1.2	10
48	131+755	HPC	1x1.2	10
49	131+831	HPC	1x1.2	10
50	131+969	BOX	1x1.5x1.5	10
51	132+187	HPC	1x1.2	10
52	132+492	SLAB	1x6.15	10
53	132+492	SLAB	1x6.15	10
54	132+885	HPC	1x1.2	10

Rehabilitation and up-gradation and completion of balance work of section from Km 107.760 to Km 129.445 (After Middle strait to Humphrey) & Km 130.600 to Km 138.300 (After Humphrey to Kadamtala) of NH-04 to Intermediate / 2-Lane with hard shoulder in the Union Territory of Andaman & Nicobar Islands (**Pkg-III A**)

55	133+127	HPC	1x1.2	10
56	133+254	HPC	2x1.2	10
57	133+437	HPC	2x1.2	10
58	133+591	HPC	1x1.2	10
59	133+718	BOX	1x1.9X1.9	10
60	133+802	HPC	1x1.2	10
61	133+887	HPC	1x1.2	10
62	134+008	HPC	1x1.2	10
63	135+542	BOX	1x1.5x1.5	10
64	135+635	HPC	1x1.2	10
65	135+920	HPC	1x1.2	10
66	136+315	BOX	1x2.0x2.5	10
67	136+555	HPC	1x1.2	10
68	136+699	HPC	1x1.2	10
69	137+213	HPC	1x1.2	7.5
70	137+310	HPC	1x1.2	7.5

Note: Protection works are balance in all culverts

11. Bus bays/Bus Shelters

The details of bus shelters on the Site are as follows:

S.No.	Existing Chainage	Side
Km 107.760 to 129.445		
1	109.500	LHS
2	111.340	RHS
3	111.880	LHS
4	112.650	RHS
5	122.500	LHS
Km 130.600 to 138.300		
6	130.800	LHS
7	132.050	RHS
8	134.350	LHS
9	134.214	LHS

12. Truck Lay byes

The details of truck lay byes are as follows:

S. No.	Existing Chainage (Km)	Length (m)	Left Hand Side	Right Hand Side
NIL				

13. Road side drains

The details of the roadside drains are as follows:

Rehabilitation and up-gradation and completion of balance work of section from Km 107.760 to Km 129.445 (After Middle strait to Humphrey) & Km 130.600 to Km 138.300 (After Humphrey to Kadamtala) of NH-04 to Intermediate / 2-Lane with hard shoulder in the Union Territory of Andaman & Nicobar Islands (Pkg-III)

Sl. No	Drain Type	Side	From	To
Between Stretch 107+760 to 129+445				
1	Lined RCC Drain	LHS	107+760	107+780
2	Lined CC Drain	RHS	109+000	109+070
3	Lined RCC Drain	LHS	110+545	110+570
4	Lined RCC Drain	LHS	110+580	110+696
5	Lined RCC Drain	LHS	110+745	110+959
6	Lined RCC Drain	LHS	110+980	111+391
7	Lined CC Drain	LHS	112+514	112+541
8	Lined CC Drain	RHS	112+597	112+644
9	Lined CC Drain	LHS	112+600	112+640
10	Lined RCC Drain	RHS	122+809	122+847
11	Lined RCC Drain	RHS	122+868	122+886
12	Lined RCC Drain	RHS	122+897	123+010
13	Lined RCC Drain	RHS	123+012	123+130
14	Lined RCC Drain	LHS	123+190	123+370
15	Lined RCC Drain	LHS	130+940	130+960
16	Lined RCC Drain	LHS	130+973	131+018
17	Lined RCC Drain	RHS	131+834	131+962
18	Lined RCC Drain	LHS	131+960	132+000
19	Lined RCC Drain	RHS	131+975	132+000
20	Lined RCC Drain	LHS	132+000	132+050
21	Lined RCC Drain	RHS	132+000	132+046
22	Lined RCC Drain	LHS	132+050	132+100
23	Lined RCC Drain	RHS	132+080	132+130
24	Lined RCC Drain	LHS	132+100	132+140
25	Lined RCC Drain	RHS	132+130	132+152
26	Lined RCC Drain	LHS	132+140	132+187
27	Lined RCC Drain	RHS	132+152	132+475
28	Lined RCC Drain	RHS	132+532	132+550
29	Lined RCC Drain	LHS	132+550	132+580
30	Lined RCC Drain	RHS	132+550	132+586
31	Lined RCC Drain	LHS	132+580	132+640
32	Lined RCC Drain	RHS	132+627	132+660
33	Lined RCC Drain	LHS	132+640	132+700
34	Lined RCC Drain	RHS	132+681	132+723
35	Lined RCC Drain	LHS	132+710	132+760
36	Lined RCC Drain	RHS	132+730	132+750
37	Lined RCC Drain	LHS	132+760	132+880
38	Lined RCC Drain	RHS	132+840	132+880
39	Lined RCC Drain	RHS	132+890	133+420
40	Lined RCC Drain	RHS	133+440	133+488
41	Lined RCC Drain	RHS	133+499	133+706
42	Lined RCC Drain	RHS	133+723	133+998
43	Lined RCC Drain	RHS	134+017	134+104
44	Lined RCC Drain	RHS	134+150	134+180
45	Lined RCC Drain	LHS	134+162	134+190
46	Lined RCC Drain	RHS	134+180	134+220
47	Lined RCC Drain	LHS	134+190	134+230
48	Lined RCC Drain	RHS	134+220	134+240
49	Lined RCC Drain	LHS	134+230	134+260
50	Lined RCC Drain	RHS	134+240	134+260

Rehabilitation and up-gradation and completion of balance work of section from Km 107.760 to Km 129.445 (After Middle strait to Humphrey) & Km 130.600 to Km 138.300 (After Humphrey to Kadamtala) of NH-04 to Intermediate / 2-Lane with hard shoulder in the Union Territory of Andaman & Nicobar Islands (Pkg-III)

51	Lined RCC Drain	LHS	134+260	134+280
52	Lined RCC Drain	RHS	134+260	134+280
53	Lined RCC Drain	LHS	134+280	134+290
54	Lined RCC Drain	RHS	134+280	134+300
55	Lined RCC Drain	LHS	134+300	134+330
56	Lined RCC Drain	RHS	134+300	134+340
57	Lined RCC Drain	LHS	134+330	134+383
58	Lined RCC Drain	RHS	134+340	134+420
59	Lined RCC Drain	LHS	134+383	134+430
60	Lined RCC Drain	RHS	134+420	134+440
61	Lined RCC Drain	LHS	134+430	134+480
62	Lined RCC Drain	RHS	134+440	134+470
63	Lined RCC Drain	LHS	134+480	134+508
64	Lined RCC Drain	RHS	134+490	134+508
65	Lined RCC Drain	LHS	134+508	134+530
66	Lined RCC Drain	RHS	134+508	134+540
67	Lined RCC Drain	LHS	134+530	134+550
68	Lined RCC Drain	RHS	134+540	134+620
69	Lined RCC Drain	RHS	134+663	134+752
70	Lined RCC Drain	LHS	135+429	135+450
71	Lined RCC Drain	RHS	135+435	135+455
72	Lined RCC Drain	LHS	135+450	135+470
73	Lined RCC Drain	RHS	135+455	135+505
74	Lined RCC Drain	LHS	135+470	135+515
75	Lined RCC Drain	RHS	135+505	135+520
76	Lined RCC Drain	LHS	135+515	135+550
77	Lined RCC Drain	RHS	135+520	135+560
78	Lined RCC Drain	LHS	135+550	135+610
79	Lined RCC Drain	RHS	135+560	135+620
80	Lined RCC Drain	LHS	135+610	135+660
81	Lined RCC Drain	RHS	135+620	135+660
82	Lined RCC Drain	LHS	135+660	135+740
83	Lined RCC Drain	RHS	135+660	135+790
84	Lined RCC Drain	LHS	135+765	135+800
85	Lined RCC Drain	RHS	135+790	135+910
86	Lined RCC Drain	LHS	135+800	135+930
87	Lined RCC Drain	RHS	135+910	135+937
88	Lined RCC Drain	LHS	135+930	136+000
89	Lined RCC Drain	RHS	135+950	136+000
90	Lined RCC Drain	LHS	136+000	136+050
91	Lined RCC Drain	RHS	136+000	136+130
92	Lined RCC Drain	LHS	136+050	136+100
93	Lined RCC Drain	RHS	136+130	136+174
94	Lined RCC Drain	LHS	136+230	136+265
95	Lined RCC Drain	RHS	136+230	136+275
96	Lined RCC Drain	LHS	136+265	136+300
97	Lined RCC Drain	RHS	136+275	136+295
98	Lined RCC Drain	LHS	136+330	136+350
99	Lined RCC Drain	RHS	136+330	136+380
100	Lined RCC Drain	LHS	136+350	136+410
101	Lined RCC Drain	RHS	136+380	136+430
102	Lined RCC Drain	LHS	136+410	136+470

Rehabilitation and up-gradation and completion of balance work of section from Km 107.760 to Km 129.445 (After Middle strait to Humphrey) & Km 130.600 to Km 138.300 (After Humphrey to Kadamtala) of NH-04 to Intermediate / 2-Lane with hard shoulder in the Union Territory of Andaman & Nicobar Islands (**Pkg-III A**)

103	Lined RCC Drain	RHS	136+430	136+490
104	Lined RCC Drain	LHS	136+470	136+500
105	Lined RCC Drain	RHS	136+490	136+570
106	Lined RCC Drain	LHS	136+500	136+600
107	Lined RCC Drain	RHS	136+570	136+620
108	Lined RCC Drain	LHS	136+600	136+650
109	Lined RCC Drain	RHS	136+630	136+670
110	Lined RCC Drain	LHS	136+650	136+699
111	Lined RCC Drain	LHS	136+710	136+840
112	Lined RCC Drain	RHS	136+820	136+840
113	Lined RCC Drain	LHS	136+840	136+850
114	Lined RCC Drain	RHS	136+840	136+880
115	Lined RCC Drain	LHS	136+850	136+930
116	Lined RCC Drain	RHS	136+880	136+940
117	Lined RCC Drain	LHS	136+930	136+960
118	Lined RCC Drain	RHS	136+940	136+960

14. Major junctions

The details of major junctions are as follows:

S. No	Existing Chainage (km)	At Grade	Grade Separated	Category of Cross Road+			
				NH	SH	MDR	Others
NIL							

(NH= National Highway, SH= State Highway, MDR= Major District Road)

15. Minor junctions

The details of the minor junctions are as follows:

S. No	Existing Chainage (km)	Village Name	Side	Type of Junction
Km 107.760 to 129.445				
1	108.937	Way to village	RHS	Y-type
2	110.688	Way to village	LHS	Y-type
3	122.132	Way to village	RHS	Y-type
4	123.400	Way to village	LHS	T-type
Km 130.600 to 138.300				
5	131.154	Way to Uttara village	RHS	Y-type
6	131.428	Way to Baragool	RHS	Y-type
7	131.931	Way to Baragool	RHS	Y-type
8	133.253	Way to Shantanu	LHS	Y-type
9	134.534	Way to Kadamtala	LHS	Y-type

Rehabilitation and up-gradation and completion of balance work of section from Km 107.760 to Km 129.445 (After Middle strait to Humphrey) & Km 130.600 to Km 138.300 (After Humphrey to Kadamtala) of NH-04 to Intermediate / 2-Lane with hard shoulder in the Union Territory of Andaman & Nicobar Islands (**Pkg-III A**)

10	135.050	Way to Kadamtala	LHS	Y-type
11	135.180	Way to Shantipur	LHS	Y-type
12	135.650	Way to Atharji	LHS	T-type
13	136.594	Way to Jarawa Tikri	RHS	Y-type

16. Bypasses

The details of the existing road sections proposed to be bypasses are as follows:

S. No	Name of bypass (Town)	Existing Chainage (Km)		Length (Km)
		From	To	
NIL				

17. Other Structures: Following are the details of existing causeways:

S. No	Existing Chainage (km)	StructureType	Openings / Spans X Length	Width (m)
NIL				

Rehabilitation and up-gradation and completion of balance work of section from Km 107.760 to Km 129.445 (After Middle strait to Humphrey) & Km 130.600 to Km 138.300 (After Humphrey to Kadamtala) of NH-04 to Intermediate / 2-Lane with hard shoulder in the Union Territory of Andaman & Nicobar Islands **(Pkg-III A)**

Annex - II
(Schedule-A)

Dates for providing Right of Way

The dates on which the Authority shall provide Right of Way to the Contractor on different stretches of the Site are stated below:

S. No.	Design Chainage (Km)		Design Length (Km)	Width (In Meter)	Dates of Providing ROW
	From	To			
1	2	3	4	5	6
	Part Right of Way				
	Width of Land as per Para 2 of Annexure-I of Schedule A			On Appointed Date	

Annex-III
(Schedule-A)

Alignment Plans

The existing alignment of the Project Highway shall be modified in the following sections as per the alignment plan indicated below:

- (i) The alignment of the Project Highway is enclosed in alignment plan. Finished road level indicated in the alignment plan shall be followed by the contractor as minimum FRL. In any case, the finished road level of the project highway shall not be less than those indicated in the alignment plan. The contractor shall, however, improve/upgrade the Road profile as indicated in Annex-III based on site/design requirement.
- (ii) Traffic Signage plan of the Project Highway showing numbers & location of traffic signs is enclosed. The contractor shall, however, improve/upgrade upon the traffic signage plan as indicated in Annex-III based on site/design requirement as per the relevant specifications/IRC Codes/Manual.

Rehabilitation and up-gradation and completion of balance work of section from Km 107.760 to Km 129.445 (After Middle strait to Humphrey) & Km 130.600 to Km 138.300 (After Humphrey to Kadamtala) of NH-04 to Intermediate / 2-Lane with hard shoulder in the Union Territory of Andaman & Nicobar Islands (**Pkg-III A**)

Annex - IV

(Schedule-A)

Environment Clearances

1. The environment clearance is not required in light of circular S.O. 2559(E) dated 22.08.2013 of MOEF&CC.
2. **Wild Life clearances:** Not Applicable.
3. **Forest Clearances:** Stage-I Forest Clearance has been received from MoEF&CC on 03.02.2021 for diversion of 17.249 Ha. forest land and on 16.06.2023 for diversion of 11.725 Ha. of forest land for the project.

Rehabilitation and up-gradation and completion of balance work of section from Km 107.760 to Km 129.445 (After Middle strait to Humphrey) & Km 130.600 to Km 138.300 (After Humphrey to Kadamtala) of NH-04 to Intermediate / 2-Lane with hard shoulder in the Union Territory of Andaman & Nicobar Islands (**Pkg-III A**)

SCHEDULE - B

(See Clause 2.1)

Development of the Project Highway

1. Development of the Project Highway

Development of the Project Highway shall include design and construction of the Project Highways described in this Schedule-B and in Schedule-C.

2. Rehabilitation and Up gradation

Rehabilitation and up gradation shall include Intermediate Lane/2-lane with Hard shoulder of the Project Highway as described in Annex-I of this Schedule-B and in Schedule-C.

3. Specifications and Standards

The Project Highway shall be designed and constructed in conformity with the Specifications and standards specified in Annex-I of Schedule-D.

4. Availability of the aggregates in the A&N Island

It is hereby clarified that the public auction of quarries in the Andaman & Nicobar Islands is subject to the prescribed procedures of the Government of UT of A&N and the guidelines of the NGT. As per the contractual agreement, the EPC Contractor is solely responsible for sourcing raw materials, including aggregates, from all the available sources, including transportation from the Mainland or neighboring countries at their own cost and risk. The bid price submitted by the Contractor is presumed to include all associated risks and costs related to the procurement.

Rehabilitation and up-gradation and completion of balance work of section from Km 107.760 to Km 129.445 (After Middle strait to Humphrey) & Km 130.600 to Km 138.300 (After Humphrey to Kadamtala) of NH-04 to Intermediate / 2-Lane with hard shoulder in the Union Territory of Andaman & Nicobar Islands (**Pkg-III A**)

Annex - I

(Schedule-B)

Description of Intermediate-Lane

Project Description: - Rehabilitation and Up-gradation of NH-4 (Old NH-223) popularly known as Andaman Trunk Road (ATR) has been entrusted to NHIDCL for the entire stretch of 331 Km distributed in South Andaman and North & Middle Andaman. In North Andaman the stretch from Km 107.760 to Km 129.445 (After Middle strait to Humphrey) & Km 130.600 to Km 138.300 (After Humphrey to Kadamtala) of NH-4 (Old NH-223) is proposed to be upgraded to Intermediate/2-Lane with hard shoulder in the Union Territory. The road is to be constructed on the existing alignment only. There is no realignment.

1. WIDENING OF THE EXISTING HIGHWAY

1.1 The Project Highway shall follow the existing alignment unless otherwise specified by the Authority and shown in the alignment plans specified in Annex III of Schedule-A. Geometric deficiencies, if any, in the existing horizontal and vertical profiles shall be corrected as per the prescribed standards for plain/rolling terrain to the extent land is available.

1.2 WIDTH OF CARRIAGEWAY

1.2.1 Intermediate-Lane with hard shoulders in rural section and intermediate lane with covered drain with footpath in urban section shall be undertaken. The carriageway shall be 5.5m with hard shoulder in rural and Intermediate/Two lane with paved Shoulder in urban section conformation with the typical cross sections drawings in the Manual.

Provided that in the built-up areas the width of the carriageway shall be as specified in the following table:

S. No.	Built up Stretch (Township)	Design Chainage (Km)		Length (km)	Width (m)	Typical Cross Section Proposed
		From	To			
Km 107.760 to 129.445						
1	Nilambur	107.760	108.000	240	10	TCS II
2	Baratang	108.520	109.220	700	10	TCS II
3	S-Creek Market	110.560	111.500	940	10	TCS II
4	Adazig Village	122.340	123.520	1180	10	TCS II
Km 130.600 to 138.300						
5	Uttara, Shantanu, Kadamtala	130.600	136.986	6386	10	TCS II

Rehabilitation and up-gradation and completion of balance work of section from Km 107.760 to Km 129.445 (After Middle strait to Humphrey) & Km 130.600 to Km 138.300 (After Humphrey to Kadamtala) of NH-04 to Intermediate / 2-Lane with hard shoulder in the Union Territory of Andaman & Nicobar Islands (**Pkg-III A**)

* Exact location to be decided at site

1.2.2 Except otherwise provided in this Agreement, the width of the paved carriageway and cross-sectional features shall conform to paragraph 1.2.1 above

2. GEOMETRIC DESIGN AND GENERAL FEATURES

2.1 General

Geometric design and general features of the Project Highway shall be in accordance with section 2 of the manual.

2.2 Design Speed

The design speed shall be the minimum design speed of 60 km per hour (in accordance with section 2 of the manual) for rolling terrain.

2.3 Improvement of the existing road geometry

In the following sections, where improvement of the existing road geometrics to the prescribed standards is not possible within existing ROW, the existing road geometrics shall be improved to the extent possible within the given right of way and proper road signs and safety measures shall be provided:

Deficient Curves: -

S. No	Design Chainage (km)
Km 107.760 to 129.445	
1	108.692
2	108.954
3	109.077
4	109.471
5	109.794
6	110.013
7	110.141
8	118.994
9	121.956
10	122.054
11	124.175
12	124.296
13	125.219
Km 130.600 to 138.300	
14	135.112

Rehabilitation and up-gradation and completion of balance work of section from Km 107.760 to Km 129.445 (After Middle strait to Humphrey) & Km 130.600 to Km 138.300 (After Humphrey to Kadamtala) of NH-04 to Intermediate / 2-Lane with hard shoulder in the Union Territory of Andaman & Nicobar Islands (**Pkg-III A**)

2.4 Right of Way

The Site of the Project Highway comprises the land as described in Annexure-I of Schedule-A.

2.5 Type of Shoulders

S. No.	Built up Stretch (Township)	Design Chainage (Km)		Reference to Cross Section
		From	To	
Km 107.760 to 129.445				
1	Nilambur	107.760	108.000	TCS II
2	Baratang	108.520	109.220	TCS II
3	S-Creek Market	110.560	111.500	TCS II
4	Adazig Village	122.340	123.520	TCS II
Km 130.600 to 138.300				
5	Uttara, Shantanu, Kadamtala	130.600	136.986	TCS II

In built up area full road width to be paved whereas in other area hard shoulder of 0.5m on both sides is to be done as per applicable TCS.

2.6 Lateral and vertical clearances at underpasses

2.6.1 Lateral and vertical clearances at underpasses and provision of guardrails/crash barriers shall be as per paragraph 2.11 of the Manual.

2.6.2 Lateral clearance: The width of the opening at the underpasses shall be as follows:

S. No.	Design Chainage (Km)	Span/opening (m)	Remarks
NIL			

2.7 Lateral and vertical clearances at overpasses

2.7.1 Lateral and vertical clearances at overpasses and provision of guardrails/crash barriers shall be as per paragraph 2.12 of the Manual.

2.7.2 Lateral clearance: The width of the opening at the overpasses shall be as follows:

S. No.	Design Chainage (Km)	Span/opening (m)	Remarks
NIL			

Rehabilitation and up-gradation and completion of balance work of section from Km 107.760 to Km 129.445 (After Middle strait to Humphrey) & Km 130.600 to Km 138.300 (After Humphrey to Kadamtala) of NH-04 to Intermediate / 2-Lane with hard shoulder in the Union Territory of Andaman & Nicobar Islands (**Pkg-III A**)

2.8 Service roads

Service roads/Slip Roads shall be constructed at the locations and for the lengths indicated below:

S. No	Design Chainage (Km)	RHS/LHS	Length of the Service Road (m)
NIL			

2.9 Grade separated structures

2.9.1 Grade separated structures shall be provided as per paragraph 2.14 of the Manual. Therequisite particulars are given below:

S. No.	Design Chainage (Km)	Length (m)	Number and length of spans	Approach gradient	Remarks, if any
NIL					

2.9.2 In the case of grade separated structures, the type of structure and the level of the Project Highway and the cross roads shall be as follows:

S. No.	Design Chainage (Km)	Type of structure Length (m)	Cross road at		
			Existing level	Raised Level	Lowered Level
NIL					

2.10 Cattle and pedestrian under pass / over pass

Cattle and pedestrian underpass shall be constructed as follows:

S. No.	Design Chainage (Km)	Type of Crossing
NIL		

2.11 Typical cross-sections of the Project Highway

Indicative typical cross-sections along with different types of cross-sections required to be developed in different segments of the project highway are indicated in Appendix B-I. Cross Section schedule for the project highway is as follows:

Sl. No	From	To	Length of Stretch	TCS Proposed	TCS
1	107+760	108+000	240.00	TCS II B	TCS II
2	108+000	108+480	480.00	TCS I D	TCS I
3	108+480	108+490	10.00	TCS I A	TCS I
4	108+490	108+520	30.00	TCS I (TYPICAL)	TCS I
5	108+520	108+560	40.00	TCS II B	TCS II
6	108+560	108+783	223.00	TCS II A	TCS II

Rehabilitation and up-gradation and completion of balance work of section from Km 107.760 to Km 129.445 (After Middle strait to Humphrey) & Km 130.600 to Km 138.300 (After Humphrey to Kadamtala) of NH-04 to Intermediate / 2-Lane with hard shoulder in the Union Territory of Andaman & Nicobar Islands (Pkg-III A)

7	108+783	108+820	37.00	TCS II B	TCS II
8	108+820	108+900	80.00	TCS II C	TCS II
9	108+900	108+977	77.00	TCS II B	TCS II
10	108+977	109+000	23.00	TCS II A	TCS II
11	109+000	109+100	100.00	TCS II B	TCS II
12	109+100	109+220	120.00	TCS II A	TCS II
13	109+220	109+290	70.00	TCS I A	TCS I
14	109+290	109+450	160.00	TCS I (TYPICAL)	TCS I
15	109+450	109+480	30.00	TCS I D	TCS I
16	109+480	109+638	158.00	TCS I D	TCS I
17	109+638	109+658	20.00	TCS I D	TCS I
18	109+658	109+920	262.00	TCS I D	TCS I
19	109+920	109+960	40.00	TCS I A	TCS I
20	109+960	110+560	600.00	TCS I D	TCS I
21	110+560	110+735	175.00	TCS II A	TCS II
22	110+735	110+790	55.00	TCS II B	TCS II
23	110+790	110+815	25.00	TCS II A	TCS II
24	110+815	110+850	35.00	TCS II B	TCS II
25	110+850	110+890	40.00	TCS II A	TCS II
26	110+890	110+952	62.00	TCS II B	TCS II
27	110+952	110+982	30.00	TCS II C	TCS II
28	110+982	111+275	293.00	TCS II B	TCS II
29	111+275	111+450	175.00	TCS II C	TCS II
30	111+450	111+500	50.00	TCS II B	TCS II
31	111+500	111+580	80.00	TCS I (TYPICAL)	TCS I
32	111+580	111+605	25.00	TCS I D	TCS I
33	111+605	111+616	11.00	TCS I (TYPICAL)	TCS I
34	111+616	111+680	64.00	TCS I D	TCS I
35	111+680	111+790	110.00	TCS I (TYPICAL)	TCS I
36	111+790	111+810	20.00	TCS I A	TCS I
37	111+810	111+890	80.00	TCS I (TYPICAL)	TCS I
38	111+890	111+915	25.00	TCS I A	TCS I
39	111+915	111+945	30.00	TCS I (TYPICAL)	TCS I
40	111+945	111+987	42.00	TCS I A	TCS I
41	111+987	112+290	303.00	TCS I D	TCS I
42	112+290	112+317	27.00	TCS I A	TCS I
43	112+317	112+460	143.00	TCS I (TYPICAL)	TCS I
44	112+460	112+592	132.00	TCS I A	TCS I
45	112+592	113+180	588.00	TCS I (TYPICAL)	TCS I

Rehabilitation and up-gradation and completion of balance work of section from Km 107.760 to Km 129.445 (After Middle strait to Humphrey) & Km 130.600 to Km 138.300 (After Humphrey to Kadamtala) of NH-04 to Intermediate / 2-Lane with hard shoulder in the Union Territory of Andaman & Nicobar Islands (Pkg-III A)

46	113+180	115+260	2080.00	TCS I B	TCS I
47	115+260	115+760	500.00	TCS I (TYPICAL)	TCS I
48	115+760	115+770	10.00	TCS I D	TCS I
49	115+770	116+920	1150.00	TCS I (TYPICAL)	TCS I
50	116+920	118+520	1600.00	TCS I B	TCS I
51	118+520	122+140	3620.00	TCS I C	TCS I
52	122+140	122+223	83.00	TCS I D	TCS I
53	122+223	122+250	27.00	TCS I (TYPICAL)	TCS I
54	122+250	122+340	90.00	TCS I A	TCS I
55	122+340	122+400	60.00	TCS II B	TCS II
56	122+400	122+460	60.00	TCS II C	TCS II
57	122+460	123+240	780.00	TCS II B	TCS II
58	123+240	123+260	20.00	TCS II A	TCS II
59	123+260	123+357	97.00	TCS II B	TCS II
60	123+357	123+410	53.00	TCS II C	TCS II
61	123+410	123+437	27.00	TCS II B	TCS II
62	123+437	123+520	83.00	TCS II C	TCS II
63	123+520	123+624	104.00	TCS I A	TCS I
64	123+624	123+734	110.00	TCS I (TYPICAL)	TCS I
65	123+734	123+800	66.00	TCS I A	TCS I
66	123+800	123+816	16.00	TCS I (TYPICAL)	TCS I
67	123+816	123+861	45.00	TCS I A	TCS I
68	123+861	123+920	59.00	TCS I (TYPICAL)	TCS I
69	123+920	124+000	80.00	TCS I A	TCS I
70	124+000	124+080	80.00	TCS I (TYPICAL)	TCS I
71	124+080	124+380	300.00	TCS I D	TCS I
72	124+380	124+420	40.00	TCS I C	TCS I
73	124+420	124+555	135.00	TCS I (TYPICAL)	TCS I
74	124+555	124+575	20.00	TCS I A	TCS I
75	124+575	124+750	175.00	TCS I (TYPICAL)	TCS I
76	124+750	124+800	50.00	TCS I A	TCS I
77	124+800	125+060	260.00	TCS I (TYPICAL)	TCS I
78	125+060	125+125	65.00	TCS I A	TCS I
79	125+125	125+500	375.00	TCS I (TYPICAL)	TCS I
80	125+500	125+890	390.00	TCS I D	TCS I
81	125+890	125+910	20.00	TCS I A	TCS I
82	125+910	125+980	70.00	TCS I (TYPICAL)	TCS I

Rehabilitation and up-gradation and completion of balance work of section from Km 107.760 to Km 129.445 (After Middle strait to Humphrey) & Km 130.600 to Km 138.300 (After Humphrey to Kadamtala) of NH-04 to Intermediate / 2-Lane with hard shoulder in the Union Territory of Andaman & Nicobar Islands (**Pkg-III A**)

83	125+980	126+000	20.00	TCS I D	TCS I
84	126+000	126+030	30.00	TCS I A	TCS I
85	126+030	126+320	290.00	TCS I (TYPICAL)	TCS I
86	126+320	126+740	420.00	TCS I A	TCS I
87	126+740	126+820	80.00	TCS I (TYPICAL)	TCS I
88	126+820	126+960	140.00	TCS I A	TCS I
89	126+960	127+010	50.00	TCS I (TYPICAL)	TCS I
90	127+010	127+110	100.00	TCS I A	TCS I
91	127+110	127+184	74.00	TCS I (TYPICAL)	TCS I
92	127+184	127+320	136.00	TCS I D	TCS I
93	127+320	127+431	111.00	TCS I D	TCS I
94	127+431	127+526	95.00	TCS I A	TCS I
95	127+526	127+572	46.00	TCS I (TYPICAL)	TCS I
96	127+572	127+589	17.00	TCS I A	TCS I
97	127+589	127+620	31.00	TCS I (TYPICAL)	TCS I
98	127+620	127+670	50.00	TCS I A	TCS I
99	127+670	127+985	315.00	TCS I (TYPICAL)	TCS I
100	127+985	128+000	15.00	TCS I A	TCS I
101	128+000	128+280	280.00	TCS I (TYPICAL)	TCS I
102	128+280	128+380	100.00	TCS I A	TCS I
103	128+380	128+740	360.00	TCS I (TYPICAL)	TCS I
104	128+740	128+761	21.00	TCS I A	TCS I
105	128+761	128+790	29.00	TCS I (TYPICAL)	TCS I
106	128+790	128+810	20.00	TCS I D	TCS I
107	128+810	128+860	50.00	TCS I (TYPICAL)	TCS I
108	128+860	128+936	76.00	TCS I A	TCS I
109	128+936	129+113	177.00	TCS I D	TCS I
110	129+113	129+180	67.00	TCS I (TYPICAL)	TCS I
111	129+180	129+200	20.00	TCS I D	TCS I
112	129+200	129+262	62.00	TCS I A	TCS I
113	129+262	129+445	183.00	TCS I (TYPICAL)	TCS I
114	130+600	130+920	320.00	TCS II B	TCS II
115	130+920	130+930	10.00	TCS II A	TCS II
116	130+930	130+970	40.00	TCS II B	TCS II
117	130+970	131+000	30.00	TCS II A	TCS II
118	131+000	131+060	60.00	TCS II B	TCS II
119	131+060	131+087	27.00	TCS II A	TCS II
120	131+087	131+097	10.00	TCS II B	TCS II
121	131+097	131+146	49.00	TCS II A	TCS II

Rehabilitation and up-gradation and completion of balance work of section from Km 107.760 to Km 129.445 (After Middle strait to Humphrey) & Km 130.600 to Km 138.300 (After Humphrey to Kadamtala) of NH-04 to Intermediate / 2-Lane with hard shoulder in the Union Territory of Andaman & Nicobar Islands (Pkg-III A)

122	131+146	131+183	37.00	TCS II B	TCS II
123	131+183	131+295	112.00	TCS II B	TCS II
124	131+295	131+360	65.00	TCS II B	TCS II
125	131+360	131+415	55.00	TCS II C	TCS II
126	131+415	131+470	55.00	TCS II B	TCS II
127	131+470	131+540	70.00	TCS II C	TCS II
128	131+540	131+570	30.00	TCS II B	TCS II
129	131+570	131+580	10.00	TCS II C	TCS II
130	131+580	131+590	10.00	TCS II B	TCS II
131	131+590	131+620	30.00	TCS II C	TCS II
132	131+620	131+640	20.00	TCS II B	TCS II
133	131+640	131+648	8.00	TCS II C	TCS II
134	131+648	131+690	42.00	TCS II B	TCS II
135	131+690	131+735	45.00	TCS II C	TCS II
136	131+735	131+780	45.00	TCS II B	TCS II
137	131+780	131+800	20.00	TCS II C	TCS II
138	131+800	132+155	355.00	TCS II B	TCS II
139	132+155	132+180	25.00	TCS II C	TCS II
140	132+180	132+210	30.00	TCS II B	TCS II
141	132+210	132+277	67.00	TCS II C	TCS II
142	132+277	132+295	18.00	TCS II B	TCS II
143	132+295	132+330	35.00	TCS II B	TCS II
144	132+330	132+350	20.00	TCS II B	TCS II
145	132+350	132+450	100.00	TCS II B	TCS II
146	132+450	132+482	32.00	TCS II B	TCS II
147	132+482	132+540	58.00	TCS II C	TCS II
148	132+540	132+730	190.00	TCS II C	TCS II
149	132+730	132+870	140.00	TCS II C	TCS II
150	132+870	132+910	40.00	TCS II C	TCS II
151	132+910	132+920	10.00	TCS II C	TCS II
152	132+920	133+480	560.00	TCS II C	TCS II
153	133+480	133+485	5.00	TCS II C	TCS II
154	133+485	134+130	645.00	TCS II B	TCS II
155	134+130	134+217	87.00	TCS II (TYPICAL)	TCS II
156	134+217	134+300	83.00	TCS II D	TCS II
157	134+300	134+638	338.00	TCS II (TYPICAL)	TCS II
158	134+638	134+670	32.00	TCS II D	TCS II

Rehabilitation and up-gradation and completion of balance work of section from Km 107.760 to Km 129.445 (After Middle strait to Humphrey) & Km 130.600 to Km 138.300 (After Humphrey to Kadamtala) of NH-04 to Intermediate / 2-Lane with hard shoulder in the Union Territory of Andaman & Nicobar Islands (**Pkg-III A**)

159	134+670	134+710	40.00	TCS II (TYPICAL)	TCS II
160	134+710	134+760	50.00	TCS II C	TCS II
161	134+760	134+960	200.00	TCS II B	TCS II
162	134+960	135+420	460.00	TCS II E	TCS II
163	135+420	136+703	1283.00	TCS II D	TCS II
164	136+703	136+986	283.00	TCS II B	TCS II
165	136+986	137+011	25.00	TCS I D	TCS I
166	137+011	137+160	149.00	TCS I (TYPICAL)	TCS I
167	137+160	138+320	1160.00	TCS I A	TCS I

Table depicting TCS Summary is as under:

Sl. No.	Type of TCS	Length (m)
1	TCS I (Typical)	6193
2	TCS IA	3192
3	TCS IB	3680
4	TCS IC	3660
5	TCS ID	3234
6	TCS II (Typical)	465
7	TCS IIA	742
8	TCS IIB	4517
9	TCS IIC	1864
10	TCS IID	1398
11	TCS IIE	460

[Typical Cross Sections are appended separately]

- a) TCS IA is proposed for reconstruction of intermediate lane road in the rural section with hard shoulder and earthen shoulder of 0.5 m each along with earthen drain on both sides.
- b) TCS IB is proposed for widening in Rural area with hard shoulder and earthen shoulder of 0.5 m each and earthen drain on both sides. (Pothole repair and profile correction in the existing BC layer is to be done and a new BC layer in full width is to be laid).
- c) TCS IC is proposed for widening and profile correction in Rural area with hard shoulder and earthen shoulder of 0.5 m on each and earthen drain on both sides. (Existing Base layer to be maintained and treated as CTSB and fresh CTB, SAMI & BC layer to be provided in full width after widening upto CTSB layer).
- d) TCS ID is proposed for repair & maintenance of intermediate lane road in rural section upto the extent of damage be carried out along with construction of hard shoulder and earthen shoulder of 0.5 m each and earthen drain on both sides. (Repair of the existing road upto the extent of damages is to be carried out followed with the construction of new BC layer in full width)
- e) TCS I (Typical) shows intermediate lane in rural section with both side hard and earthen shoulder, 0.5 m each and earthen drain on both sides. The sections under TCS I (Typical) are under fair condition.
- f) TCS IIA is proposed for reconstruction of 2-Lane in urban section with paved shoulder and RCC Covered drain on either side.
- g) TCS IIB is proposed for widening upto 2 lane with paved shoulder in Urban Section with RCC Covered drain on both sides. A new BC layer in full width to be constructed after widening.

Rehabilitation and up-gradation and completion of balance work of section from Km 107.760 to Km 129.445 (After Middle strait to Humphrey) & Km 130.600 to Km 138.300 (After Humphrey to Kadamtala) of NH-04 to Intermediate / 2-Lane with hard shoulder in the Union Territory of Andaman & Nicobar Islands (**Pkg-III A**)

- h) TCS IIC is proposed for widening and providing a corrective layer for profile correction and then executing CTB, SAMI and BC layer in full width in Urban/Built Up areas with RCC covered drain on either side.
- i) TCS IID is proposed for construction of 2 lane in urban section with paved shoulder and RCC Covered drain on both sides. (Repair of the existing road upto the extent of damages is to be carried out followed with the construction of new BC layer in full width)
- j) TCS IIE is proposed for strengthening of existing 2 Lane with paved shoulder with RCC Covered Drain on both sides.
- k) TCS II (Typical) shows 2 lane in urban section with paved shoulder and earthen drain on both sides. The sections under TCS I (Typical) are under fair condition.
- l) TCS-IV includes the proposed protection works (to be carried out as per site conditions under provisions of para 12 of Annex-I of Sch-B) in hilly areas.

3. INTERSECTIONS AND GRADE SEPARATORS

All intersections and grade separators shall be as per section 3 of the Manual. Existing intersections which are deficient shall be improved to the prescribed standards.

Properly designed intersections shall be provided at the locations and of the types and features given in the table below:

a) At-grade intersections (Major Junctions)

S. No.	Design Chainage (Km)	Type of Intersection	Other features	Remarks
Nil				

b) At-grade intersections (Minor Junctions)

S. No	Design Chainage (km)	Type of Intersection
Km 107.760 to 129.445		
1	110+700	Y-type
2	122+060	Y-type
Km 130.600 to 138.300		
3	131+915	Y-type
4	133+217	Y-type
5	134+490	Y-type
6	135+125	Y-type
7	135+597	T-type
8	136+534	T-type

c) Grade separated intersection without ramps

S. No.	Design Chainage (Km)	Salient features	Minimum length of viaduct to be provided	Road to be carried over/under the structures
NIL				

4. ROAD EMBANKMENT AND CUT SECTION

4.1 Widening and improvement of the existing road embankment/cuttings and construction of new road embankment/ cuttings shall conform to the Specifications and Standards given in section 4 of the Manual and the specified cross-sectional details. Deficiencies in the plan and profile of the existing road shall be corrected.

4.2 Raising of the existing road

The existing road shall be raised at the required locations as per proposed plan and profile including the following sections:

S. No	Design Chainage (Km)		Length (Km)	Extent of raising (Top of finished road level)
	From	To		
NIL				

5. PAVEMENT DESIGN

5.1 Pavement design shall be carried out in accordance with Section 5 of the Manual.

5.2 Type of pavement

Flexible Pavement will be constructed according to clause 7.3, 8.2 and 9.1 of IRC:37-2018 over cement stabilized 500 mm thick subgrade having 8% CBR.

5.3 Design Requirements

Design requirement for the flexible pavement shall be in accordance with section 5 of the IRC: SP-73-2015 and IRC:37-2018. Pavement shall be designed as per the provisions of IRC:37-2018 and pavement design should be made to the effective 8% CBR of subgrades before laying of sub base. The pavement shall be designed for an effective CBR of 8%. The contractor will ensure that the CBR of subgrade be improved in such a way that an effective CBR of 8% is achieved. This is all incidental to work and extra will not be paid on this account.

The thickness of the pavement layers for widening portion shall be as per IRC:37, independent of pavement composition of existing carriageway. However, the total pavement thickness of the widening portion shall not be less than the thickness of existing carriageway plus overlay.

The pavement shall be widened on one side or on both sides depending on the placement of the existing road within the right of way. This aspect may be decided in consultation with the Authority/Authority's Engineer in view of availability of land at site;

Before strengthening treatment is prescribed, a detailed pavement condition survey and evaluation shall be carried out in accordance with relevant IRC codes to determine:

(i) The extent of distress and nature of deficiency in the existing pavement structure,

Rehabilitation and up-gradation and completion of balance work of section from Km 107.760 to Km 129.445 (After Middle strait to Humphrey) & Km 130.600 to Km 138.300 (After Humphrey to Kadamtala) of NH-04 to Intermediate / 2-Lane with hard shoulder in the Union Territory of Andaman & Nicobar Islands (**Pkg-III A**)

and

(ii) Whether any special treatments e.g. provision for remedying reflection cracking, pavement internal drainage, sub-grade improvement/reconstruction, or rectification of any other deficiencies are warranted.

Before implementing the strengthening treatment, the existing pavement surface profile shall be checked and if found deficient, shall be corrected by providing a suitable profile corrective course or by milling and recycling. The profile corrective course shall meet the following requirements:

- i) The profile corrective course shall not form part of the overlay thickness.
- ii) Where the maximum thickness of profile corrective course is not more than 40 mm, it shall be constructed as an integral part of the overlay course. In other cases, the profile corrective course shall be constructed as a separate layer.
- iii) Where it is to be laid as integral part of the overlay/strengthening course, the profile corrective course material shall be of the same specifications as that of the overlay/strengthening course.

In stretches where the pavement is damaged/deteriorated to such an extent that the use of Falling Weight Deflectometer (FWD) may not result in a realistic assessment of the strengthening treatment, pavement shall be designed as new pavement.

5.3.1 Design Period and strategy

Flexible pavement for new pavement or for widening and strengthening of the existing pavement shall be designed for a minimum design period of **15 years**. Stage construction shall not be permitted.

5.3.2 Design Traffic

Notwithstanding anything to the contrary contained in this Agreement or the Manual, the Contractor shall design the pavement for design traffic as given below.

S. No.	Design Chainage (Km)		Minimum Design MSA for 15 yrs.
	From	To	
1	107+760	129+300	20
2	130+600	137+930	20
3	155+000	180+842	20

The designs are indicative only and the contractor can submit the design as per the requirement. In all cases, minimum 40mm BC is mandatory requirement.

5.4 Reconstruction, Widening and Rectification of project stretches

Reconstruction, Widening and Rectification of stretches for matching the proposed plan & profile shall be taken up as per the actual requirements. TCS summary is as given at para-2.11.

6. ROADSIDE DRAINAGE

Drainage system including surface and subsurface drains for the Project Highway

Rehabilitation and up-gradation and completion of balance work of section from Km 107.760 to Km 129.445 (After Middle strait to Humphrey) & Km 130.600 to Km 138.300 (After Humphrey to Kadamtala) of NH-04 to Intermediate / 2-Lane with hard shoulder in the Union Territory of Andaman & Nicobar Islands (**Pkg-III A**)

shall be provided as per Section 6 of the Manual.

RCC drains are to be provided at following locations:

Sl. No.	Chainage		side	Length
	From	To		
1	107+760	108+000	RHS	240.00
2	107+780	108+000	LHS	220.00
3	108+040	108+180	LHS	140.00
4	108+040	108+180	RHS	140.00
5	108+450	108+620	LHS	170.00
6	108+450	108+520	RHS	70.00
7	108+620	108+880	LHS	260.00
8	108+700	109+000	RHS	300.00
9	109+050	109+170	LHS	120.00
10	109+070	109+170	RHS	100.00
11	109+450	109+600	RHS	150.00
12	110+080	110+250	RHS	170.00
13	110+570	110+580	LHS	10.00
14	110+666	110+700	LHS	34.00
15	110+720	110+740	LHS	20.00
16	110+740	110+745	LHS	5.00
17	110+959	110+980	LHS	21.00
18	111+180	111+310	RHS	130.00
19	111+391	111+500	LHS	109.00
20	122+340	122+500	RHS	160.00
21	122+560	122+680	RHS	120.00
22	122+570	122+660	LHS	90.00
23	122+780	122+809	RHS	29.00
24	122+810	122+940	LHS	130.00
25	122+847	122+868	RHS	21.00
26	122+886	122+897	RHS	11.00
27	134+104	134+150	RHS	46.00
28	134+130	134+162	LHS	32.00
29	134+290	134+300	LHS	10.00
30	134+620	134+663	RHS	43.00
31	134+752	134+760	RHS	8.00
32	134+860	135+450	LHS	590.00
33	135+450	135+455	RHS	5.00
34	135+515	135+550	LHS	35.00
35	135+520	135+560	RHS	40.00
36	135+620	135+660	LHS	40.00
37	135+620	135+660	RHS	40.00
38	135+740	135+765	LHS	25.00
39	135+910	135+930	LHS	20.00
40	135+910	135+950	RHS	40.00
41	136+100	136+230	LHS	130.00
42	136+174	136+230	RHS	56.00

Rehabilitation and up-gradation and completion of balance work of section from Km 107.760 to Km 129.445 (After Middle strait to Humphrey) & Km 130.600 to Km 138.300 (After Humphrey to Kadamtala) of NH-04 to Intermediate / 2-Lane with hard shoulder in the Union Territory of Andaman & Nicobar Islands (**Pkg-III A**)

43	136+295	136+330	RHS	35.00
44	136+300	136+330	LHS	30.00
45	136+620	136+630	RHS	10.00
46	136+670	136+820	RHS	150.00
47	136+699	136+710	LHS	11.00
TOTAL (in mtr)				4366.00

CC Drains shall be provided at following chainages

Sl. No.	Chainage		Side	Length
1	112+500	112+514	BHS	14.00
2	112+541	112+600	BHS	59.00
3	121+160	121+300	BHS	140.00
4	130+600	130+920	BHS	320.00
5	131+130	131+280	BHS	150.00
6	134+840	134+860	BHS	20.00
TOTAL (in mtr)				703.00

Unlined Drains shall be provided at all other locations, if not provided already.

7. DESIGN OF STRUCTURES

7.1 General

7.1.1 All bridges, culverts and structures shall be designed and constructed in accordance with section 7 of the manual and shall conform to the cross-sectional features and other details specified therein.

7.1.2 Width of the carriageway of new structures of more than 60m length shall be as follows, if the carriageway width is different from 7.5m in the table below.

S. No	Design Chainage (Km)	Width of Carriageway (m) and cross-sectional features
NIL		

7.1.3 The following structures shall be provided with footpaths:

S. No.	Design Chainage (Km)	Remarks
NIL		

7.1.4 All bridges shall be high level bridges.

7.1.5 The following structures shall be designed to carry utility services specified in table below.

S. No.	Design Chainage (Km)	Utility service to be carried	Remarks
NIL			

Rehabilitation and up-gradation and completion of balance work of section from Km 107.760 to Km 129.445 (After Middle strait to Humphrey) & Km 130.600 to Km 138.300 (After Humphrey to Kadamtala) of NH-04 to Intermediate / 2-Lane with hard shoulder in the Union Territory of Andaman & Nicobar Islands (**Pkg-III**)

7.1.6 Cross-section of the new culverts and bridges at deck level for the Project Highway shall conform to the typical cross-sections for the Project Highway.

7.2 Culverts

7.2.1 The Culverts overall width shall be equal to the roadway width of the approaches.

7.2.2 Reconstruction of existing Box/ Hume Pipe culverts:

The existing culverts at the following locations shall be reconstructed as new culverts where casting is not done. Where casting of the culverts has been completed, they may be completed in all aspects.

SL NO	EXISTING CHAINAGE	TYPE OF CULVERT	SIZE OF SPAN (m)	Width	SEGMENT/H.P.		RIGID APRON	FLEXIBLE APRON	CURTAIN WALL	RETAINING WALL	CRASH BARRIER	PAINTING	TCS
					CASTING	LAYING							
1	113+042	BOX	1x5.8x5.4	7.5	Balance	Balance	Balance	Balance	Balance	Balance	Balance	Balance	TCS-1
2	116+037	BOX	1x1.5x4.0	7.5	Balance	Balance	Balance	Balance	Balance	Balance	Balance	Balance	TCS-1
3	116+694	BOX	1x2.0x4.0	7.5	Balance	Balance	Balance	Balance	Balance	Balance	Balance	Balance	TCS-1
4	122+064	HPC	1x1.2	7.5	N/A	Balance	N/A	Balance	N/A	N/A	N/A	Balance	TCS-1
5	122+404	HPC	1x1.2	10	N/A	Balance	N/A	Balance	N/A	N/A	N/A	Balance	TCS-2
6	122+537	HPC	2x1.2	7.5	N/A	Balance	N/A	Balance	N/A	N/A	N/A	Balance	TCS-1
7	122+719	BOX	1x1.5x3.0	7.5	Done	Balance	Balance	Balance	Balance	Balance	Balance	Balance	TCS-1
8	123+586	BOX	1x4.8x3.6	7.5	Balance	Balance	Balance	Balance	Balance	Balance	Balance	Balance	TCS-1
9	123+932	BOX	1x2.0x1.5	7.5	Done	Balance	Balance	Balance	Balance	Balance	Balance	Balance	TCS-1
10	125+513	BOX	1x2.0x3.7	7.5	Balance	Balance	Balance	Balance	Balance	Balance	Balance	Balance	TCS-1
11	126+000	BOX	1x4.0x2.0	7.5	Balance	Balance	Balance	Balance	Balance	Balance	Balance	Balance	TCS-1
12	126+300	BOX	1x4.8x4.6	7.5	Balance	Balance	Balance	Balance	Balance	Balance	Balance	Balance	TCS-1
13	134+132	BOX	1x3.5x3.2	10	Balance	Balance	Balance	Balance	Balance	Balance	Balance	Balance	TCS-2
14	134+508	BOX	1x1.5x1.5	10	Done	Balance	Balance	Balance	Balance	Balance	Balance	Balance	TCS-2
15	137+449	BOX	1x3.0x4.0	7.5	Balance	Balance	Balance	Balance	Balance	Balance	Balance	Balance	TCS-1

7.2.3 Completion of partially constructed culverts

The following culverts which are partially completed at site shall be completed in all respects.

SL NO	EXISTING CHAINAGE	TYPE OF CULVERT	SIZE OF SPAN (m)	Width	SEGMENT/H.P.		RIGID APRON	FLEXIBLE APRON	CURTAIN WALL	RETAINING WALL	CRASH BARRIER	PAINTING	TCS
					CASTING	LAYING							
1	108+038	HPC	1x1.2	7.5	N/A	Done	N/A	Balance	N/A	N/A	N/A	Balance	TCS-1
2	109+203	BOX	1x1.5x2	10	Done	Done	Balance	Balance	Done	Done	Done	Balance	TCS-2
3	109+273	HPC	1x0.9	7.5	N/A	Done	N/A	Balance	N/A	N/A	N/A	Balance	TCS-1
4	109+638	BOX	1x2.0x2.0	7.5	Done	Done	Balance	Balance	Done	Done	Done	Balance	TCS-1
5	109+856	HPC	1x1.2	7.5	N/A	Done	N/A	Balance	N/A	N/A	N/A	Balance	TCS-1
6	110+093	HPC	1x1.2	7.5	N/A	Done	N/A	Balance	N/A	N/A	N/A	Balance	TCS-1
7	110+574	BOX	1x2.0x2.0	10	Done	Done	Balance	Balance	Done	Done	Done	Balance	TCS-2
8	110+714	HPC	1x1.2	10	N/A	Done	N/A	Balance	N/A	N/A	N/A	Balance	TCS-2
9	110+803	HPC	1x1.2	10	N/A	Done	N/A	Balance	N/A	N/A	N/A	Balance	TCS-2

Rehabilitation and up-gradation and completion of balance work of section from Km 107.760 to Km 129.445 (After Middle strait to Humphrey) & Km 130.600 to Km 138.300 (After Humphrey to Kadamtala) of NH-04 to Intermediate / 2-Lane with hard shoulder in the Union Territory of Andaman & Nicobar Islands (Pkg-III A)

10	111+391	HPC	2x1.2	10	N/A	Done	N/A	Balance	N/A	N/A	N/A	Balance	TCS-2
11	111+626	BOX	1x4.0x2.4	7.5	Done	Done	Balance	Balance	Done	Done	Done	Balance	TCS-1
12	112+268	BOX	1x2.0x2.0	7.5	Done	Done	Balance	Balance	Done	Done	Done	Balance	TCS-1
13	112+839	HPC	2x0.9	7.5	N/A	Done	N/A	Balance	N/A	N/A	N/A	Balance	TCS-1
14	113+658	HPC	1x1.2	7.5	N/A	Done	N/A	Balance	N/A	N/A	N/A	Balance	TCS-1
15	113+775	HPC	1x1.2	7.5	N/A	Done	N/A	Balance	N/A	N/A	N/A	Balance	TCS-1
16	114+955	HPC	1x1.2	7.5	N/A	Done	N/A	Balance	N/A	N/A	N/A	Balance	TCS-1
17	115+257	HPC	1x1.2	7.5	N/A	Done	N/A	Balance	N/A	N/A	N/A	Balance	TCS-1
18	115+621	HPC	1x1.2	7.5	N/A	Done	N/A	Balance	N/A	N/A	N/A	Balance	TCS-1
19	119+934	HPC	1x1.2	7.5	N/A	Done	N/A	Balance	N/A	N/A	N/A	Balance	TCS-1
20	120+292	HPC	1x1.2	7.5	N/A	Done	N/A	Balance	N/A	N/A	N/A	Balance	TCS-1
21	121+597	HPC	2x0.9	7.5	N/A	Done	N/A	Balance	N/A	N/A	N/A	Balance	TCS-1
22	123+169	HPC	1x1.2	7.5	N/A	Done	N/A	Balance	N/A	N/A	N/A	Balance	TCS-1
23	124+412	HPC	1x1.2	7.5	N/A	Done	N/A	Balance	N/A	N/A	N/A	Balance	TCS-1
24	124+555	HPC	1x1.2	7.5	N/A	Done	N/A	Balance	N/A	N/A	N/A	Balance	TCS-1
25	124+750	HPC	1x1.2	7.5	N/A	Done	N/A	Balance	N/A	N/A	N/A	Balance	TCS-1
26	125+075	HPC	1x1.2	7.5	N/A	Done	N/A	Balance	N/A	N/A	N/A	Balance	TCS-1
27	127+302	HPC	1x1.2	7.5	N/A	Done	N/A	Balance	N/A	N/A	N/A	Balance	TCS-1
28	128+318	HPC	1x1.2	7.5	N/A	Done	N/A	Balance	N/A	N/A	N/A	Balance	TCS-1
29	129+095	HPC	1x1.2	7.5	N/A	Done	N/A	Balance	N/A	N/A	N/A	Balance	TCS-1
30	129+212	HPC	1x1.2	7.5	N/A	Done	N/A	Balance	N/A	N/A	N/A	Balance	TCS-1
31	131+060	HPC	1x1.2	10	N/A	Done	N/A	Balance	N/A	N/A	N/A	Balance	TCS-2
32	131+755	HPC	1x1.2	10	N/A	Done	N/A	Balance	N/A	N/A	N/A	Balance	TCS-2
33	131+831	HPC	1x1.2	10	N/A	Done	N/A	Balance	N/A	N/A	N/A	Balance	TCS-2
34	131+969	BOX	1x1.5x1.5	10	Done	Done	Balance	Balance	Balance	Balance	Balance	Balance	TCS-2
35	132+187	HPC	1x1.2	10	N/A	Done	N/A	Balance	N/A	N/A	N/A	Balance	TCS-2
36	132+885	HPC	1x1.2	10	N/A	Done	N/A	Balance	N/A	N/A	N/A	Balance	TCS-2
37	133+127	HPC	1x1.2	10	N/A	Done	N/A	Balance	N/A	N/A	N/A	Balance	TCS-2
38	133+254	HPC	2x1.2	10	N/A	Done	N/A	Balance	N/A	N/A	N/A	Balance	TCS-2
39	133+437	HPC	2x1.2	10	N/A	Done	N/A	Balance	N/A	N/A	N/A	Balance	TCS-2
40	133+591	HPC	1x1.2	10	N/A	Done	N/A	Balance	N/A	N/A	N/A	Balance	TCS-2
41	133+718	BOX	1x1.9X1.9	10	Done	Done	Balance	Balance	Balance	Balance	Balance	Balance	TCS-2
42	133+802	HPC	1x1.2	10	N/A	Done	N/A	Balance	N/A	N/A	N/A	Balance	TCS-2
43	133+887	HPC	1x1.2	10	N/A	Done	N/A	Balance	N/A	N/A	N/A	Balance	TCS-2
44	134+008	HPC	1x1.2	10	N/A	Done	N/A	Balance	N/A	N/A	N/A	Balance	TCS-2
45	135+542	BOX	1x1.5x1.5	10	Done	Done	Balance	Balance	Balance	Balance	Balance	Balance	TCS-2
46	135+635	HPC	1x1.2	10	N/A	Done	N/A	Balance	N/A	N/A	N/A	Balance	TCS-2
47	135+920	HPC	1x1.2	10	N/A	Done	N/A	Balance	N/A	N/A	N/A	Balance	TCS-2
48	136+315	BOX	1x2.0x2.5	10	Done	Done	Balance	Balance	Balance	Balance	Balance	Balance	TCS-2
49	136+555	HPC	1x1.2	10	N/A	Done	N/A	Balance	N/A	N/A	N/A	Balance	TCS-2
50	136+699	HPC	1x1.2	10	N/A	Done	N/A	Balance	N/A	N/A	N/A	Balance	TCS-2
51	137+213	HPC	1x1.2	7.5	N/A	Done	N/A	Balance	N/A	N/A	N/A	Balance	TCS-1
52	137+310	HPC	1x1.2	7.5	N/A	Done	N/A	Balance	N/A	N/A	N/A	Balance	TCS-1

7.2.4 Repairing and Maintenance of Existing Culverts

The following existing culverts, which are not to be reconstructed, shall be cleaned, repaired, painted and floor, wing wall, parapet & retaining wall on both side of culvert shall be constructed as per site requirements.

7.2.5 Completion, Maintenance and Repair Works of existing slab culverts:

S. No	Existing Chainage	Type of Culvert	Span Size (m)	Width	Rigid Apron	Flexible Apron	Curtain Wall	Crash Barrier	Painting
Km 107.760 to 129.445									
1	108+272	SLAB	1x2.3	7.5	Done	Done	Done	Done	Balance
2	109+407	SLAB	1x1.6	7.5	Done	Done	Done	Done	Balance
3	110+408	SLAB	1x1.8	7.5	Done	Done	Done	Done	Balance

Rehabilitation and up-gradation and completion of balance work of section from Km 107.760 to Km 129.445 (After Middle strait to Humphrey) & Km 130.600 to Km 138.300 (After Humphrey to Kadamtala) of NH-04 to Intermediate / 2-Lane with hard shoulder in the Union Territory of Andaman & Nicobar Islands (**Pkg-III A**)

4	110+962	SLAB	1x1.8	10	Balance	Balance	Balance	Balance	Balance
5	112+471	SLAB	1x1.9	7.5	Done	Done	Done	Done	Balance
6	121+943	SLAB	1x3.1	7.5	Balance	Balance	Balance	Balance	Balance
7	124+879	SLAB	1x2.0	7.5	Balance	Balance	Balance	Balance	Balance
8	125+395	SLAB	1x2.2	7.5	Balance	Balance	Balance	Balance	Balance
Km 130.600 to 138.300									
9	132+492	SLAB	1x6.15	10	Balance	Balance	Balance	Balance	Balance

*Note- height of opening shall be kept according to adjoining TCS.

7.2.6 Widening of Existing Culverts

All existing culverts, which are not to be reconstructed, shall be widened up to the roadway width of the Project Highway & as per the typical cross section given in the Manual and the existing width portion of culverts shall be repaired as per site requirements.

S. No	Design Chainage (Km)	Structure Type	Openings / Spans x Length	Width of existing culvert (m)	Remark
NIL					

7.2.7 Additional new culverts (given in table below) shall be constructed for width equal to the roadway width of the Project Highway & as per typical cross-section given in the manual:

S. No.	Design Chainage (Km)	Proposed type	No. of Spans X span length (m)
NIL			

7.2.8 Repairs/replacements of railing/parapets, flooring and protection works of the existing culverts shall be undertaken as follows:

S. No.	Design Chainage (Km)	Type of repair required
1	NIL	

7.2.9 Floor protection works shall be as specified in the relevant IRC Codes and Specifications

7.3 Bridges

7.3.1 Existing bridges to be re-constructed/widened:

- (i) The Existing bridges at the following locations shall be reconstructed as new structures:

Rehabilitation and up-gradation and completion of balance work of section from Km 107.760 to Km 129.445 (After Middle strait to Humphrey) & Km 130.600 to Km 138.300 (After Humphrey to Kadamtala) of NH-04 to Intermediate / 2-Lane with hard shoulder in the Union Territory of Andaman & Nicobar Islands (**Pkg-III A**)

S. No	Bridge Location (Design Chainage, in Km)	Salient Features of Existing Bridge		Features of Proposed Bridge	
		No. of Spans with Span Length (c/c of exp. Gap)	Total Width (m)	Proposed Length (m)	Total proposed Width
1	119+054	16x0.9	6	12	8.5
2	122+096	2x5.7	7.4	12	8.5

(ii) The following narrow bridges shall be widened:

S, No.	Design Chainage (Km)	Width (m)	Extent* of Widening	Span Arrangement (m)	Type of Structure			Cross-Section at Deck Level for widening
					Foundation	Sub-Structure	Super-Structure	
NIL								

7.3.2 Additional new bridges

New bridges at the following locations on the project highway shall be constructed. GADs for the new bridges are attached in the drawings folder.

S. No.	Bridge Location (Design Chainage, in Km)	Total Length (m)	Remarks
NIL			

7.3.3 The railings of existing bridges shall be replaced by crash barriers at the following locations:

S. No.	Design Chainage (Km)	Total length (m)	Remarks
NIL			

7.3.4 Repairs/replacements of railing/parapets of the existing bridges shall be undertaken as follows

S. No.	Design Chainage (Km)	Existing span arrangement (m)	Remarks
NIL			

7.3.5 Drainage system for bridge deck

An effective drainage system for bridge decks shall be provided as specified in paragraph 7.21 of the Manual

7.3.6 Structures in marine environment

The Project Alignment lies in the Marine Environment. Necessary measures of relevant

Rehabilitation and up-gradation and completion of balance work of section from Km 107.760 to Km 129.445 (After Middle strait to Humphrey) & Km 130.600 to Km 138.300 (After Humphrey to Kadamtala) of NH-04 to Intermediate / 2-Lane with hard shoulder in the Union Territory of Andaman & Nicobar Islands (**Pkg-III A**)

manual to be taken for protecting structures in marine environment.

7.4 Rail-road bridges

7.4.1 Design, construction and detailing of ROB/RUB shall be as specified in the Manual. The Width of proposed ROB shall be as specified in Schedule D.

7.4.2 Road over-bridges

Road under-bridges (road under railway line) shall be provided at the following level crossings, as per GAD drawings attached:

S. No	Proposed Structure	Existing Chainage	Design Chainage	Name of Crossing	Proposed structural configuration	Proposed Super Structure	Proposed span arrangement (m)	Total Width of Structure
NIL								

7.4.3 Road under-bridges

Road under-bridges (road under railway line) shall be provided at the following level crossings, as per GAD drawings attached:

S. No	Design Chainage (Km)	Number and length of span (m)
NIL		

7.5 Grade separated structures

The grade separated structures shall be provided at the locations and of the type and length specified in paragraphs 2.9 and 3 of this Annex-I.

7.6 Repairs and strengthening of bridges and structures

The existing bridges and structures to be repaired / strengthened, and the nature and extent of repairs /strengthening required are given below:

a) Bridges

S. No.	Design Chainage (Km)	Nature and extent of repairs /strengthening to be carried out
1	131+310	Minor repair works
2	136+062	Minor repair works

b) ROB / RUB

S. No.	Design Chainage (Km)	Nature and extent of repairs /Strengthening to be carried out
NIL		

c) Overpasses/Underpasses and other structures

Rehabilitation and up-gradation and completion of balance work of section from Km 107.760 to Km 129.445 (After Middle strait to Humphrey) & Km 130.600 to Km 138.300 (After Humphrey to Kadamtala) of NH-04 to Intermediate / 2-Lane with hard shoulder in the Union Territory of Andaman & Nicobar Islands (**Pkg-III A**)

S. No.	Design Chainage (Km)	Nature and extent of repairs /strengthening to be carried out
NIL		

7.7 List of Major Bridges and Structures

The following is the list of the Major Bridges and Structures:

S. No.	Type of Structure	Design Chainage (Km)	Remark
NIL			

- Note:** - 1. The location and vent size of all the culverts proposed for irrigation purposes shall be decided in consultation with irrigation authority/ independent engineer.
2. Width of culvert shall be reconciled as per cross section at that location
3. Cross road culvert to be provided at the location of Major Junction/ Minor Junctions or utility purposes etc. shall be decided with independent Engineer shall not be treated as change of scope.

8. TRAFFIC CONTROL DEVICES AND ROAD SAFETY WORK.

- 8.1** Traffic control devices and road safety works shall be provided in accordance with Section-9 of the IRC: SP:73-2015.
- 8.2** Specifications of the reflective sheeting shall be as per the Manual of Specifications (IRC: SP:73-2015).

9. ROAD SIDE FURNITURE

- 9.1** Road side furniture shall be provided in accordance with the provisions of Section 11 of the IRC: SP:73-2015.
- Road boundary stones for the entire project highway.
 - Pedestrian guard rails: At each bus stop location.
 - Delineators: For the entire project highway at the locations as suggested in schedule-D.
- 9.2 Overhead traffic signs: location and size**
- Full width overhead signs: 2 Nos.
 - Cantilever overhead signs: Nil
 - Overhead Traffic Signs (locations & Size) shall conform to the Manual of Specifications (IRC: SP:73-2015).

10. COMPULSORY AFFORESTATION

The minimum number of 4624 trees are required to be planted by the contractor as compensatory afforestation shall be as per Forest Conservation Act

Rehabilitation and up-gradation and completion of balance work of section from Km 107.760 to Km 129.445 (After Middle strait to Humphrey) & Km 130.600 to Km 138.300 (After Humphrey to Kadamtala) of NH-04 to Intermediate / 2-Lane with hard shoulder in the Union Territory of Andaman & Nicobar Islands (**Pkg-III A**)

and as per conditions of revenue authority while giving permission. Any increase or decrease in numbers of trees as specified (within 500) shall not be treated as change of scope.

11. HAZARDOUS LOCATIONS

The road side safety/Crash barriers shall be provided as mentioned in Sch-C. However, the actual length shall be identified as per requirement of clause 9.4 of IRC: SP:73-2015 in consultation with Authority Engineer. Any increase or decrease in length as specified shall not be treated as change of scope.

12. SPECIAL REQUIREMENTS FOR HILL ROAD

a) Breast Wall

Breast Wall have been proposed along the roadway edge on the hilly side of the section of project road where cutting is required or cutting is more than available ROW. In hilly sections, Breast wall shall be provided as specified in table below & in accordance with the Manual of Specifications and Standards as referred in Schedule-D.

Breast Wall locations

Locations of Breast Walls				
SI No.	Breast wall between Chainage		Side	Length Required as per Site Condition
	From	To		
1	109+250	109+320	LHS	70
2	109+250	109+320	RHS	70
3	110+480	110+520	LHS	40
4	112+400	112+450	LHS	50
5	115+640	115+920	LHS	280
6	115+640	115+920	RHS	280
7	116+120	116+220	LHS	100
8	116+120	116+220	RHS	100
9	117+000	117+200	LHS	100
10	117+000	117+200	RHS	100
11	118+400	118+780	LHS	380
12	118+400	118+745	RHS	345
13	121+200	121+300	LHS	100
14	121+200	121+300	RHS	100
15	121+980	122+020	RHS	40
16	122+150	122+220	RHS	35
17	126+580	126+620	LHS	20
18	128+400	128+440	RHS	40
19	129+200	129+300	LHS	100
20	129+200	129+300	RHS	100

Rehabilitation and up-gradation and completion of balance work of section from Km 107.760 to Km 129.445 (After Middle strait to Humphrey) & Km 130.600 to Km 138.300 (After Humphrey to Kadamtala) of NH-04 to Intermediate / 2-Lane with hard shoulder in the Union Territory of Andaman & Nicobar Islands (**Pkg-III A**)

21	136+800	136+900	RHS	100
22	137+540	137+580	RHS	40
23	137+600	137+880	LHS	140
24	137+600	137+880	RHS	140
Total length (m)				2870

b) Retaining wall

Retaining wall shall be proposed to be installed in sections of the project road having filling embankment height > 3m or toe of the filling section is beyond available ROW to confine it within ROW.

Retaining Wall locations

Locations of Retaining Walls				
Sl No.	Retaining wall between Chainage		Side	Length Required as per Site Condition
	From	To		
1	112+240	112+280	LHS	40
2	112+240	112+280	RHS	40
3	112+300	112+400	RHS	75
4	112+960	113+080	LHS	120
5	112+960	113+080	RHS	120
6	113+220	113+280	LHS	60
7	113+220	113+280	RHS	60
8	113+620	113+660	LHS	40
9	113+740	113+800	LHS	60
10	113+900	114+020	LHS	120
11	114+120	114+190	RHS	53
12	114+900	114+980	RHS	80
13	115+190	115+230	RHS	30
14	115+980	116+020	LHS	40
15	115+980	116+020	RHS	40
16	116+620	116+680	LHS	60
17	116+620	116+680	RHS	60
18	119+500	119+560	LHS	60
19	119+500	119+560	RHS	60
20	119+840	119+940	LHS	100
21	121+860	121+920	LHS	60
22	121+860	121+920	RHS	60
23	122+060	122+120	LHS	45
24	122+060	122+120	RHS	45
25	122+120	122+220	LHS	75
26	123+050	123+120	LHS	70
27	123+320	123+480	RHS	160
28	123+480	123+580	LHS	75

Rehabilitation and up-gradation and completion of balance work of section from Km 107.760 to Km 129.445 (After Middle strait to Humphrey) & Km 130.600 to Km 138.300 (After Humphrey to Kadamtala) of NH-04 to Intermediate / 2-Lane with hard shoulder in the Union Territory of Andaman & Nicobar Islands (**Pkg-III A**)


29	123+520	123+580	RHS	60
30	123+930	124+020	LHS	90
31	124+240	124+340	LHS	75
32	124+340	124+360	LHS	20
33	124+340	124+360	RHS	20
34	125+000	125+060	LHS	45
35	126+160	126+260	RHS	100
36	126+280	126+320	LHS	40
37	126+780	126+860	LHS	80
38	126+860	127+620	LHS	570
39	127+620	127+860	LHS	180
40	127+860	128+060	LHS	200
41	133+600	133+730	LHS	98
42	134+440	134+550	LHS	83
43	137+100	137+450	LHS	263
44	137+100	137+450	RHS	265
Total length (m)				4,095

The minimum requirement of protection work is suggested above, as actual length of protection work required at site may vary. The above-mentioned locations are only indicative in nature and the contractor is required to conduct the detailed investigations to assess the work as per site survey, investigations and assessments before the commencement of work.


13. CHANGE OF SCOPE

The length of Structures and bridges specified hereinabove shall be treated as an approximate assessment. The Contractor in accordance with the Specifications and Standards shall determine the actual lengths as required on the basis of detailed investigations. Any variations in the lengths specified in this Schedule-B shall not constitute a Change of Scope, save and except any variations in the length arising out of a Change of Scope expressly undertaken in accordance with the provisions of Article 13.


Appendix-B-I




Appendix-B-I




Appendix-B-I




Appendix-B-I




Appendix-B-I




Appendix-B-I




Appendix-B-I




Appendix-B-I




Appendix-B-I




Appendix-B-I



Appendix-B-I



Appendix-B-I



Retaining wall and Breast wall shown in TCS drawing is typical. Location of these components should be applied as per site condition

SCHEDULE - C

(See Clause 2.1)

PROJECT FACILITIES

2. Project Facilities

The Contractor shall construct the Project Facilities in accordance with the provisions of this Agreement. Such Project Facilities shall include:

- a) Roadside furniture;
- b) Pedestrian facilities;
- c) Bus- shelters
- d) Others to be specified

3. Description of Project Facilities

Each of the Project Facilities is described below:

a) Roadside furniture;

The roadside furniture shall include the provision of:

i. Traffic Signs:

Traffic signs include roadside signs, overhead signs and kerb-mounted signs along the entire Project Highway as per the manual of specifications.

ii. Pavement Markings:

Pavement markings shall cover road marking as per the manual of specifications.

iii. LED Traffic Blinkers:

LED Traffic Blinkers for the entire project highway at the locations as suggested in Manual.

iv. Crash barrier

Metal beam crash barrier having minimum length of 5830 mtr is proposed to be installed in sections of the project road having filling embankment height > 3m and as per site requirement. The location of various types of road side/median crash barriers and type of crash barrier (i.e. concrete/new jersey, semi-rigid/metal, flexible/wire rope barrier) shall be decided as per the relevant IRC guidelines and technical feasibility as stipulated in IRC 119-2015.

v. Delineators

Delineators for the entire Project Highway at the locations as suggested in Manual.

vi. Hectometer / Kilometer stones:

Hectometer/ Kilometer Stones for the entire Project Highway at the locations as suggested in Manual.

b) Pedestrian facilities;

The pedestrian facilities shall be provided as per the Manual.

c) Bus Shelter

The Contractor shall provide Bus Shelters along the project highway and the locations are given below. The design of Bus Shelters should be aesthetically pleased with surrounding. The locations of these bus shelters shall be finalized by the Contractor in consultation with Authority's Engineer.

S. No.	Existing Chainage	Design Chainage	Side
	Km 107.760 to 129.445		
	Nil		
	Km 130.600 to 138.0		
	Nil		

d) Other Facilities:

- Solar Street lights to be provided as specified in Manual.

SCHEDULE – D

(See Clause 2.1)

SPECIFICATIONS AND STANDARDS

1. Construction

The Contractor shall comply with the Specifications and Standards set forth in Annex-I of this Schedule-D for construction of the Project Highway.

2. Design Standards

The Project Highway including Project Facilities shall conform to design requirements set out in the following documents:

Manual of Specifications and Standards for Intermediate Lane of Highways (IRC: SP:73-2015), referred to herein as the Manual.

Annex - I

(Schedule-D)

Specifications and Standards for Construction

1. Specification and Standards:

All Materials, works and construction operations shall conform to the Manual of Specifications and Standards for Intermediate Lane of Highways (IRC: SP:73-2015), referred to as the Manual, and MORTH Specifications for Road and Bridge Works. Where the specification for a work is not given, Good Industry Practice shall be adopted to the satisfaction of the Engineer in charge.

2. Deviations from the Specifications and Standards:

- 2.1. The terms “Concessionaire”, “Independent Engineer” and “Concession Agreement” used in the Manual shall be deemed to be substituted by the terms “Contractor”, “Authority’s Engineer” and “Agreement” respectively.
- 2.2. Notwithstanding anything to the contrary contained in Paragraph 1 above, the following Specifications and Standards shall apply to the Project Highway, and for purposes of this Agreement, the aforesaid Specifications and Standards shall be deemed to be amended to the extent set forth below:
- In case of usage of soil stabilization technology, soil stabilizer shall be accredited by IRC as per IRC-28-1967.
 - Carriageway shall be 5.5m with 0.5m hard shoulder on both sides in rural section and 7m to 10.0m carriageway with 1.5m footpath with drain in urban section wherever ROW is available. IRC: SP:73-2015 shall be followed to the extent as required for execution of work in consonance with plan & profile and TCS.

S. No.	Clause Referred in Manual	Item	Provisions as per Manual	Modified Provision
1	2.2.1	Design Speed	80 kmph (min. speed for plain/rolling terrain)	Design speed has not been as per Manual to restrict the construction within the available ROW
2	7.3(iv)	Width of bridge	11 carriageways including 0.5m Kerb shyness on both sides. 0.5m Crash barrier to be provided on both sides after Kerb shyness.	8.5m width including crash barrier has been provided because of less traffic on the road.

SCHEDULE – E

(See Clause 2.1 and 14.2)

MAINTENANCE REQUIREMENTS

1. Maintenance Requirements

- 1.1. The Contractor shall, at all-time maintain the Project Highway in accordance with the provisions of this Agreement, Applicable Laws and Applicable Permits.
- 1.2. The Contractor shall repair or rectify any Defect or deficiency set forth in Paragraph 2 of this Schedule-E within the time limit specified therein and any failure in this behalf shall constitute non-fulfillment of the Maintenance obligations by the Contractor. Upon occurrence of any breach hereunder, the Authority shall be entitled to effect reduction in monthly lump sum payment as set forth in Clause 14.6 of this Agreement, without prejudice to the rights of the Authority under this Agreement, including Termination thereof.
- 1.3. All Materials, works and construction operations shall conform to the MORTH Specifications for Road and Bridge Works, and the relevant IRC publications. Where the specifications for a work are not given, Good Industry Practice shall be adopted to the satisfaction of the Authority's Engineer.

2. Repair/rectification of Defects and deficiencies

The obligations of the Contractor in respect of Maintenance Requirements shall include repair and rectification of the Defects and deficiencies specified in Annex-I of this Schedule-E within the time limit set forth therein.

3. Other Defects and deficiencies

In respect of any Defect or deficiency not specified in Annex-I of this Schedule-E, the Authority's Engineer may, in conformity with Good Industry Practice, specify the permissible limit of deviation or deterioration with reference to the Specifications and Standards, and any deviation or deterioration beyond the permissible limit shall be repaired or rectified by the Contractor within the time limit specified by the Authority's Engineer.

4. Extension of time limit

Notwithstanding anything to the contrary specified in this Schedule-E, if the nature and extent of any Defect or deficiency justifies more time for its repair or rectification than the time specified herein, the Contractor shall be entitled to additional time in conformity with Good Industry Practice. Such additional time shall be determined by the Authority's Engineer and conveyed to the Contractor and the Authority with reasons thereof;

5. Emergency repairs/restoration

Notwithstanding anything to the contrary contained in this Schedule-E, if any Defect, deficiency or deterioration in the Project Highway poses a hazard to safety or risk of damage to property, the Contractor shall promptly take all reasonable measures for eliminating or minimizing such danger.

6. Daily inspection by the Contractor

The Contractor shall, through its engineer, undertake a daily visual inspection of the Project Highway and maintain a record thereof in a register to be kept in such form and manner as the Authority's Engineer may specify. Such record shall be kept in safe custody of the Contractor and shall be open to inspection by the Authority and the Authority's Engineer at any time during office hours.

7. Pre-monsoon inspection / Post-monsoon inspection

The Contractor shall carry out a detailed pre-monsoon inspection of all bridges, culverts and drainage system before [1st June] every year in accordance with the guidelines contained in IRC: SP:35. Report of this inspection together with details of proposed maintenance works as required on the basis of this inspection shall be sent to the Authority's Engineer before the [10th June] every year. The Contractor shall complete the required repairs before the onset of the monsoon and send to the Authority's Engineer a compliance report. Post monsoon inspection shall be done by the [30th September] and the inspection report together with details of any damages observed and proposed action to remedy the same shall be sent to the Authority's Engineer.

8. Repairs on account of natural calamities

All damages occurring to the Project Highway on account of torrential rains, floods, earthquake or other natural disasters shall be undertaken by the Contractor at its own cost. The Authority may instruct the Contractor to undertake the repairs at the rates agreed between the Parties.

Annex - I

(Schedule-E)

Repair/rectification of Defects and deficiencies

The Contractor shall repair and rectify the Defects and deficiencies specified in this Annex-I of Schedule-E within the time limit set forth in the table below.

Table -1: Maintenance Criteria for Pavements:

Asset Type	Performance Parameter	Level of Service (LOS)		Frequency of Inspection	Tools/Equipment	Standards and References for Inspection and Data Analysis	Time limit for Rectification/Repair	Maintenance Specifications
		Desirable	Acceptable					
Flexible Pavement (Pavement of MCW, Service Road, approaches of Grade structure, approaches of connecting roads, slip roads, lay byes etc. as applicable)	Potholes	Nil	< 0.1 % of area and subject to limit of 10 mm in depth	Daily	Length Measurement Unit like Scale, Tape, odometer etc.	IRC 82: 2015 and Distress Identification Manual for Long Term Pavement Performance Program, FHWA 2003 (http://www.tfhr.com/pavement/ltp/reports/03031/)	24-48 hours	MORT&H Specification 3004.2
	Cracking	Nil	< 5 % subject to limit of 0.5 sqm for any 50 m length	Daily			7-15 days	MORT&H Specification 3004.3
	Rutting	Nil	< 5 mm	Daily	Straight Edge		15 -30 days	MORT&H Specification 3004.2
	Corrugations and Shoving	Nil	< 0.1 % of area	Daily	Length Measurement Unit like Scale, Tape, odometer etc.		2-7 days	IRC:82-2015
	Bleeding	Nil	< 1 % of area	Daily			3-7 days	MORT&H Specification 3004.4
	Ravelling/ Stripping	Nil	< 1 % of area	Daily			7-15 days	IRC:82-2015 read with IRC SP 81

Asset Type	Performance Parameter	Level of Service (LOS)		Frequency of Inspection	Tools/Equipment	Standards and References for Inspection and Data Analysis	Time limit for Rectification/Repair	Maintenance Specifications
		Desirable	Acceptable					
	Edge Deformation/ Breaking	Nil	< 1 m for any 100 m section and width < 0.1 m at any location, restricted to 30 cm from the edge	Daily			7- 15 days	IRC:82-2015
	Roughness BI	2000 mm/km	2400 mm/km	Bi-Annually	Class I Profilometer SCRM (Sideway-force Coefficient Routine Investigation Machine or equivalent)	Class I Profilometer : ASTM E950 (98) :2004 – Standard Test Method for measuring Longitudinal Profile of Travelled Surfaces with Accelerometer Established Inertial Profiling Reference ASTM E1656 -94: 2000- Standard Guide for Classification of Automatic Pavement Condition Survey Equipment	180 days	IRC:82-2015
	Skid Number	60SN	50SN	Bi-Annually			180 days	BS: 7941-1: 2006
	Pavement Condition Index	3	2.1	Bi-Annually			180 days	IRC:82-2015
	Other Pavement Distresses			Bi-Annually			2-7 days	IRC:82-2015
	Deflection/ Remaining Life			Annually	Falling Weight Deflectometer	IRC 115: 2014	180 days	IRC:115-2014

Asset Type	Performance Parameter	Level of Service (LOS)		Frequency of Inspection	Tools/Equipment	Standards and References for Inspection and Data Analysis	Time limit for Rectification/Repair	Maintenance Specifications
		Desirable	Acceptable					
Rigid Pavement (Pavement of MCW, Service Road, Grade structure, approaches of connecting roads, slip roads, lay byes etc. as applicable)	Roughness BI	2200mm/km	2400mm/km	Bi-Annually	Class I Profilometer	ASTM E950 (98) :2004 and ASTM E1656 -94: 2000	180 days	IRC:SP:83-2008
	Skid	Skid Resistance no. at different speed of vehicles		Bi-Annually	SCRIM (Sideway-force Coefficient Routine Investigation Machine or equivalent)	IRC:SP:83-2008	180 days	IRC:SP:83-2008
		Minimum SN	Traffic Speed (Km/h)					
		36	50					
		33	65					
		32	80					
31	95							
31	110							
Embankment/ Slope	Edge drop at shoulders	Nil	40mm	Daily	Length Measurement Unit like Scale, Tape, odometer etc.	IRC	7-15 days	MORT&H Specification 408.4
	Slope of camber/cross fall	Nil	<2% variation in prescribed slope of camber /cross fall	Daily			7-15 days	MORT&H Specification 408.4
	Embankment Slopes	Nil	<15 % variation in prescribe side slope	Daily			7-15 days	MORT&H Specification 408.4

Asset Type	Performance Parameter	Level of Service (LOS)		Frequency of Inspection	Tools/Equipment	Standards and References for Inspection and Data Analysis	Time limit for Rectification/Repair	Maintenance Specifications
		Desirable	Acceptable					
	Embankment Protection	Nil	Nil	Daily	NA		7-15 days	MORT&H Specification
	Rain Cuts/ Gullies in slope	Nil	Nil	Daily Specially During Rainy Season	NA		7-15 days	MORT&H Specification

In addition to the above performance criterion, the contractor shall strictly maintain the rigid pavements as per requirements in the following table

Table -2: **Maintenance Criteria for Rigid Pavements:**

S.No.	Type of Distress	Measured Parameter	Degree of Severity	Assessment Rating	Repair Action	
					For the case $d < D/2$	For the case $d > D/2$
CRACKING						
1	Single Discrete Cracks Not intersecting with any joint	w = width of crack L = length of crack d = depth of crack D = depth of slab	0	Nil, not discernible	No Action	Not applicable
			1	w < 0.2 mm. hair cracks		
			2	w = 0.2 - 0.5 mm, discernible from slow-moving car	Seal without delay	Seal, and stitch if L > 1m. Within 7days
			3	w = 0.5 - 1.5 mm, discernible from fast-moving car		
			4	w = 1.5 - 3.0 mm	Seal, and stitch if L > 1 m. Within 7 days	Staple or Dowel Bar Retrofit, FDR for affected portion. Within 15days
			5	w > 3 mm.		
2	Single Transverse (or Diagonal) Crack intersecting with one or more joints	w = width of crack L = length of crack d = depth of crack D = depth of slab	0	Nil, not discernible	No Action	
			1	w < 0.2 mm, hair cracks	Route and seal with epoxy. Within 7 days	Staple or Dowel Bar Retrofit. Within 15days
			2	w = 0.2 - 0.5 mm, discernible from slow vehicle		
			3	w = 0.5 - 3.0 mm, discernible from fast vehicle	Route, seal and stitch, if L > 1 m. Within 7 days	
			4	w = 3.0 - 6.0 mm	Dowel Bar Retrofit. Within 15 days	Full Depth Repair Dismantle and reconstruct affected.
			5	w > 6 mm, usually associated with	Not Applicable, as it may	

S.No.	Type of Distress	Measured Parameter	Degree of Severity	Assessment Rating	Repair Action	
					For the case $d < D/2$	For the case $d > D/2$
				spalling, and/or slab rocking under traffic	be full depth	Portion with norms and specifications - See Para 5.5 & 9.2 Within 15days
3	Single Longitudinal Crack intersecting with one or more joints	w = width of crack L = length of crack d = depth of crack D = depth of slab	0	Nil, not discernible	No Action	
			1	w < 0.5 mm, discernible from slow moving vehicle	Seal with epoxy, if L > 1 m. Within 7 days	Staple or dowel bar retrofit. Within 15days
			2	w = 0.5 - 3.0 mm, discernible from fast vehicle	Route seal and stitch, if L > 1 m. Within 15 days	-
			3	w = 3.0 - 6.0 mm	Staple, if L > 1 m. Within 15 days	Partial Depth Repair with stapling. Within 15 days
			4	w = 6.0 - 12.0 mm, usually associated with spalling		Full Depth Repair
			5	w > 12 mm, usually associated with spalling, and/or slab rocking under traffic	Not Applicable, as it may be full depth	Dismantle and reconstruct affected portion as per norms and specifications - See Para 5.6.4 Within 15 days
4	Multiple Cracks intersecting with one or more joints	w = width of crack	0	Nil, not discernible	No Action	
			1	w < 0.2 mm, hair cracks		
			2	w = 0.2 - 0.5 mm. discernible from slow vehicle	Seal, and stitch if L > 1 m. Within 15 days	-

S.No.	Type of Distress	Measured Parameter	Degree of Severity	Assessment Rating	Repair Action	
					For the case $d < D/2$	For the case $d > D/2$
			3	w = 0.5 - 3.0 mm, discernible from fast vehicle	Full depth repair within 15 days	Dismantle, Reinstatement subbase, Reconstruct whole slab as per specifications within 30 days
			4	w = 3.0 - 6.0 mm panel broken into 2 or 3 pieces		
			5	w > 6 mm and/or panel broken into more than 4 pieces		
5	Corner Break	w = width of crack L = length of crack	0	Nil, not discernible	No Action	-
			1	w < 0.5 mm; only 1 corner broken	Seal with low viscosity epoxy to secure broken parts Within 7 days	Seal with epoxy seal with epoxy Within 7days
			2	w < 1.5 mm; L < 0.6 m, only one corner broken	Partial Depth (Refer Figure 8.3 of IRC:SP: 83-2008) Within 15 days	Full depth repair
			3	w < 1.5 mm; L < 0.6 m, two corners broken		
			4	w > 1.5 mm; L > 0.6 m or three corners broken		
			5	three or four corners broken	Reinstatement sub-base, and reconstruct the slab as per norms and specifications within 30days	
6	Punchout (Applicable to Continuous Reinforced Concrete Pavement (CRCP) only)	w = width of crack L = length (m/m ²)	0	Nil, not discernible		No Action
			1	w < 0.5 mm; L < 3 m/m ²	Not Applicable, as it may be full depth	Seal with low viscosity epoxy to secure broken parts. Within 15days
			2	either w > 0.5 mm or L < 3 m/m ²		
			3	w > 1.5 mm and L < 3 m/m ²		
			4	w > 3 mm, L < 3 m/m ² and deformation		

S.No.	Type of Distress	Measured Parameter	Degree of Severity	Assessment Rating	Repair Action	
					For the case $d < D/2$	For the case $d > D/2$
			5	$w > 3$ mm, $L > 3$ m/m ² and deformation		damaged area taking care not to damage reinforcement. Within 30days
Surface Defects						
7	Ravelling or Honeycomb type surface	r = area damaged surface/total surface of slab (%) h = maximum depth of damage	0	Nil, not discernible	Short Term No action.	Not Applicable
			1	$r < 2$ %	Local repair of areas damaged	
			2	$r = 2 - 10$ %	and liable to be damaged. Within 15 days	
			3	$r = 10-25$ %	Bonded Inlay, 2 or 3 slabs if affecting.	
			4	$r = 25 - 50$ %	Within 30 days	
			5	$r > 50$ % and $h > 25$ mm	Reconstruct slabs, 4 or more slabs if affecting. Within 30 days	
8	Scaling	r = damaged surface/total surface of slab (%) h = maximum depth of damage	0	Nil, not discernible	Short Term No action.	Not Applicable
			1	$r < 2$ %	Local repair of areas damaged	
			2	$r = 2 - 10$ %	and liable to be damaged. Within 7days	
			3	$r = 10 - 20$ %	Bonded Inlay within 15 days	
			4	$r = 20 - 30$ %	days	
			5	$r > 30$ % and $h > 25$ mm	Reconstruct slab within 30	

S.No.	Type of Distress	Measured Parameter	Degree of Severity	Assessment Rating	Repair Action	
					For the case $d < D/2$	For the case $d > D/2$
					days	
9	Polished Surface/Glazing	t = texture depth, sand patch test	0		No action.	Not Applicable
			1	t > 1 mm		
			2	t = 1 - 0.6 mm	Monitor rate of deterioration	
			3	t = 0.6 - 0.3 mm		
			4	t = 0.3 - 0.1 mm		
			5	t < 0.1 mm	Diamond Grinding if affecting 50% or more slabs in a continuous stretch of minimum 5 km. Within 30 days	
10	Popout (Small Hole), Pothole Refer Para 8.4	n = number/m ² d = diameter h = maximum depth	0	d < 50 mm; h < 25 mm; n < 1 per 5 m ²	No action.	Not Applicable
			1	d = 50 - 100 mm; h < 50 mm; n < 1 per 5 m ²	Partial depth repair 65 mm deep. Within 15 days	
			2	d = 50 - 100 mm; h > 50 mm; n < 1 per 5 m ²		
			3	d = 100 - 300 mm; h < 100 mm n < 1 per 5 m ²	Partial depth repair 110mm i.e.10 mm more than the depth of the hole. Within 30 days	
			4	d = 100 - 300 mm; h > 100 mm; n < 1 per 5 m ²		
			5	d > 300 mm; h > 100 mm: n > 1 per 5 m ²	Full depth repair. Within 30 days	

Joint Defects						
11	Joint Seal Defects	loss or damage L = Length as % total joint length	0	Difficult to discern.	Short Term No action.	Long Term Not Applicable
			1	Discernible, L < 25% but of little immediate consequence with regard to ingress of water or trapping incompressible material.	Clean joint, inspect later.	
			3	Notable. L > 25% insufficient protection against ingress of water and trapping incompressible material.	Clean and reapply sealant in selected locations. Within 7 days	
			5	Severe; w > 3 mm negligible protection against ingress of water and trapping incompressible material.	Clean, widen and reseal the joint. Within 7 days	
12	Spalling of Joints	w = width on either side of the joint L = length of spalled portion (as % joint length)	0	Nil, not discernible	No action.	Not Applicable
			1	w < 10 mm	Apply low viscosity epoxy resin/ mortar in cracked portion. Within 7 days	
			2	w = 10 - 20 mm, L < 25%	Partial Depth Repair. Within 15 days	
			3	w = 20 - 40 mm, L > 25%	30 - 50 mm deep, h = w + 20% of w, within 30 days	
			4	w = 40 - 80 mm, L > 25%	50 - 100 mm deep repair. H = w + 20% of w. Within 30 days	
			5	w > 80 mm, and L > 25%		
13	Faulting (or Stepping) in Cracks or Joints	f = difference of level	0	not discernible, < 1 mm	No action.	No action. Replace the slab as appropriate.
			1	f < 3 mm		
			2	f = 3 - 6 mm	Determine cause and observe, take action for diamond grinding	

			3	f = 6 - 12 mm	Diamond Grinding	Within 30days
			4	f= 12 - 18 mm	Raise sunken slab.	Replace the slab as appropriate. Within 30days
			5	f> 18 mm	Strengthen subgrade and sub-base by grouting and raising sunken slab	
14	Blowup or Buckling	h = vertical displacement from normal profile	0	Nil, not discernible	Short Term No Action	Long Term
			1	h < 6 mm		
			2	h = 6 - 12 mm	Install Signs to Warn Traffic within 7 days	
			3	h = 12 - 25 mm	Full Depth Repair. Within 30 days	
			4	h > 25 mm	Replace broken slabs. Within 30 days	
			5	shattered slabs, ie 4 or more pieces		
15	Depression	h = negative vertical displacement from normal profile L =length	0	Not discernible, h < 5 mm	No action.	Not Applicable
			1	h = 5 - 15 mm		
			2	h = 15-30 mm, Nos <20% joints	Install Signs to Warn Traffic within 7 days	
			3	h = 30 - 50 mm	Strengthen subgrade. Reinstate pavement at normal level if L < 20 m. Within 30 days	
			4	h > 50 mm or > 20% joints		
			5	h > 100 mm		
16	Heave	h = positive vertical displacement from normal profile. L = length	0	Not discernible. h < 5 mm	Short Term No action.	Long Term scrabble
			1	h = 5 - 15 mm	Follow up.	
			2	h = 15 - 30 mm, Nos <20% joints	Install Signs to Warn Traffic within 7 days	
			3	h = 30 - 50 mm		

			4	$h > 50 \text{ mm}$ or $> 20\%$ joints	Stabilise subgrade. Reinstate pavement at normal level if length $< 20 \text{ m}$. Within 30 days	
			5	$h > 100 \text{ mm}$		
17	Bump	h = vertical displacement from normal profile	0	$h < 4 \text{ mm}$	No action	
			1	$h = 4 - 7 \text{ mm}$	Grind, in case of new construction within 7 days	Construction Limit for New Construction.
			3	$h = 7 - 15 \text{ mm}$	Grind, in case of ongoing Maintenance within 15 days	Replace in case of new construction. Within 30days
			5	$h > 15 \text{ mm}$	Full Depth Repair. Within 30 days	Full Depth Repair. Within 30days
18	Lane to Shoulder Dropoff	f = difference of level	0	Nil, not discernible $< 3\text{mm}$	Short Term No action.	Long Term
			1	$f = 3 - 10 \text{ mm}$	Spot repair of shoulder within 7 days	
			2	$f = 10 - 25 \text{ mm}$		
			3	$f = 25 - 50 \text{ mm}$		
			4	$f = 50 - 75 \text{ mm}$	Fill up shoulder within 7 days	For any 100 m stretch Reconstruct shoulder, if affecting 25% or more of stretch. Within 30days
			5	$f > 75 \text{ mm}$		
Drainage						
19	Pumping	quantity of fines and water expelled through open joints and cracks Nos	0	not discernible	No Action	
			1 to 2	slight/ occasional Nos $< 10\%$	Repair cracks and joints Without delay.	Inspect and repair sub-drainage at distressed sections and upstream.
		3 to 4	appreciable/ Frequent 10 - 25%	Lift or jack slab within 30 days.		
		Nos/100 m stretch	5	abundant, crack development $> 25\%$	Repair distressed pavement sections. Strengthen subgrade and subbase. Replace slab. Within 30 days	
20	Ponding	Ponding on slabs due to blockage of drains	0-2	No discernible problem	No action.	
			3 to 4	Blockages observed in	Clean drains etc within 7 days, Follow	Action required to stop

			drains, but water flowing up		water damaging foundation within 30 days.
		5	Ponding, accumulation of water observed	-do-	

Table -3: Maintenance Criteria for Safety Related Items and Other Furniture Items:

Asset Type	Performance Parameter	Level of Service (LOS)	Frequency of Measurement	Testing Method	Recommended Remedial measures	Time limit for Rectification	Specifications and Standards									
Highway	Availability of Safe Sight Distance	As per IRC SP :84-2014, a minimum of safe stopping sight distance shall be available throughout.	Monthly	Manual Measurements with Odometer along with video/ image backup	Removal of obstruction within 24 hours, in case of sight line affected by temporary objects such as trees, temporary encroachments. In case of permanent structure or design deficiency: Removal of obstruction/improvement of deficiency at the earliest Speed Restriction boards and suitable traffic calming measures such as transverse bar marking, blinkers, etc. shall be applied during the period of rectification.		IRC:SP 84-2014									
		<table border="1"> <thead> <tr> <th>Design Speed, kmph</th> <th>Desirable Minimum Sight Distance (m)</th> <th>Safe Stopping Sight Distance (m)</th> </tr> </thead> <tbody> <tr> <td>100</td> <td>360</td> <td>180</td> </tr> <tr> <td>80</td> <td>260</td> <td>130</td> </tr> </tbody> </table>						Design Speed, kmph	Desirable Minimum Sight Distance (m)	Safe Stopping Sight Distance (m)	100	360	180	80	260	130
		Design Speed, kmph						Desirable Minimum Sight Distance (m)	Safe Stopping Sight Distance (m)							
		100						360	180							
80	260	130														

Asset Type	Performance Parameter	Level of Service (LOS)	Frequency of Measurement	Testing Method	Recommended Remedial measures	Time limit for Rectification	Specifications and Standards															
Pavement Marking	Wear	<70% of marking remaining	Bi-Annually	Visual Assessment as per Annexure-F of IRC:35-2015	Re - painting	Cat-1 Defect – within 24 hours Cat-2 Defect - within 2 months	IRC:35-2015															
	Day time Visibility	During expected life Service Time Cement Road - 130mcd/m ² /lux Bituminous Road - 100mcd/m ² /lux	Monthly	As per Annexure-D of IRC:35-2015	Re - painting	Cat-1 Defect – within 24 hours Cat-2 Defect – within 2 months	IRC:35-2015															
	Night Time Visibility	<p><u>Initial and Minimum Performance for Dry Retro reflectivity during night time:</u></p> <table border="1"> <thead> <tr> <th>Design Speed</th> <th>(RL) Retro Reflectivity (mcd/m²/lux)</th> <th>Initial (7 days)</th> <th>Minimum Threshold level (TL) & warranty period required up to 2 years</th> </tr> </thead> <tbody> <tr> <td>Up to 65</td> <td>200</td> <td>80</td> <td></td> </tr> <tr> <td>65 - 100</td> <td>250</td> <td>120</td> <td></td> </tr> <tr> <td>Above 100</td> <td>350</td> <td>150</td> <td></td> </tr> </tbody> </table> <p><u>Initial and Minimum Performance for Night Visibility under wet condition (Retro reflectivity):</u> Initial 7 days Retro reflectivity: 100 mcd/m²/lux</p>	Design Speed	(RL) Retro Reflectivity (mcd/m ² /lux)	Initial (7 days)	Minimum Threshold level (TL) & warranty period required up to 2 years	Up to 65	200	80		65 - 100	250	120		Above 100	350	150		Bi-Annually	As per Annexure-E of IRC:35-2015	Re - painting	Cat-1 Defect – within 24 hours Cat-2 Defect – within 2 months
Design Speed	(RL) Retro Reflectivity (mcd/m ² /lux)	Initial (7 days)	Minimum Threshold level (TL) & warranty period required up to 2 years																			
Up to 65	200	80																				
65 - 100	250	120																				
Above 100	350	150																				

Asset Type	Performance Parameter	Level of Service (LOS)	Frequency of Measurement	Testing Method	Recommended Remedial measures	Time limit for Rectification	Specifications and Standards
		Minimum Threshold Level: 50 mcd/m ² /lux					
	Skid Resistance	Initial and Minimum performance for Skid Resistance: Initial (7days): 55BPN Min. Threshold: 44BPN *Note: shall be considered under urban/city traffic condition encompassing the locations like pedestrian crossings, bus bay, bus stop, cycle track intersection delineation, transverse bar markings etc	Bi-Annually	As per Annexure-G of IRC:35-2015		Within 24 hours	IRC:35-2015
Road Signs	Shape and Position	Shape and Position as per IRC:67-2012. Signboard should be clearly visible for the design speed of the section.	Daily	Visual with video/image backup	Improvement of shape, in case if shape is damaged. Relocation as per requirement	48 hours in case of Mandatory Signs, Cautionary and Informatory Signs (Single and Dual post signs) 15 Days in case of Gantry/Cantilever Sign boards	IRC:67-2012
	Retro reflectivity	As per specifications in IRC:67-2012	Bi-Annually	Testing of each signboard using Retro Reflectivity Measuring Device. In accordance with ASTM D 4956-09.	Change of signboard	48 hours in case of Mandatory Signs, Cautionary and Informatory Signs (Single and Dual post signs) 1 Month in case of	RC:67-2012

Asset Type	Performance Parameter	Level of Service (LOS)	Frequency of Measurement	Testing Method	Recommended Remedial measures	Time limit for Rectification	Specifications and Standards
						Gantry/Cantilever Sign boards	
Kerb	Kerb Height	As per IRC 86:1983 depending upon type of Kerb	Bi-Annually	Use of distance measuring tape	Raising Kerb Height	Within 1 Month	RC 86:1983
	Kerb Painting	<u>Functionality:</u> Functioning of Kerb painting as intended	Daily	Visual with video/image backup	Kerb Repainting	Within 7-days	RC 35:2015
Other Road Furniture	Reflective Pavement Markers (Road Studs)	Numbers and Functionality as per specifications in IRC:SP:84-2014 and IRC:35-2015, unless specified in Schedule-B.	Daily	Counting	New Installation	Within 2 months	IRC:SP:84-2014, IRC:35-2015
	Pedestrian Guardrail	<u>Functionality:</u> Functioning of guardrail as intended	Daily	Visual with video/image backup	Rectification	Within 15 days	IRC:SP:84-2014
	Traffic Safety Barriers	<u>Functionality:</u> Functioning of Safety Barriers as intended	Daily	Visual with video/image backup	Rectification	Within 7 days	IRC:SP:84-2014, IRC:119-2015
	End Treatment of Traffic Safety Barriers	<u>Functionality:</u> Functioning of End Treatment as intended	Daily	Visual with video/image backup	Rectification	Within 7 days	IRC:SP:84-2014, IRC:119-2015
	Attenuators	<u>Functionality:</u> Functioning of Attenuators as intended	Daily	Visual with video/image backup	Rectification	Within 7 days	IRC:SP-2014, IRC:119-2015
	Guard Posts and Delineators	<u>Functionality:</u> Functioning of Guard Posts and Delineators as intended	Daily	Visual with video/image backup	Rectification	Within 15 days	IRC: 79 - 1981
	Overhead Sign Structure	Overhead sign structure shall be structurally adequate	Daily	Visual with video/image backup	Rectification	Within 15 days	IRC:67-2012

Asset Type	Performance Parameter	Level of Service (LOS)	Frequency of Measurement	Testing Method	Recommended Remedial measures	Time limit for Rectification	Specifications and Standards
	Traffic Blinkers	Functionality: Functioning of Traffic Blinkers as intended	Daily	Visual with video/image backup	Rectification	Within 7 days	IRC:SP:84-2014
Highway Lighting System	Highway Lights	Illumination: Minimum 40 Lux illumination on the road surface	Daily	The illumination level shall be measured with luxmeter	Improvement in Lighting System	24 hours	IRC:SP:84-2014
		No major failure in the lighting system	Daily	-	Rectification of failure	24 hours	IRC:SP:84-2014
		No minor failure in the lighting system	Monthly	-	Rectification of failure	8 hours	IRC:SP:84-2014
	Toll Plaza Canopy Lights	Minimum 40 Lux illumination on the road surface	Daily	The illumination level shall be measured with luxmeter	Improvement in Lighting System	24 hours	IRC:SP:84-2014
		No major/minor failure in the lighting system	Daily	-	Rectification of failure	8 hours	IRC:SP:84-2014
Trees and Plantation including median plantation	Obstruction in a minimum head-room of 5.5 m above carriageway or obstruction in visibility of road signs	No obstruction due to trees	Monthly	Visual with video/image backup	Removal of trees	Immediate	IRC:SP:84-2014

Asset Type	Performance Parameter	Level of Service (LOS)	Frequency of Measurement	Testing Method	Recommended Remedial measures	Time limit for Rectification	Specifications and Standards
	Deterioration in health of trees and bushes	Health of plantation shall be as per requirement of specifications & instructions issued by Authority from time to time	Daily	Visual with video/image backup	Timely watering and treatment. Or Replacement of Trees and Bushes.	Within 90 days	IRC:SP:84-2014
	Vegetation affecting sight line and road structures	Sight line shall be free from obstruction by vegetation	Daily	Visual with video/image backup	Removal of Trees	Immediate	IRC:SP 84-2014
Rest Areas	Cleaning of toilets	-	Daily	-	-	Every 4 hours	
	Defects in electrical, water and sanitary installations	-	Daily	-	Rectification	24 hours	
Other Project Facilities and Approach roads	Damage or deterioration in Approach Roads, pedestrian facilities, truck lay-bys, bus-bays, bus- shelters, cattle crossings, Traffic Aid Posts, Medical Aid Posts and other works		Daily	-	Rectification	15 days	IRC:SP 84-2014

Table 4: Maintenance Criteria for Structures and Culverts:

Asset Type	Performance Parameter	Level of Service (LOS)	Frequency of Measurement	Testing Method	Recommended Remedial measures	Time limit for Rectification	Specifications and Standards
Pipe/box/slab culverts	Free waterway/unobstructed flow section	85% of culvert normal flow area to available.	2 times in a year (before and after rainy season)	Inspection by Bridge Engineer as per IRC SP: 35-1990 and recording of depth of silting and area of vegetation.	Cleaning silt up soils and debris in culvert barrel after rainy season, removal of bushes and vegetation, U/s of barrel, under barrel and D/s of barrel before rainy season.	15 days before onset of monsoon and within 30 days after end of rainy season.	IRC 5-2015, IRC SP:40-1993 and IRC SP:13-2004
	Leak-proof expansion joints if any	No leakage through expansion joints	Bi-Annually	Physical inspection of expansion joints as per IRC SP: 35-1990 if any, for leakage strains on walls at joints.	Fixing with sealant suitably	30 days or before onset of rains whichever comes earlier	IRC SP:40-1993 and IRC SP:69-2011
	Structurally sound	Spalling of concrete not more than 0.25 sqm Delamination of concrete not more than 0.25 sq.m. Cracks wider than 0.3 mm not more than 1m aggregate length	Bi-Annually	Detailed inspection of all components of culvert as per IRC SP:35-1990 and recording the defects	Repairs to spalling, cracking, delamination, rusting shall be followed as per IRC:SP:40-1993.	15 days	IRC SP 40-1993 and MORTH Specifications clause 2800

	Protection works in good condition	Damaged of rough stone apron or bank revetment not more than 3 sqm, damage to solid apron (concrete apron) not more than 1 sqm	2 times in a year (before and after rainy season)	Condition survey as per IRC SP:35-1990	Repairs to damaged aprons and pitching	30 days after defect observation or 2 weeks before onset of rainy season whichever is earlier.	IRC: SP 40-1993 and IRC:SP:13-2004.
Bridges including ROBs Flyover etc. as applicable	Riding quality or user comfort	No pothole in wearing coat on bridge deck	Daily	Visual inspection as per IRC SP:35-1990	Repairs to BC or wearing coat	15 days	MORT&H Specification 2811
Bridge -Super Structure	Bumps	No bump at expansion joint	Daily	Visual inspection as per IRC SP:35-1990	Repairs to BC on either side of expansion joints, profile correction course on approach slab in case of settlement to approach embankment	15 days	MORT&H Specification 3004.2 & 2811.
	User safety (condition of crash barrier and guard rail)	No damaged or missing stretch of crash barrier or pedestrian hand railing	Daily	Visual inspection and detailed condition survey as per IRC SP: 35-1990.	Repairs and replacement of safety barriers as the case may be	3days	IRC: 5-1998, IRC SP: 84-2014 and IRC SP: 40-1993.
	Rusted reinforcement	Not more than 0.25 sq.m	Bi-Annually	Detailed condition survey as per IRC SP: 35-1990 using Mobile Bridge Inspection Unit	All the corroded reinforcement shall need to be thoroughly cleaned from rusting and applied with anti-corrosive coating before carrying out the	15 days	IRC SP: 40-1993 and MORTH Specification 1600.
	Spalling of concrete	Not more than 0.50 sq.m					

Delamination	Not more than 0.50 sq.m			repairs to affected concrete portion with epoxy mortar / concrete.		
Cracks wider than 0.30 mm	Not more than 1m total length	Bi-Annually	Detailed condition survey as per IRC SP: 35-1990 using Mobile Bridge Inspection Unit	Grouting with epoxy mortar, investigating causes for cracks development and carry out necessary rehabilitation.	48 Hours	IRC SP: 40-1993 and MORTH Specification 2800.
Rainwater seepage through deck slab	Leakage - nil	Quarterly	Detailed condition survey as per IRC SP: 35-1990 using Mobile Bridge Inspection Unit	Grouting of deck slab at leakage areas, waterproofing, repairs to drainage spouts	1 months	MORTH specifications 2600 & 2700.
Deflection due to permanent loads and live loads	Within design limits.	Once in every 10 years for spans more than 40 m	Load test method	Carry out major rehabilitation works on bridge to retain original design loads capacity	6 months	IRC SP: 51-1999.
Vibrations in bridge deck due to moving trucks	Frequency of vibrations shall not be more than 5 Hz	Once in every 5 years for spans more than 30m and every 10 years for spans between 15 to 30 m	Laser displacement sensors or laser vibrometers	Strengthening of super structure	4 months	AASHTO LRFD specifications

Leakage in Expansion joints	No damage to elastomeric sealant compound in strip seal expansion joint, no leakage of rain water through expansion joint in case of buried and asphalt plug and copper strip joint.	Bi-Annually	Detailed condition survey as per IRC SP:35-1990 using Mobile Bridge Inspection Unit	Replace of seal in expansion joint	15 days	MORTH specifications 2600 and IRC SP: 40-1993.
Debris and dust in strip seal expansion joint	No dust or debris in expansion joint gap.	Monthly	Detailed condition survey as per IRC SP:35-1990 using Mobile Bridge Inspection Unit	Cleaning of expansion joint gaps thoroughly	3 days	MORTH specifications 2600 and IRC SP: 40-1993.
Drainage spouts	No down take pipe missing/broken below soffit of the deck slab. No silt, debris, clogging of drainage spout collection chamber.	Monthly	Detailed condition survey as per IRC SP: 35-1990 using Mobile Bridge Inspection Unit	Cleaning of drainage spouts thoroughly. Replacement of missing/broken down take pipes with a minimum pipe extension of 500mm below soffit of slab. Providing sealant around the drainage spout if any leakages observed.	3 days	MORTH specification 2700.

Bridge- substructure	Cracks/spalling of concrete/rusted steel	No cracks, spalling of concrete and rusted steel	Bi-Annually	Detailed condition survey as per IRC SP: 35-1990 using Mobile Bridge Inspection Unit	All the corroded reinforcement shall need to be thoroughly cleaned from rusting and applied with anti-corrosive coating before carrying out repairs to substructure by grouting/guniting and micro concreting depending on type of defect noticed	30 days	IRC SP: 40-1993 and MORTH specification 2800.
	Bearings	Delamination of bearing reinforcement not more than 5%, cracking or tearing of rubber not more than 2 locations per side, no rupture of reinforcement or rubber	Bi-Annually	Detailed condition survey as per IRC SP: 35-1990 using Mobile Bridge Inspection Unit	In case of failure of even one bearing on any pier/abutment, all the bearings on that pier/abutment shall be replaced, in order to get uniform load transfer on to bearings.	3 months	MORTH specification 2810 and IRC SP: 40-199.

Bridge Foundations	Scouring around foundations	Scouring shall not be lower than maximum scour level for the bridge	Bi-Annually	Condition survey and visual inspection as per IRC SP:35-1990 using Mobile Bridge Inspection Unit. In case of doubt, use Underwater camera for inspection of deep wells in major Rivers.	Suitable protection works around pier/abutment	1 month	IRC SP: 40-1993, IRC 83-2014, MORTH specification 2500
	Protection works in good condition	Damaged of rough stone apron or bank revetment not more than 3 sq.m, damage to solid apron (concrete apron) not more than 1 sq.m	2 times in a year (before and after rainy season)	Condition survey as per IRC SP:35-1990	Repairs to damaged aprons and pitching.	30 days after defect observation or 2 weeks before onset of rainy season whichever is earlier.	IRC: SP 40-1993 and IRC:SP:13-2004.

Note: Any Structure during the entire contract period which is found that does not complies with all requirements of this Table will be prepared, rehabilitated or even reconstructed under the scope of the contractor.

Table 5: Maintenance Criteria for Hill Roads

In addition to above, for hill roads the following provisions for maintenance is also to done.

Hill Roads		
(i)	Damage to Retaining wall/ Breast wall	7 (Seven) days
(ii)	Landslides requiring clearance	12 (Twelve) hours
(iii)	Snow requiring clearance	24 (Twenty Four) hours

Note: For all tables 1 to 5 above, latest BIS & IRC standards (even those not indicated herewith) along with MoRTH specifications shall be binding for all maintenance activities.

A. Flexible Pavement

Nature of Defect or deficiency		Time limit for repair/rectification
(b) Granular earth shoulders, side slopes, drains and culverts		
(i)	Variation by more than 1 % in the prescribed slope of camber/cross fall (shall not be less than the camber on the main carriageway)	7 (seven) days
(ii)	Edge drop at shoulders exceeding 40 mm	7 (seven) days
(iii)	Variation by more than 15% in the prescribed side (embankment) slopes	30 (thirty) days
(iv)	Rain cuts/gullies in slope	7 (seven) days
(v)	Damage to or silting of culverts and side drains	7 (seven) days
(vi)	Desilting of drains in urban/semi- urban areas	24 (twenty four) hours
(vii)	Railing, parapets, crash barriers	7 (seven) days (Restore immediately if causing safety hazard)
(c) Road side furniture including road sign and pavement marking		
(i)	Damage to shape or position, poor visibility or loss of retro- reflectivity	48 (forty eight) hours
(ii)	Painting of km stone, railing, parapets, crash barriers	As and when required/ Once every year
(iii)	Damaged/missing signs road requiring replacement	7 (seven) days
(iv)	Damage to road mark ups	7 (seven) days
(d) Road lighting		
(i)	Any major failure of the system	24 (twenty four) hours
(ii)	Faults and minor failures	8 (eight) hours
(e) Trees and plantation		
(i)	Obstruction in a minimum head- room of 5 m above carriageway or obstruction in visibility of road signs	24 (twenty four)hours
(ii)	Removal of fallen trees from carriageway	4 (four) hours
(iii)	Deterioration in health of trees and bushes	Timely watering and treatment
(iv)	Trees and bushes requiring replacement	30 (thirty) days
(v)	Removal of vegetation affecting sight line and road structures	15 (fifteen) days

Nature of Defect or deficiency		Time limit for repair/rectification
(f) Rest area		
(i)	Cleaning of toilets	Every 4 (four) hours
(ii)	Defects in electrical, water and sanitary installations	24 (twenty four) hours
(g) [Toll Plaza]		
(h)	Other Project Facilities and Approach roads	
(i)	Damage in approach roads, pedestrian facilities, truck lay-byes, bus-bays, bus-shelters, cattle crossings, [Traffic Aid Posts, Medical Aid Posts] and service roads	15 (fifteen) days
(ii)	Damaged vehicles or debris on the road	4 (four) hours
(iii)	Malfunctioning of the mobile crane	4 (four) hours
Bridges		
(a) Superstructure		
(i)	Any damage, cracks, spalling/ scaling Temporary measures Permanent measures	within 48 (forty eight) hours within 15 (fifteen) days or as specified by the Authority's Engineer
(b) Foundations		
(i)	Scouring and/or cavitation	15 (fifteen) days
(c) Piers, abutments, return walls and wing walls		
(i)	Cracks and damages including settlement and tilting, spalling, scaling	30 (thirty) days
(d) Bearings (metallic) of bridges		
(i)	Deformation, damages, tilting or shifting of bearings	15 (fifteen) days Greasing of metallic bearings once in a year
(e) Joints		
(i)	Malfunctioning of joints	15 (fifteen) days
(f) Other items		
(i)	Deforming of pads in elastomeric bearings	7 (seven) days

Nature of Defect or deficiency		Time limit for repair/rectification
(ii)	Gathering of dirt in bearings and joints; or clogging of spouts, weep holes and vent-holes	3 (three) days
(iii)	Damage or deterioration in kerbs, parapets, handrails and crash barriers	3 (three) days (immediately within 24 hours if posing danger to safety)
(iv)	Rain-cuts or erosion of banks of the side slopes of approaches	7 (seven) days
(v)	Damage to wearing coat	15 (fifteen) days
(vi)	Damage or deterioration in approach slabs, pitching, apron, toes, floor or guide bunds	30 (thirty) days
(vii)	Growth of vegetation affecting the structure or obstructing the waterway	15 (fifteen) days
(g) Hill Roads		
(i)	Damage to retaining wall/breast wall	7 (seven) days
(ii)	Landslides requiring clearance	12 (twelve) hours
(iii)	Snow requiring clearance	24 (twenty four) hours

[Note: Where necessary, the Authority may modify the time limit for repair/rectification, or add to the nature of Defect or deficiency before issuing the bidding document, with the approval of the competent authority.]

Schedule-F

(See Clause 3.1.5(a))

APPLICABLE PERMITS

1. Applicable Permits

The Contractor shall obtain, as required under the Applicable Laws, the following Applicable Permits:

- (a) Permission of the State Government for extraction of boulders from quarry;
- (b) Permission of Village Panchayat and Pollution Control Board for installation of crushers;
- (c) License for use of explosives;
- (d) Permission of the State Government for drawing water from river/reservoir;
- (e) License from inspector of factories or other competent Authority for setting up batching plant;
- (f) Clearance of Pollution Control Board for setting up batching plant;
- (g) Clearance of Village Panchayats and Pollution Control Board for setting up asphalt plant;
- (h) Permission of Village Panchayats and State Government for borrow earth; and
- (i) Any other permits, clearances or approvals required under Applicable Laws.

1.2 Applicable permits, as required, relating to environmental protection and conservation shall have been produced by the Authority in accordance with the provisions of this Agreement

Schedule-G

(See Clause 7.1.1, 7.5.3 and 19.2)

FORM OF BANK GUARANTEE

Annex-I

(See Clause 7.1.1)

PERFORMANCE SECURITY

**The Managing Director,
NHIDCL,
3rd Floor, PTI Building, Sansad Marg,
New Delhi**

WHEREAS:

- (A) _____ [name and address of contractor] (hereinafter called “the Contractor”) and [NHIDCL], (“the Authority”) have entered into an agreement (the “Agreement”) for “**Rehabilitation and up-gradation of section from Km 107.760 to Km 129.445 (After Middle strait to Humphrey), & Km 130.600 to Km 138.300 (After Humphrey to Kadamtala) to Intermediate / 2-Lane with hard shoulder in the Union Territory of Andaman & Nicobar Islands (Pkg-III)**”, subject to and in accordance with the provisions of the Agreement.
- (B) The Agreement requires the Contractor to furnish a Performance Security for due and faithful performance of its obligations, under and in accordance with the Agreement, during the Construction Period and Defects Liability Period (as defined in the Agreement) in a sum of Rs. Crore (Rupees Crore) (the “Guarantee Amount”).
- (C) We, through our branch at (the “Bank”) have agreed to furnish this bank guarantee (hereinafter called the “Guarantee”) by way of Performance Security.

NOW, THEREFORE, the Bank hereby, unconditionally and irrevocably, guarantees and affirms as follows:

1. The Bank hereby unconditionally and irrevocably guarantees the due and faithful performance of the Contractor's obligations during and under and in accordance with the Agreement, and agrees and undertakes to pay to the Authority, upon its mere first written demand, and without any demur, reservation, recourse, contest or protest, and without any reference to the Contractor, such sum or sums up to an aggregate sum of the guarantee amount as the Authority shall claim, without the Authority being required to prove or to show grounds or reasons for its demand and/or for the sum specified therein.
2. A letter from the Authority, under the hand of an officer not below the rank of [Executive Director, NHIDCL], that the Contractor has committed default in the due and faithful performance of all or any of its obligations under and in accordance with the Agreement shall be conclusive, final and binding on the Bank. The Bank further agrees that the Authority shall be the sole judge as to whether the Contractor is in default in due and faithful performance of its obligations during and under the Agreement and its decision that the Contractor is in default shall be final, and binding on the Bank, notwithstanding any difference between the Authority and the Contractor, or any dispute between them pending before any court, tribunal, arbitrators or any other Authority or body, or by the discharge of the Contractor for any reason whatsoever.
3. In order to give effect to this Guarantee, the Authority shall be entitled to act as if the Bank were the principal debtor and any change in the constitution of the Contractor and/or the Bank, whether by their absorption with any other body or corporation or otherwise, shall not in any way or manner affect the liability or obligation of the Bank under this Guarantee.
4. It shall not be necessary, and the Bank hereby waives any necessity, for the Authority to proceed against the Contractor before presenting to the Bank its demand under this Guarantee.
5. The Authority shall have the liberty, without affecting in any manner the liability of the Bank under this Guarantee, to vary at any time, the terms and conditions of the Agreement or to extend the time or period for the compliance with, fulfillment and/or performance of all or any of the obligations of the Contractor contained in the Agreement or to postpone for any time, and from time to time, any of the rights and powers exercisable by the Authority against the Contractor, and either to enforce or forbear from enforcing any of the terms and conditions contained in the Agreement and/or the securities available to the Authority, and the Bank shall not be released from its liability and obligation under these presents by any exercise by the Authority of the liberty with reference to the matters aforesaid or by reason of time being given to the Contractor or any other forbearance, indulgence, act or omission on the part of the Authority or of any other matter or thing whatsoever which under any law relating to sureties and guarantors would but for this provision have the effect of releasing the Bank from its liability and obligation under this Guarantee and the Bank hereby waives all of its rights under any such law.

6. This Guarantee is in addition to and not in substitution of any other guarantee or security now or which may hereafter be held by the Authority in respect of or relating to the Agreement or for the fulfillment, compliance and/or performance of all or any of the obligations of the Contractor under the Agreement.
7. Notwithstanding anything contained hereinbefore, the liability of the Bank under this Guarantee is restricted to the Guarantee amount and this Guarantee will remain in force for the period specified in paragraph 8 below and unless a demand or claim in writing is made by the Authority on the Bank under this Guarantee all rights of the Authority under this Guarantee shall be forfeited and the Bank shall be relieved from its liabilities hereunder.
8. The Performance Security shall cease to be in force and effect upto 90 (ninety) days after the end of the Defects Liability Period as set forth in Clause 17.1 of EPC agreement.
9. The Bank undertakes not to revoke this Guarantee during its currency, except with the previous express consent of the Authority in writing, and declares and warrants that it has the power to issue this Guarantee and the undersigned has full powers to do so on behalf of the Bank.
10. Any notice by way of request, demand or otherwise hereunder may be sent by post addressed to the Bank at its above referred branch, which shall be deemed to have been duly authorized to receive such notice and to effect payment thereof forthwith, and if sent by post it shall be deemed to have been given at the time when it ought to have been delivered in due course of post and in proving such notice, when given by post, it shall be sufficient to prove that the envelope containing the notice was posted and a certificate signed by an officer of the Authority that the envelope was so posted shall be conclusive.
[[[
11. This Guarantee shall come into force with immediate effect and shall remain in force and effect for up to the date specified in para 8 above or until it is released earlier by the Authority pursuant to the provisions of the Agreement.
12. This guarantee shall also be operable at our Branch at New Delhi, from whom, confirmation regarding the issue of this guarantee or extension/ renewal thereof shall be made available on demand. In the contingency of this guarantee being invoked and payment thereunder claimed, the said branch shall accept such invocation letter and make payment of amounts so demanded under the said invocation.
13. Intimation regarding issuance of this Bank Guarantee shall be sent to Authority's Bank through SFMS gateway as per the details below:

S. No.	Particulars	Details
1	Name of Beneficiary	National Highways & Infrastructure Development Corporation Limited
2	Beneficiary Bank Account No.	90621010002659
3	Beneficiary Bank Branch	IFSC SYNB0009062
4	Beneficiary Bank Branch Name	Transport Bhawan, New Delhi
5	Beneficiary Bank Address	Syndicate Bank transport Bhawan, 1st Parliament Street, New Delhi-110001

Signed and sealed this day of 20..... at

SIGNED, SEALED AND DELIVERED

For and on behalf of the Bank by:

(Signature)

(Name)

(Designation)

(Code Number)

(Address)

NOTES:

- (i) The bank guarantee should contain the name, designation and code number of the officer(s) signing the guarantee.
- (ii) The address, telephone number and other details of the head office of the Bank as well as of issuing branch should be mentioned on the covering letter of issuing branch.

Format of Insurance Surety Bond
[Performance Security/Additional Performance Security]

To

The Managing Director,
National Highway & Highway Development Corporation Ltd.
PTI Building, 3rd Floor,
4, Parliament Street
New Delhi- 110001

WHEREAS _____ [name and address of Contractor]
(hereafter called the "Contractor") has undertaken, in pursuance of Letter of Acceptance (LOA) No. _____ Dated _____ for construction of **"Rehabilitation and up-gradation of section from Km 107.760 to Km 129.445 (After Middle strait to Humphrey), & Km 130.600 to Km 138.300 (After Humphrey to Kadamtala) to Intermediate / 2-Lane with hard shoulder in the Union Territory of Andaman & Nicobar Islands (Pkg-III A)"** (hereinafter called the "Contract").

AND WHEREAS the Contract requires the Contractor to furnish an [Performance Security/Additional Performance Security] for due and faithful performance of its obligations, under and in accordance with the Contract, during the [Construction Period/ Defects Liability Period and Maintenance Period] in a sum of Rs cr. (Rupees crore) (the "Surety Bond amount").

AND WHEREAS we, through our branch at (the "Surety Insurer") have agreed to furnish this Surety Bond by way of Performance security.

NOW, THEREFORE, the Surety Insurer hereby, unconditionally and irrevocably, guarantees and affirms as follows:

1. The Surety Insurer hereby unconditionally and irrevocably guarantees the due and faithful performance of the Contractor's obligations during the (Construction Period/ Defects Liability Period and Maintenance Period' under and in accordance with the Contract, and agrees and undertakes to pay to the Authority, upon its mere first written demand, and without any demur, reservation, recourse, contest or protest, and without any reference to the Contractor, such sum or sums up to an aggregate sum of the Surety Bond Amount as the Authority shall claim, without the Authority being required to prove or to show grounds or reasons for its demand and/or for the sum specified therein
2. A letter from the Authority, under the hand of an officer not below the rank of [Superintending Engineer of Ministry of Road Transport Et Highways], that the Contractor has committed default in the due and faithful performance of all or any of its obligations under and in accordance with the Contract shall be conclusive, final and binding on the Surety Insurer. The Surety Insurer further agrees that the Authority shall be the sole judge as to whether the Contractor is in default in due and faithful performance of its obligations during and under the Contract and its decision that the Contractor is in default shall be final and binding on the Surety Insurer, notwithstanding any differences between the Authority and the Contractor, or any dispute between them pending before any court, tribunal, arbitrators or any other authority or body, or by the discharge of the Contractor for any reason

whatsoever.

3. In order to give effect to this Surety Bond, the Authority shall be entitled to act as if the Surety Insurer were the principal debtor and any/Change in the constitution of the Contractor and/or the Surety Insurer, whether by their absorption with any other body or corporation or otherwise, shall not in any way or manner affect the liability or obligation of the Surety insurer under this Surety Bond
4. It shall not be necessary, and the Surety Insurer hereby waives any necessity, for the Authority to proceed against the Contractor before presenting to the Surety Insurer its demand under this Surety Bond.
5. The Authority shall have the liberty, without affecting in any manner the liability of the Surety Insurer under this Surety Bond, to vary at any time, the terms and conditions of the Contract or to extend the time or period for the compliance with, fulfillment and/ or performance of all or any of the obligations of the Contractor contained in the Contract or to postpone for any time, and from time to time, any of the rights and powers exercisable by the Authority against the Contractor, and either to enforce or forbear from enforcing any of the terms and conditions contained in the Contract and/or the securities available to the Authority, and the Surety Insurer shall not be released from its liability and obligation under these presents by any exercise by the Authority of the liberty with reference to the matters aforesaid or by reason of time being given to the Contractor or any other forbearance, indulgence, act or omission on the part of the Authority or of any other matter or thing whatsoever which under any law relating to sureties and guarantors would but for this provision have the effect of releasing the Surety Insurer from its liability and obligation under this Surety Bond and the Surety Insurer hereby waives all of its rights under any such law
6. This Surety Bond is in addition to and not in substitution of any other Surety Bond or security now or which may hereafter be held by the Authority in respect of or relating to the Contract or for the fulfillment, compliance and/or performance of all or any of the obligations of the Contractor under the Contract.
7. Notwithstanding anything contained hereinbefore, the liability of the Surety Insurer under this Surety Bond is restricted to the Surety Bond Amount and this Surety Bond will remain in force for the period specified in paragraph 8 below and unless a demand or claim in writing is made by the Authority on the Surety Insurer under this Surety Bond all rights of the Authority under this Surety Bond shall be forfeited and the Surety Insurer shall be relieved from its liabilities hereunder
8. The Surety Bond shall cease to be in force and effect on ****\$. Unless³ a demand or claim under this Surety Bond is made in writing before expiry of the Surety Bond, the Surety Insurer shall be discharged from its liabilities hereunder.
9. The Surety Insurer undertakes not to revoke this Surety Bond during its currency, except with the previous express consent of the Authority in writing, and declares and warrants that it has the power to issue this Surety Bond and the undersigned has full powers to do so on behalf of the Surety Insurer.
10. Any notice by way of request, demand or otherwise hereunder may be sent by post addressed to the Surety Insurer at its above referred branch, which shall be deemed to have been duly

³Insert date atleast 2 (two) years from the date of issuance of this Surety Bond (in accordance with Clause 2.21 of the RFP). The Contractors can submit the BG for periods of two years at one time and keep on renewing the same till the DLP is over if they have problems in getting the BG in one go for the entire DLP.

authorized to receive such notice and to effect payment thereof forthwith, and if sent by post it shall be deemed to have been given at the time when it ought to have been delivered in due course of post in proving such notice, when given by post it shall be sufficient to prove that the envelope containing the notice was posted and a certificate signed by an officer of the Authority that the envelope was so posted shall be conclusive.

11. This Surety Bond shall come into force with immediate effect and shall remain in force and effect for up to the date specified in paragraph 8 above or until it is released earlier by the Authority pursuant to the provisions of the Contract.

12. This Guarantee is subject to the Uniform Rules for Demand Guarantees (URDG) 2010 Revision, ICC Publication No. 758, except that the supporting statement under Article 15(a) is hereby excluded.

Signed and sealed this day of, 20..... at

SIGNED, SEALED AND DELIVERED

For and on behalf of the Bank by:

(Signature)

(Name)

(Designation)

(Code Number)

(Address)

Annex-II

(Schedule-G)

(See Clause 7.5.3)

Form for Guarantee for Withdrawal of Retention Money

**The Managing Director,
NHIDCL,
3rd Floor, PTI Building, Sansad Marg,
New Delhi**

WHEREAS:

[Name and address of contractor] (hereinafter called “**the Contractor**”) has executed an agreement (hereinafter called the “Agreement”) with the [NHIDCL], (hereinafter called “the Authority”) for the “**Rehabilitation and up-gradation of section from Km 107.760 to Km 129.445 (After Middle strait to Humphrey), & Km 130.600 to Km 138.300 (After Humphrey to Kadamtala) (Total length: 29.385 Km) to Intermediate / 2-Lane with hard shoulder in the Union Territory of Andaman & Nicobar Islands (Pkg-III A)**”, subject to and in accordance with the provisions of the Agreement.

- a. in accordance with the Clause 7.5.3 of the Agreement, whenever the amount of the retention money (hereinafter called “Retention Money”) held by the Authority exceeds 1% (one per cent) of the Contract Price, the Contractor may, at its option, withdraw the Retention Money after furnishing to the Authority a bank guarantee for an amount equal to the proposed withdrawal.
- b. We, through our branch at..... (the “Bank”) have agreed to furnish this bank guarantee (hereinafter called the “Guarantee”) for the amount of Rs. (..... in words) (the “**Guarantee Amount**”).

NOW, THEREFORE, the Bank hereby, unconditionally and irrevocably, guarantees and affirms as follows:

1. The Bank hereby unconditionally and irrevocably undertakes to pay to the Authority, upon its mere first written demand, and without any demur, reservation, recourse, contest or protest, and without any reference to the Contractor, such sum or sums up to an aggregate sum of the Guarantee Amount as the Authority shall claim, without the Authority being required to prove or to show grounds or reasons for its demand and/or for the sum specified therein.

2. A letter from the Authority, under the hand of an officer not below the rank of [Executive Director, NHIDCL], that the Contractor has committed default in the due and faithful performance of all or any of its obligations under and in accordance with the Agreement shall be conclusive, final and binding on the Bank. The Bank further agrees that the Authority shall be the sole judge as to whether the Contractor is in default in due and faithful performance of its obligations during and under the Agreement and its decision that the Contractor is in default shall be final, and binding on the Bank, notwithstanding any difference between the Authority and the Contractor, or any dispute between them pending before any court, tribunal, arbitrators or any other Authority or body, or by the discharge of the Contractor for any reason whatsoever.
3. In order to give effect to this Guarantee, the Authority shall be entitled to act as if the Bank were the principal debtor and any change in the constitution of the Contractor and/or the Bank, whether by their absorption with any other body or corporation or otherwise, shall not in any way or manner affect the liability or obligation of the Bank under this Guarantee.
4. It shall not be necessary, and the Bank hereby waives any necessity, for the Authority to proceed against the Contractor before presenting to the Bank its demand under this Guarantee.
5. The Authority shall have the liberty, without affecting in any manner the liability of the Bank under this Guarantee, to vary at any time, the terms and conditions of the Retention Money and any of the rights and powers exercisable by the Authority against the Contractor, and either to enforce or forbear from enforcing any of the terms and conditions contained in the Agreement and/or the securities available to the Authority, and the Bank shall not be released from its liability and obligation under these presents by any exercise by the Authority of the liberty with reference to the matters aforesaid or by reason of time being given to the Contractor or any other forbearance, indulgence, act or omission on the part of the Authority or of any other matter or thing whatsoever which under any law relating to sureties and guarantors would but for this provision have the effect of releasing the Bank from its liability and obligation under this Guarantee and the Bank hereby waives all of its rights under any such law.
6. This Guarantee is in addition to and not in substitution of any other guarantee or security now or which may hereafter be held by the Authority in respect of or relating to the Retention Money.
7. Notwithstanding anything contained hereinbefore, the liability of the Bank under this Guarantee is restricted to the Guarantee amount and this Guarantee will remain in force for the period specified in paragraph 8 below and unless a demand or claim in writing is made by the Authority on the Bank under this Guarantee all rights of the Authority under this Guarantee shall be forfeited and the Bank shall be relieved from its liabilities hereunder.

8. The guarantee shall cease to be in force and effect 90 (ninety) days after the end of the Defects Liability Period specified in Clauses 17.1 of the Agreement.
9. The Bank undertakes not to revoke this Guarantee during its currency, except with the previous express consent of the Authority in writing, and declares and warrants that it has the power to issue this Guarantee and the undersigned has full powers to do so on behalf of the Bank.
10. Any notice by way of request, demand or otherwise hereunder may be sent by post addressed to the Bank at its above referred branch, which shall be deemed to have been duly authorized to receive such notice and to effect payment thereof forthwith, and if sent by post it shall be deemed to have been given at the time when it ought to have been delivered in due course of post and in proving such notice, when given by post, it shall be sufficient to prove that the envelope containing the notice was posted and a certificate signed by an officer of the Authority that the envelope was so posted shall be conclusive.
11. This Guarantee shall come into force with immediate effect and shall remain in force and effect for up to the date specified in para 8 above or until it is released earlier by the Authority pursuant to the provisions of the Agreement.
12. This guarantee shall also be operable at our Branch at New Delhi, from whom, confirmation regarding the issue of this guarantee or extension/ renewal thereof shall be made available on demand. In the contingency of this guarantee being invoked and payment thereunder claimed, the said branch shall accept such invocation letter and make payment of amounts so demanded under the said invocation.
13. Intimation regarding issuance of this Bank Guarantee shall be sent to Authority's Bank through SFMS gateway as per the details below:

S. No.	Particulars	Details
1	Name of Beneficiary	National Highways & Infrastructure Development Corporation Limited
2	Beneficiary Bank Account No.	90621010002659
3	Beneficiary Bank Branch	IFSC SYNB0009062
4	Beneficiary Bank Branch Name	Transport Bhawan, New Delhi
5	Beneficiary Bank Address	Syndicate Bank transport Bhawan, 1st Parliament Street, New Delhi-110001

Signed and sealed this day of 20..... at

SIGNED, SEALED AND DELIVERED

For and on behalf of the Bank by:

(Signature)

(Name)

(Designation)

(Code Number)

(Address)

NOTES:

- (i) The bank guarantee should contain the name, designation and code number of the officer(s) signing the guarantee.
- (ii) The address, telephone number and other details of the head office of the Bank as well as of issuing branch should be mentioned on the covering letter of issuing branch.

Annex-III
(Schedule-G)
(See Clause 19.2)

Form for Guarantee for Advance Payment

**The Managing Director,
NHIDCL,
3rd Floor, PTI Building, Sansad Marg,
New Delhi**

WHEREAS:

- (A) [name and address of contractor] (hereinafter called “**the Contractor**”) has executed an agreement (hereinafter called the “**Agreement**”) with the [NHIDCL], (hereinafter called “**the Authority**”) for the “**Rehabilitation and up-gradation of section from Km 107.760 to Km 129.445 (After Middle strait to Humphrey), & Km 130.600 to Km 138.300 (After Humphrey to Kadamtala) (Total length: 29.385 Km) to Intermediate / 2-Lane with hard shoulder in the Union Territory of Andaman & Nicobar Islands (Pkg- IIIA)**”, subject to and in accordance with the provisions of the Agreement.
- (B) in accordance with the Clause 19.2 of the Agreement the Authority shall make to the Contractor advance payment (hereinafter called “**Advance Payment**”) equal to 10% (ten per cent) of the contract price for mobilization expenses and acquisition of equipment; and that the Advance Payment shall be made in two installments subject to the Contractor furnishing an irrevocable and unconditional guarantee by a scheduled bank for an amount equal to the amount of each installment to remain effective till the complete and full repayment of the installment of the Advance Payment as security for compliance with its obligations in accordance with the Agreement; and the amount of (first/second) installment of the Advance Payment is Rs. **** cr. (Rupees ***** crore) (the “**Guarantee Amount**”).
- (C) We, through our branch at..... (the “**Bank**”) have agreed to furnish this bank guarantee (hereinafter called the “**Guarantee**”) for the **Guarantee Amount**.

NOW, THEREFORE, the Bank hereby, unconditionally and irrevocably, guarantees and affirms as follows:

1. The Bank hereby unconditionally and irrevocably guarantees the due and faithful repayment on time of the aforesaid installment of the Advance Payment under and in accordance with the Agreement, and agrees and undertakes to pay to the Authority, upon its mere first written demand, and without any demur, reservation, recourse, contest or protest, and without any reference to the Contractor, such sum or sums up to an aggregate sum of the guarantee amount as the Authority shall claim, without the Authority being required to prove or to show grounds or reasons for its demand and/or for the sum specified therein.
2. A letter from the Authority, under the hand of an officer not below the rank of [Executive Director, NHIDCL], that the Contractor has committed default in the due and faithful performance of all or any of its obligations for the repayment of the installment of the Advance Payment under and in accordance with the Agreement shall be conclusive, final and binding on the Bank. The Bank further agrees that the Authority shall be the sole judge as to whether the Contractor is in default in due and faithful performance of its obligations during and under the Agreement and its decision that the Contractor is in default shall be final, and binding on the Bank, notwithstanding any difference between the Authority and the Contractor, or any dispute between them pending before any court, tribunal, arbitrators or any other Authority or body, or by the discharge of the Contractor for any reason whatsoever
3. In order to give effect to this Guarantee, the Authority shall be entitled to act as if the Bank were the principal debtor and any change in the constitution of the Contractor and/or the Bank, whether by their absorption with any other body or corporation or otherwise, shall not in any way or manner affect the liability or obligation of the Bank under this Guarantee.
4. It shall not be necessary, and the Bank hereby waives any necessity, for the Authority to proceed against the Contractor before presenting to the Bank its demand under this Guarantee.
5. The Authority shall have the liberty, without affecting in any manner the liability of the Bank under this Guarantee, to vary at any time, the terms and conditions of the Advance Payment or to extend the time or period of its repayment or to postpone for any time, and from time to time, any of the rights and powers exercisable by the Authority against the Contractor, and either to enforce or forbear from enforcing any of the terms and conditions contained in the Agreement and/or the securities available to the Authority, and the Bank shall not be released from its liability and obligation under these presents by any exercise by the Authority of the liberty with reference to the matters aforesaid or by reason of time being given to the Contractor or any other forbearance, indulgence, act or omission on the part of the Authority or of any other matter or thing whatsoever which under any law relating to sureties and guarantors would but for this provision have the effect of releasing the Bank from its liability and obligation under this Guarantee and the Bank hereby waives all of its rights under any such law.

6. This Guarantee is in addition to and not in substitution of any other guarantee or security now or which may hereafter be held by the Authority in respect of or relating to the Advance Payment.
7. Notwithstanding anything contained hereinbefore, the liability of the Bank under this Guarantee is restricted to the Guarantee amount and this Guarantee will remain in force for the period specified in paragraph 8 below and unless a demand or claim in writing is made by the Authority on the Bank under this Guarantee all rights of the Authority under this Guarantee shall be forfeited and the Bank shall be relieved from its liabilities hereunder.
8. The guarantee shall cease to be in force and effect 90 (ninety) days after the end of the one year from the date of payment of the installment of the Advance Payment, as set forth in Clause 19.2 of the Agreement.
9. The Bank undertakes not to revoke this Guarantee during its currency, except with the previous express consent of the Authority in writing, and declares and warrants that it has the power to issue this Guarantee and the undersigned has full powers to do so on behalf of the Bank.
10. Any notice by way of request, demand or otherwise hereunder may be sent by post addressed to the Bank at its above referred branch, which shall be deemed to have been duly authorized to receive such notice and to effect payment thereof forthwith, and if sent by post it shall be deemed to have been given at the time when it ought to have been delivered in due course of post and in proving such notice, when given by post, it shall be sufficient to prove that the envelope containing the notice was posted and a certificate signed by an officer of the Authority that the envelope was so posted shall be conclusive.
11. This Guarantee shall come into force with immediate effect and shall remain in force and effect for up to the date specified in para 8 above or until it is released earlier by the Authority pursuant to the provisions of the Agreement.
12. Notwithstanding anything contained herein before, our liability under this Bank Guarantee is restricted to Rs. _____ (Rs. _____ in words) and the bank guarantee shall remain valid till _____. Unless a claim or a demand in writing is served upon us on or before _____ all our liability under this Bank Guarantee shall cease.
13. This guarantee shall also be operable at our Branch at New Delhi, from whom, confirmation regarding the issue of this guarantee or extension/ renewal thereof shall be made available on demand. In the contingency of this guarantee being invoked and payment thereunder claimed, the said branch shall accept such invocation letter and make payment of amounts so demanded under the said invocation.

14. Intimation regarding issuance of this Bank Guarantee shall be sent to Authority's Bank through SFMS gateway as per the details below:

S. No.	Particulars	Details
1	Name of Beneficiary	National Highways & Infrastructure Development Corporation Limited
2	Beneficiary Bank Account No.	90621010002659
3	Beneficiary Bank Branch	IFSC SYNB0009062
4	Beneficiary Bank Branch Name	Transport Bhawan, New Delhi
5	Beneficiary Bank Address	Syndicate Bank transport Bhawan, 1st Parliament Street, New Delhi-110001

15. Signed and sealed this day of 20..... at

SIGNED, SEALED AND DELIVERED

For and on behalf of the Bank by:

(Signature)

(Name)

(Designation)

(Code Number)

(Address)

Schedule-H

See Clauses 10.1 (iv) and 19.3

Contract Price Weightages

1.1 The Contract Price for this Agreement is Rs. *****

1.2 Proportions of the Contract Price for different stages of Construction of the Project Highway shall be as specified below:

Item	Weightage in percentage to the Contract Price	Stage for Payment	Percentage weightage
1	2	3	4
Road works including culverts, widening and repair of culverts.	[47.34%]	A- Widening and strengthening of existing road (1) Earthwork up to top of the sub-grade (2) <u>Sub-Base Course</u> (3) <u>Bituminous/ Non Bituminous Base Course</u> (4) Bituminous Base Course (5) <u>Wearing Coat</u> (6) Hard shoulder (7) Widening and repair of culverts	 [5.24%] [15.33%] [15.68%] [1.92%] [28.60%] [3.13%] [30.10%]

Item	Weightage in percentage to the Contract Price	Stage for Payment	Percentage weightage
1	2	3	4
		<p data-bbox="954 658 1198 815">C.2- Reconstruction/ New Service road (Rigid Pavement)</p> <p data-bbox="954 927 1182 1039">(1) Earthwork up to top of the sub-grade</p> <p data-bbox="954 1061 1203 1128">(2) <u>Sub Base Course</u></p> <p data-bbox="954 1173 1166 1330">(3) Dry Lean Concrete (DLC) Course</p> <p data-bbox="954 1352 1161 1464">(4) Pavement Quality Control (PQC) Course</p> <p data-bbox="954 1621 1198 1823">D- Re-Construction and New culverts on existing road, realignments, bypasses:</p>	<p data-bbox="1230 819 1273 853">[**]</p> <p data-bbox="1337 931 1380 965">[**]</p> <p data-bbox="1337 999 1380 1032">[**]</p> <p data-bbox="1230 1167 1273 1200">[**]</p> <p data-bbox="1230 1827 1273 1861">[**]</p>

Item	Weightage in percentage to the Contract Price	Stage for Payment	Percentage weightage
1	2	3	4
		Culverts (length <6 m)	
Minor Bridges/ Under passes/ Over passes	[4.83%]	<p>A.1- Widening and Repair of Minor bridges (length > 6m and < 60 m)</p> <p>Minor bridges</p> <p>A.2- New Minor bridges (length >6 and <60 m.)</p> <p>(1) Foundation: on completion of foundation work including foundation for wing and return wall</p> <p>(2) Sub-structure: on completion of abutments, piers upto the abutment/pier cap.</p> <p>(3) Super-structure: On completion of the super-structure in all respects including Wearing coat, bearings, expansion joints, hand rails, crash barriers, road</p>	<p>[5.00%]</p> <p>[27.79%]</p> <p>[40.60%]</p> <p>[23.45%]</p>

Item	Weightage in percentage to the Contract Price	Stage for Payment	Percentage weightage
1	2	3	4
		<p>signs & markings, tests on completion etc. complete in all respect.</p> <p>(4) Approaches: On completion of approaches including Retaining walls, stone pitching, protection works complete in all respect and fit for use.</p> <p>(4) Guide Bunds and River Training Works:</p> <p>On completion of Guide Bunds and river Training Works complete in all respects</p> <p>B.1- Widening and Repair of underpasses /overpasses</p> <p>Underpasses /Overpasses</p>	<p>[3.16%]</p> <p>[**]</p>

Item	Weightage in percentage to the Contract Price	Stage for Payment	Percentage weightage
1	2	3	4
		<p>B.2-New underpasses/ overpasses</p> <p>(1) Foundation +Sub-Structure: On completion of the foundation work including foundations for wing and return walls, abutments, piers upto the abutment/pier cap.</p> <p>(2) Super-structure: On completion of the super-structure in all respects including Wearing coat, bearings, expansion joints, hand rails, crash barriers, road signs & markings, tests on completion etc. complete in all respect.</p> <p>Wearing Coat (a) in case of Overpass-wearing coat including expansion joints complete in all respects as specified and (b) in case of underpass- rigid pavement including</p>	<p>[**]</p> <p>[**]</p> <p>[**]</p>

Item	Weightage in percentage to the Contract Price	Stage for Payment	Percentage weightage
1	2	3	4
		<p>drainage facility complete in all respects as specified as specified.</p> <p>(3) Approaches: On completion of approaches including Retaining walls/ Reinforced Earth walls, stone pitching, protection works complete in all respect and fit for use.</p>	[**]
Major Bridge (length > 60 m.) works and ROB/ RUB/ elevated sections/ flyovers including viaducts, if any	[-]	<p>A.1- Widening and repairs of Major Bridges</p> <p>(1) Foundation</p> <p>(2) Sub-structure</p> <p>(3) Super-structure (including bearings)</p> <p>(4) Wearing Coat including expansion joints</p>	<p>[**]</p> <p>[**]</p> <p>[**]</p> <p>[**]</p>

Item	Weightage in percentage to the Contract Price	Stage for Payment	Percentage weightage
1	2	3	4
		<p>(5) Miscellaneous Items like hand rails, crash barriers, road markings etc.)</p> <p>(6) Wing walls/ return walls</p> <p>(7) Guide Bunds, River Training works etc.</p> <p>(8) Approaches (including Retaining walls, stone pitching and protection works)</p> <p>A.2- New Major Bridges</p> <p>(1) Foundation</p> <p>(2) Sub-structure</p> <p>(3) Super-structure</p> <p>(a) Casting of girder/fabrication of girder</p> <p>(b) casting of segments</p> <p>(c) erection of deck slab and</p>	<p>[**]</p> <p>[**]</p> <p>[**]</p> <p>[**]</p> <p>[-]</p> <p>[-]</p> <p>[**]</p> <p>[-]</p>

		bearings	[-]
		(4)Other ancillary works: Wearing Coat, hand rails, crash barriers, painting etc	[-]
		(5) Miscellaneous works: stone pitching, protection works excluding retaining walls/ reinforced earth walls/reinforced soil wall etc.	[**]
		(6) Wing/ return wall up to full height	[**]
		(7) Guide bunds, river training works etc	[**]
		(8) Retaining walls/ reinforced earth walls etc	
		(a) Panel casting	[**]
		(b) Erection of panel/ construction of retaining wall	[**]

Item	Weightage in percentage to the Contract Price	Stage for Payment	Percentage weightage
1	2	3	4
		<p>B.1- Widening and repair of</p> <p>(a) ROB</p> <p>(b) RUB</p> <p>(1) Foundation</p> <p>(2) Sub-structure</p> <p>(3) Super-structure (including bearings)</p> <p>(4) Wearing Coat:</p> <p>(a) in case of ROB-wearing coat including expansion joints complete in all respects as specified and (b) in case of RUB- rigid pavement under RUB including drainage facility complete in all respects as specified as specified.</p>	<p>[**]</p> <p>[**]</p> <p>[**]</p> <p>[**]</p>

Item	Weightage in percentage to the Contract Price	Stage for Payment	Percentage weightage
1	2	3	4
		(5) Miscellaneous Items like hand rails, crash barriers, road markings etc.)	
		(6)Wing walls/return walls	
		(7) Approaches (including Retaining walls, stone pitching and protection works)	[**]
		B.2- New ROB/RUB	[**]
		(a)ROB	
		(b) RUB	
		(1) Foundation	[**]

Item	Weightage in percentage to the Contract Price	Stage for Payment	Percentage weightage
1	2	3	4
		<p>(2) Sub-structure</p> <p>(3) Super structure (including bearings)</p> <p>(4) Wearing Coat: (a) in case of ROB- wearing coat including expansion joints complete in all respects as specified and (b) in case of RUB- rigid pavement under RUB including drainage facility complete in all respects as specified.</p> <p>(5) Miscellaneous Items like hand rails, crash barriers, road markings etc.)</p> <p>(6) Wing walls/return walls</p> <p>(7) Approaches (including Retaining walls/Reinforced Earth wall, stone pitching and protection works)</p>	<p>[**]</p> <p>[**]</p> <p>[**]</p> <p>[**]</p> <p>[**]</p> <p>[**]</p>

Item	Weightage in percentage to the Contract Price	Stage for Payment	Percentage weightage
1	2	3	4
Other works	[47.83%]	(i) Toll Plaza (ii) Road side drains (a) RCC Covered drain (b) Lined drain (c) Unlined drain (iii) Road signs, markings, km stones, safety devices, (a) Road marking (b) Road signs, Km stone & safety device (iv) Project facilities (a) Bus Bays (b) Truck lay-byes (c) Rest areas (d) Others (Incl. Street lighting facilities, site clearance etc) (v) Road side plantation (vi) Repair of protection works other than approaches to the bridges, elevated sections/flyovers/grade separators and ROB/RUBs.	[**] [15.59%] [1.29%] [0.03%] [2.04%] [1.41%] [0.10%] [0.59%] [**] [**] [**]
		(vii) Safety and traffic management during construction (viii) Protection work: (a) Breast Wall (b) Retaining wall	[24.28%] [38.19%]

		(ix) Crash Barrier (x) Junctions (xi) Environmental measures	[12.46%] [4.02%]
Electrical utilities and public health utilities (water pipeline and sewage lines)			

1.3 Procedure of estimating the value of work done

1.3.1 Road works.

Procedure for estimating the value of road work done shall be as follows:

Table 1.3.1

Stage of Payment	Percentage - weightage	Payment Procedure
<p>A-Widening and strengthening of existing road</p> <p>(1) <u>Earthwork up to top of the sub-grade including excavation in soil, soft rock and hard rock, removal of unserviceable soil etc</u></p>	[5.24%]	<p>Unit of measurement is linear length. Payment of each stage shall be made on pro rata basis on completion of a stage in a length of not less than 500 mtr.</p> <p>In case of hill cutting, the payment procedure will be as under</p>
In case of hill cutting		
Hill cutting		Weightage of hill cutting shall be 40% of total cost of Earthwork (A(1)) as above). Payment of each stage shall be made on pro rata basis on completion of a stage in a length of not less than 500 mtr
Preparation of sub-grade		Weightage of subgrade shall be 60% of total cost of Earthwork (A(1)) as above). Payment of each stage shall be made on pro rata basis on completion of a stage in a length of not less than 500 mtr
(2) <u>Sub-Base Course</u>	[15.33%]	Unit of measurement is linear length. Payment of each stage shall be made on pro rata basis on completion of a stage in a length of not less than 500 mtr.
(3) <u>Non Bituminous Base Course</u>	[15.68%]	
(4) <u>Bituminous Base Course</u>	[1.92%]	
(5) <u>Wearing Coat</u>	[28.60%]	
(6) <u>Hard shoulder</u>	[3.13%]	
(7) Widening and repair of culverts	[30.10%]	

<p style="text-align: center;">B.1- Reconstruction/New 2-lane realignment/bypass</p> <p style="text-align: center;">(Flexible pavement)</p> <p>(1) Earthwork up to top of the subgrade</p>		<p>Unit of measurement is linear length. Payment of each stage shall be made on pro rata basis on completion of a stage in a length of not less than 500 mtr.</p>
<p>(2) <u>Sub Base Course</u></p>		

Stage of Payment	Percentage - weightage	Payment Procedure
(3) Non-Bituminous Course		
(4) Bituminous Base Course		
(5) Wearing Coat		
<p align="center">B.2- Reconstruction/New 2-lane realignment/bypass (Rigid pavement)</p>		<p>Unit of measurement is linear length. Payment of each stage shall be made on pro rata basis on completion of a stage in full length or 5(five) km. length, whichever is less..</p>
(1) Earthwork up to top of the sub-grade	[**]	
(2) <u>Sub Base Course</u>	[**]	
(3) Dry Lean Concrete (DLC) Course	[**]	
(4) Pavement Quality Control (PQC) Course	[**]	<p>Unit of measurement is linear length. Payment of each stage shall be made on pro rata basis on completion of a stage in full length or 5(five) km. length, whichever is less..</p>
<p align="center">C.1- Reconstruction/ New service road (Flexible pavement)</p>	[**]	
(1) Earthwork up to		

Stage of Payment	Percentage - weightage	Payment Procedure	
top of the sub-grade			
(2) <u>Sub Base Course</u>	[**]		
(3) Non-Bituminous Course	[**]		
(4) Bituminous Base Course	[**]		
(5) Wearing Coat	[**]		
<p style="text-align: center;">C.2- Reconstruction/ New service road</p> <p style="text-align: center;">(Rigid pavement)</p>	(1) Earthwork up to top of the sub-grade	<p>Unit of measurement is linear length. Payment of each stage shall be made on pro rata basis on completion of a stage in full length or 5(five) km. length, whichever is less..</p>	
	(2) <u>Sub Base Course</u>		[**]
	(3) Dry Lean Concrete (DLC) Course		[**]
	(4) Pavement Quality Control (PQC)		[**]

Stage of Payment	Percentage - weightage	Payment Procedure
Course		
<p>D- Re-Construction and New culverts on existing road, realignments, bypasses:</p> <p>(1) Culverts (length < 6m)</p>	[**]	<p>Cost of each culvert shall be determined on pro rata basis with respect to the total number of culverts. Payment shall be made on the completion of atleast fiveculverts.</p>

@. For example, if the total length of bituminous work to be done is 100 km, the cost per km of bituminous work shall be determined as follows:

$$\text{Cost per km} = P \times \text{weightage for road work} \times \text{weightage for bituminous work} \times (1/L)$$

Where P= Contract Price

L = Total length in km

Similarly, the rates per km for other stages shall be worked out accordingly.

Note: The length affected due to law and order problems or litigation during execution due to which the Contractor is unable to execute the work, may be deducted from the total project length for payment purposes. The total length calculated here is only for payment purposes and will not affect and referred in other clauses of the Contract Agreement.

1.3.2 Minor Bridges and Underpasses/Overpasses.

Procedure for estimating the value of Minor bridge and Underpasses/Overpasses shall be as stated in table 1.3.2:

Table 1.3.2

Stage of Payment	Weightage	Payment Procedure
1	2	3
<p>A.1-Widening and repair of minor bridges (length > 6m and < 60m)</p>	<p>[5.00%]</p>	<p>Cost of each minor bridge shall be determined on pro rata basis with respect to the total linear length of the minor bridges. Payment shall be made on the completion of widening & repairworks of a minor bridge.</p>
<p>A.2- New minor bridges (length >6m and <60m)</p>		<p>Cost of each minor bridge shall be determined on pro rata basis with respect to the total linear length of the minor bridges.</p>
<p>In case of Box Structure</p>		
<p>In case of Single Cell Box Structure</p>		<p>Payment shall be made on the completion of Box Structure in all respect.</p>
<p>In case of Multi cell Box Structure</p>		<p>Unit of measurements shall be nos. of cells in Box Structure. Payment procedure shall be as under: Cost of completion of one Cell of structure of the Bridge shall be determined from total cost of Structure divided by total nos. of Cells in Structure at particular location. Payment of each stage shall be made on pro rata basis on completion of one cell (in full length measured in direction of water flow) of Structure in all respects.</p>
<p>In case of Pier Structure</p>		
<p>(i) Foundation : on completion of foundation work including foundation for wing and return wall</p>	<p>[27.79%]</p>	<p>(i) Foundation: Payment against Foundation shall be made on pro rata basis on completion of atleast two foundations. In case where load testing is required for foundation, the trigger of first payment shall include load testing also where specified.</p>
<p>(ii) Sub-structure: on completion of abutments, piers upto the abutment/pier cap.</p>	<p>[40.60%]</p>	<p>(ii) Sub Structure: Payment against Sub Structure shall be made on pro rata basis on completion of atleast two sub structures upto abutment / pier cap level of each bridge.</p>

<p>(ii) Superstructure: on completion of super-structure in all respects including wearing coat, bearings, expansion joints, hand rails, crash barriers, road signs & markings, tests on completion etc. complete in all respect.</p>	<p>[23.45%]</p>	<p>(iii) Super structure: Payment shall be made on pro rata basis on completion of a stage i.e. completion of super structure of atleast one span in all respect as specified in the column of “ Stage of Payment” in this Sub-clause.</p>
---	------------------------	--

<p>(iii) Approaches: On completion of approaches including Retaining walls, stone pitching, protection works complete in all respect and fit for use.</p> <p>(iv) Guide Bunds and River Training Works:</p> <p>On completion of Guide Bunds and river Training Works complete in all respects</p>	<p>[3.16%]</p> <p>[**]</p>	<p>include load testing also where specified.</p> <p>(iii) Approaches: Payment shall be made on pro rata basis on completion of a stage i.e. completion of approaches in all respect as specified in the column of " Stage of Payment" in this sub-clause.</p> <p>v) Guide bunds and river training works: Payment shall be made on pro rata basis on completion of a stage i.e. Completion of guide bunds and river training works in all respect as specified.</p>
<p>B.1-Widening and repair of underpasses/overpasses</p>	<p>[**]</p>	<p>Cost of each underpass/overpass shall be determined on pro rata basis with respect to the total linear length of the underpasses/overpasses</p>

		<p>Payment shall be made on the completion of widening & repair works of a underpass/overpass.</p>
<p>B.2- New Underpasses/ Overpasses:</p> <p>(i) Foundation +Sub-Structure: On completion of the foundation work including foundations for wing and return walls, abutments, piers upto the abutment/pier cap.</p> <p>(ii) Super-structure: On completion of the super- structure in all respects including wearing coat, bearings, expansion joints, hand rails, crash barriers, road signs & markings, tests on completion etc.</p>	<p>[**]</p> <p>[**]</p>	<p>(i) Foundation +Sub-Structure: Cost of each Underpass/Overpass shall be determined on pro rata basis with respect to the total linear length (m) of the Underpasses/ Overpasses. Payment against foundation + sub- structure shall be made on pro-rata basis on completion of a stage i.e. not less than 25% of the scope of foundation +sub-structure of each Underpasses/ Overpasses subject to completion of at least two foundations along with sub-structure upto abutment/pier cap level each underpass/overpass.</p> <p>In case where load testing is required for foundation, the trigger of first payment shall include load testing also where specified.</p> <p>(ii) Super-structure: Payment shall be made on pro-rata basis on</p>

<p>complete in all respect.</p> <p>Wearing Coat (a) in case of Overpass- wearing coat including expansion joints complete in all respects as specified and (b) in case of underpass- rigid pavement including drainage facility complete in all respects as specified as specified.</p> <p>(iii) Approaches: On completion of approaches including Retaining walls/ Reinforced Earth walls, stone pitching, protection works complete in all respect and fit for use.</p>	<p>[**]</p>	<p>completion of a stage i.e. completion of super-structure of atleast one span in all respects as specified in the column of “Stage of Payment” in this sub-clause.</p> <p>(iii) Approaches: Payment shall be made on pro-rata basis on completion of a stage i.e. completion of approaches in all respect as specified.</p>
--	-------------	--

1.3.3 Major Bridge works, ROB/RUB and Structures.

Procedure for estimating the value of Major Bridge works, ROB/RUB and Structures shall be as stated in table 1.3.3:

<p>(including bearings)</p> <p>(iv) Wearing Coat including expansion joints</p> <p>(v) Miscellaneous Items like hand rails, crash barriers, road markings etc.</p> <p>(vi) Wing walls/return walls</p> <p>(vii) Guide Bunds, River Training works etc.</p> <p>(viii) Approaches (including Retaining walls, stone pitching and protection works)</p>	<p>[**]</p> <p>[**]</p> <p>[**]</p> <p>[**]</p> <p>[**]</p>	<p>abutment/pier cap level of the major bridge.</p> <p>(iii) Super-structure: Payment shall be made on pro-rata basis on completion of a stage i.e. completion of super-structure including bearings of atleast one span in all respects as specified.</p> <p>(iv) Wearing Coat: Payment shall be made on completion of wearing coat including expansion joints complete in all respects as specified.</p> <p>(v) Miscellaneous: Payments shall be made on completion of all miscellaneous works like hand rails, crash barriers, road markings etc. complete in all respects as specified.</p> <p>(vi) Wing walls/return walls: Payments shall be made on completion of all wing walls/return walls complete in all respects as specified.</p> <p>(vii) Guide Bunds, River Training works: Payments shall</p>
--	---	---

		<p>be made on completion of all guide bunds/river training works etc. complete in all respects as specified.</p> <p>(viii) Approaches: Payments shall be made on completion of both approaches including stone pitching, protection works, etc. complete in all respects as specified.</p>
A.2- New Major Bridges		
(i) Foundation: Foundation for abutment, piers (for pile foundation)		<p>(i) Cost of each foundation shall be determined from cost of all foundations as under:</p> <p>Cost of one foundation of depth 'd' = $(d/D) * \text{Cost of all foundations}$</p> <p>D = sum of depth of all foundations; Depth of foundations shall be as per approved designs & drawings by AE.</p> <p>Payment against foundations shall be made on pro-rata basis on completion of a stage as under:</p>
a. Piling		<p>Weightage shall be 70 % of total cost of one foundation. Unit of measurement is no. of piles completed till bottom of Pile cap. Payment shall be made on pro rata basis on completion of a stage in nos. of not less than 50 % of total piles.</p>
b. Pile cap		<p>Weightage shall be 30 % of total cost of one foundation. Payment shall be on completion of a stage i.e. completion of Pile cap.</p>

<p>(ii) Sub-Structure for abutment, piers up to abutment/pier cap level</p>	<p>Cost of each substructure shall be determined from cost of all substructures as under:</p> <p>Cost of one substructure of height 'h'=$(h/H) \times$ cost of all substructures; where</p> <p>H = sum of height of all substructure (height of substructures shall be as per approved design and drawings by AE)</p> <p>Payment against sub-structure shall be made on pro-rata basis on completion of a stage as under:</p>
<p>(i) Upto Bottom of Pier cap level:</p>	<p>Weightage for pier upto bottom of pier cap level shall be 50% of total cost of one substructure. The payment for pier (s) shall be made on pro rata basis on completion of a stage as under:</p> <p>(a) In case of pier height up to 10 m:</p> <p>Payment against piers shall be made on pro-rata basis on completion of atleast two piers upto abutment/ pier cap level of each bridge.</p> <p>(b) In case of pier height is more 10 m :</p> <p>(a) on achieving atleast 20 m aggregate height in two nos. of piers, as per following combinations as under:</p> <p>(i) one full pier having total designed height of less than 10 m upto bottom of pier cap and one part pier having total designed height of more than 10 m</p> <p>(ii) Two part piers, each having total designed height of more than 10 m</p> <p>(b) Subsequent payments shall be on completion of each lift, on not less than 2 m in height, beyond the pier height of 10 m, upto the bottom of the pier cap level on pro rata basis.</p>

		iii) In case, the last lift on any pier below the pier cap is less than 2 m, the payment of the last lift shall be made on pro rata basis.
(ii) Pier cap:		Weightage shall be 50% of total cost of one substructure. Payment shall be on completion of a stage i.e. completion of pier cap
(iii) Super-structure		
a) Casting of girder/ fabrication of girders (steel)		Unit of measurement is numbers. Payment against casting of girders shall be made on pro rata basis w.r.t. total number of girders required in the structure on completion of a stage i.e. not less than completion of casting of atleast five girders of the structures.
b) Casting of Segmentss		Unit measurement is numbers. Payment against casting of segments shall be made on pro rata basis with respect of total numbers of segments required in the structure on completion of a stage i.e. not less than completion of casting at least 10 (ten) segments of the structure.
c)_Erection of deck slab and bearings		Payment shall be made on pro rata basis on completion of a stage i.e., completion of super structure including bearings of at least one span in all respects as specified.
(iv) Other ancillary works: wearing coat, hand rails, crash barriers etc.		Payment shall be made on pro-rata basis on completion of the stage in all respect as specified, for each structure.

(iv) Miscellaneous works:	[**]	Payment shall be made on pro-rata basis on completion of the stage in all respect as specified, for each structure.
(iv) Wing wall/ return wall upto full height:	[**]	Payment shall be made on completion of all wing wall/ return wall for bridges as per weightage given in this table, completion in all respect as specified
(iv) Guide bunds, river training works, etc	[**]	Payment shall be made on pro-rata basis on completion of the stage in all respect as specified, for each structure.
(iv) Retaining walls/ reinforced earth walls, etc	[**]	
a) Panel casting		Unit of measurement is area in Sqm. Payment against casting of panels shall be made on pro rata basis with respect total area of panels required for the structure on completion of a stage i.e. not less than completion of casting of 25% of scope of RE wall panel of each bridge
b) Erection of panels/ construction of retaining wall		Unit of measurement is area in Sqm. Payment shall be made on pro rata basis on completion of stage i.e. completion of erection of panels/ Construction of retaining wall complete in all respect for atleast 25% scope of work for each structure
(vii) Guide Bunds, River Training works etc.	[**]	(v) Miscellaneous: Payments shall be made on completion of all miscellaneous works like hand rails, crash barriers, road markings etc. complete in all respects as specified.

<p>B.1 -Widening and repairs of</p> <p>(a) ROB</p> <p>(b) RUB</p> <p>(i) Foundation</p>	<p>[**]</p>	<p>(i) Foundation: Cost of each ROB/RUB shall be determined on pro rata basis with respect to the total linear length (m) of the ROB/RUBs. Payment against foundation shall be made on pro-rata basis on completion of a stage i.e. not less than 25%</p>
--	-------------	--

<p>(ii) Sub-structure</p> <p>(iii) Super-structure (including bearings)</p> <p>(iv) Wearing Coat including expansion joints in case of ROB. In case of RUB, rigid pavement under RUB including drainage facility as specified.</p> <p>(v) Miscellaneous Items like hand rails, crash barriers, road markings etc.</p>	<p>[**]</p> <p>[**]</p> <p>[**]</p> <p>[**]</p>	<p>of the scope of foundation of the ROB/RUB subject to completion of atleast two foundations of the ROB/RUB.</p> <p>In case where load testing is required for foundation, the trigger of first payment shall include load testing also where specified.</p> <p>(ii) Sub-Structure: Payment against Sub-structure shall be made on pro-rata basis on completion of a stage i.e. not less than 25% of the scope of sub-structure of the ROB/RUB subject to completion of atleast two sub-structures of abutments/piers upto abutment/pier cap level of the ROB/RUB.</p> <p>(iii) Super-structure: Payment shall be made on pro-rata basis on completion of a stage i.e. completion of super-structure including bearings of atleast one span in all respects as specified.</p> <p>(iv) Wearing Coat: Payment shall be made on completion of (a) in case of ROB- wearing coat including expansion joints complete in all respects as specified and (b) in</p>
---	---	---

<p>(vi) Wing walls/return walls</p> <p>(vii) Approaches (including Retaining walls, stone pitching and protection works)</p>	<p>[**]</p> <p>[**]</p>	<p>case of RUB- rigid pavement under RUB including drainage facility complete in all respects as specified as specified.</p> <p>(v) Miscellaneous: Payments shall be made on completion of all miscellaneous works like hand rails, crash barriers, road markings etc. complete in all respects as specified.</p> <p>(vi) Wing walls/return walls: Payments shall be made on completion of all wing walls/return walls complete in all respects as specified.</p> <p>(vii) Approaches: Payments shall be made on completion of both approaches including stone pitching, protection works, etc. complete in all respects as specified.</p>
<p>B.2- New</p> <p>(a) ROB</p> <p>(b) RUB</p> <p>(i) Foundation</p>	<p>[**]</p>	<p>(i) Foundation: Cost of each ROB/RUB shall be determined on pro rata basis with respect to the total linear length (m) of the ROB/RUBs. Payment</p>

		<p>against foundations shall be made on pro-rata basis on completion of a stage</p> <p>i.e. not less than 25% of the scope of foundation of the ROB/RUB subject to completion of at least two foundations of the ROB/RUB .</p>
(ii) Sub-structure	[**]	<p>In case where load testing is required for foundation, the trigger of first payment shall include load testing also where specified.</p> <p>(ii) Sub-Structure: Payment against Sub-structure shall be made on pro-rata basis on completion of a stage i.e. not less than 25% of the scope of sub-structure of the ROB/RUB subject to completion of at least two sub-structures of abutments/piers upto abutment/pier cap level of the ROB/RUB.</p>
(iii) Super-structure (including bearings)	[**]	<p>(iii) Super-structure: Payment shall be made on pro-rata basis on completion of a stage i.e. completion of super-structure including bearings of at least one span in all respects as specified.</p>
(iv) Wearing Coat including expansion joints in case of ROB. In case of RUB, rigid pavement under RUB including drainage facility as specified.	[**]	

<p>(v) Miscellaneous Items like hand rails, crash barriers, road markings etc.</p> <p>(vi) Wing walls/return walls</p> <p>(vii) Approaches (including Retaining walls/Reinforced Earth wall, stone pitching and protection works)</p>	<p>[**]</p> <p>[**]</p> <p>[**]</p>	<p>(iv) Wearing Coat: Payment shall be made on completion of (a) in case of ROB- wearing coat including expansion joints complete in all respects as specified and (b) in case of RUB- rigid pavement under RUB including drainage facility complete in all respects as specified as specified.</p> <p>(v) Miscellaneous: Payments shall be made on completion of all miscellaneous works like hand rails, crash barriers, road markings etc. complete in all respects as specified.</p> <p>(vi) Wing walls/return walls: Payments shall be made on completion of all wing walls/return walls complete in all respects as specified.</p> <p>(vii) Approaches: Payments shall be made on completion of both approaches including stone pitching, protection works, etc. complete in</p>
---	-------------------------------------	--

		all respects as specified.
<p>C.1- Widening and repairs of Elevated Section/Flyovers/ Grade Separators</p>		
<p>(i) Foundation</p>	<p>[**]</p>	<p>(i) Foundation: Cost of each structure shall be determined on pro rata basis with respect to the total linear length (m) of the structures. Payment against foundation shall be made on pro- rata basis on completion of a stage i.e. not less than 25% of the scope of foundation of the structure subject to completion of atleast two foundations of the structure .</p>
<p>(ii) Sub-structure</p>	<p>[**]</p>	<p>In case where load testing is required for foundation, the trigger of first payment shall include load testing also where specified.</p> <p>(ii) Sub-Structure: Payment against Sub-structure shall be made on pro-rata basis on completion of a stage i.e. not less than 25% of the scope of sub-structure of the structure subject to</p>
<p>(iii) Super-structure</p>	<p>[**]</p>	

<p>(including bearings)</p> <p>(iv) Wearing Coat including expansion joints</p> <p>(v) Miscellaneous Items like hand rails, crash barriers, road markings etc.</p> <p>(vi) Wing walls/return walls</p> <p>(vii) Approaches (including Retaining walls/Reinforced Earth wall, stone pitching and protection works)</p>	<p>[**]</p> <p>[**]</p> <p>[**]</p> <p>[**]</p>	<p>completion of at least two sub-structures of abutments/piers upto abutment/pier cap level of the structure.</p> <p>(iii) Super-structure:</p> <p>Payment shall be made on pro-rata basis on completion of a stage i.e. completion of super-structure including bearings of at least one span in all respects as specified.</p> <p>(iv) Wearing Coat:</p> <p>Payment shall be made on completion of wearing coat including expansion joints complete in all respects as specified.</p> <p>(v) Miscellaneous:</p> <p>Payments shall be made on completion of all miscellaneous works like hand rails, crash barriers, road markings etc. complete in all respects as specified.</p> <p>(vi) Wing walls/return walls:</p> <p>Payments shall be made on completion of all wing walls/return walls complete in all respects as specified.</p> <p>(vii) Approaches:</p> <p>Payments shall be</p>
---	---	--

<p>(iii) Super-structure (including bearings)</p>	<p>[**]</p>	<p>completion of a stage i.e. not less than 25% of the scope of sub-structure of the structure subject to completion of atleast two sub-structures of abutments/piers upto abutment/pier cap level of the structure.</p>
<p>(iv) Wearing Coat including expansion joints</p>	<p>[**]</p>	<p>(iii) Super-structure: Payment shall be made on pro-rata basis on completion of a stage i.e. completion of super-structure including bearings of atleast one span in all respects as specified.</p>
<p>(v) Miscellaneous Items like hand rails, crash barriers, road markings etc.</p>	<p>[**]</p>	<p>(iv) Wearing Coat: Payment shall be made on completion of wearing coat including expansion joints complete in all respects as specified.</p>
<p>(vi) Wing walls/return walls</p>	<p>[**]</p>	
<p>(vii) Approaches (including Retaining walls/Reinforced Earth wall, stone pitching and</p>	<p>[**]</p>	<p>(v) Miscellaneous: Payments shall be made on completion of all miscellaneous works like hand rails, crash barriers, road markings etc. complete in all respects as specified.</p>

protection works)		<p>(vi) Wing walls/return walls: Payments shall be made on completion of all wing walls/return walls complete in all respects as specified.</p> <p>(vii) Approaches: Payments shall be made on completion of both approaches including stone pitching, protection works, etc. complete in all respects as specified.</p>
-------------------	--	--

- Note: (1) In case of innovate Major Bridge projects like cable suspension/cable stayed/ ExtraDozed and exceptionally long span bridges, the schedule may be modified as per site requirements before bidding with due approval of Competent Authority.
- (2) The Schedule for exclusive tunnel projects may be prepared as per siterequirements before bidding with due approval of Competent Authority.

1.3.4 Other works.

Procedure for estimating the value of other works done shall be as stated intable 1.3.4.

Table 1.3.4

Stage of Payment	Weightage	Payment Procedure
(i) Toll plaza	[**]	Unit of measurement is each completed toll plaza. Payment of each toll plaza shall be made on pro rata basis with respect to the total of all toll plazas.
(ii) Road side drains		Unit of measurement is linear length in km. Payment shall be made on pro rata basis on completion of a stage in a length of not less than 5% (five percent) of the total length.
(A) RCC Covered Drain	15.59%	
(B) Lined Drain	1.29%	
(C) Unlined Drain	0.03%	
(iii) Road signs, markings, km stones, safety devices, ...		
(A) Road Marking	2.04%	
(B) Road Signs, Km stone & Safety device	1.41%	
(iv) Project Facilities		Payment shall be made on pro rata basis for completed facilities.
a) Bus bays	[**]	
b) Truck lay-byes	[**]	
c) Rest areas	[**]	

d) Others (incl. Street lighting facilities, site clearance etc)	[0.10%] [**]	
Stage of Payment	Weightage	Payment Procedure
(v) Roadside plantation	[0.59%]	Payment shall be made on pro rata basis for completed facilities.
(vi) Safety and traffic management during construction	[**]	Payment shall be made on pro-rata basis every six months.
(vii) Breast Wall	24.28%	Unit of Measurement is linear length in meters. Payment shall be made on pro-rata basis on completion of a stage in a length of not less than 5% (five percent) of the total length.
(viii) Retaining Wall	38.19%	
(ix) Metal Beam crash barrier	[12.46%]	Unit of measurement is linear length in km. Payment shall be made on pro rata basis on completion of a stage in a length of not less than 5% (five percent) of the total length.
(x) Junctions	[4.02%]	Payment shall be made on pro-rata basis for completion of each junction
(xi) Environmental measures		Payment shall be made on pro-rata basis every six months.

2. Procedure for payment for Maintenance

2.1 The cost for maintenance shall be as stated in Clause 14.1.1.

2.2 Payment for Maintenance shall be made in quarterly instalments in accordance with the provisions of Clause 19.7.(a)

SCHEDULE-I

(See Clause 10.2)

DRAWINGS

1. Drawings

In compliance of the obligations set forth in Clause 10.2 of this Agreement, the Contractor shall furnish to the Authority's Engineer, free of cost, all Drawings listed in Annex-I of this Schedule-I.

2. Additional Drawings

If the Authority's Engineer determines that for discharging its duties and functions under this Agreement, it requires any drawings other than those listed in Annex-I, it may by notice require the Contractor to prepare and furnish such drawings forthwith. Upon receiving a requisition to this effect, the Contractor shall promptly prepare and furnish such drawings to the Authority's Engineer, as if such drawings formed part of Annex-I of this Schedule-I.

Annex-I

(Schedule-I)

List of Drawings

Alignment Plan and longitudinal Section are enclosed in digital form in CD marked as Annex-I

[Note: The Authority shall describe in this Annex-I, all the Drawings that the Contractor is required to furnish under Clause 10.2.]

- Horizontal and Vertical Alignment (with plan & profile) with details of reference pillars. Horizontal Intersection Point, Vertical Intersection Points, elements of curves, and sight distances.
- Cross-section at 50m interval along the alignment within ROW.
- Typical Cross-section with details of pavement structures.
- Detailed drawings of individual Bridges/Structures/ROB.
- Detailed drawing for individual culverts.
- Detailed layout drawings for intersections and interchanges.
- Drawings for Road sign, Markings.
- Traffic Management drawings for safety in construction zones.
- Detailed drawings of guide bunds and protection works and retaining structures.
- Detailed drawings of Drainage including Masonry drains and other drains.

SCHEDULE-J

(See Clause 10.3.2)

PROJECT COMPLETION SCHEDULE

1 Project Completion Schedule

During Construction period, the Contractor shall comply with the requirements set forth in this Schedule-J for each of the Project Milestones and the Scheduled Completion Date. Within 15 (fifteen) days of the date of each Project Milestone, the Contractor shall notify the Authority of such compliance along with necessary particulars thereof.

2 Project Milestone

- 2.1 Project Milestone-I shall occur on the date falling on the 192nd (One Hundred Ninety Second) day from the Appointed Date (the “**Project Milestone-I**”).
- 2.2 Prior to the occurrence of Project Milestone-I, the Contractor shall have commenced construction of the Project Highway and submitted to the Authority duly and validly prepared Stage Payment Statements for an amount not less than 10% (ten per cent) of the Contract Price.

3 Project Milestone-II

- 3.1 Project Milestone-II shall occur on the date falling on the 329th (Three Hundred and Twenty Ninth) day from the Appointment Date (the “**Project Milestone-II**”).
- 3.2 Prior to the occurrence of Project Milestone-II, the Contractor shall have continued with construction of the Project Highway and submitted to the Authority duly and validly prepared Stage Payment Statements for an amount not less than 35% (thirty-five per cent) of the Contract Price and should have started construction of all bridges.

4 Project Milestone-III

- 4.1 Project Milestone-III shall occur on the date falling on the 466th (Four Hundred and Sixty Sixth) day from the Appointed Date (the “**Project Milestone-III**”).
- 4.2 Prior to the occurrence of Project Milestone-III, the Contractor shall have continued with construction of the Project Highway and submitted to the Authority duly and validly prepared Stage Payment Statements for an amount not less than 70% (seventy per cent) of the Contract Price and should have started construction of all project facilities.

5 Scheduled Completion Date

- 5.1 The Scheduled Completion Date shall occur on the 548th (Five Hundred and Forty Eight only) day from the Appointed Date.
- 5.2 On or before the Scheduled Completion Date, the Contractor shall have completed construction in accordance with this Agreement.

6 Extension of time

Upon extension of any or all of the aforesaid Project Milestones or the Scheduled Completion Date, as the case may be, under and in accordance with the provisions of this Agreement, the Project Completion Schedule shall be deemed to have been amended accordingly.

SCHEDULE-K

(See Clause 12.1.2)

Tests on Completion

1 Schedule for Tests

- 1.1 The Contractor shall, no later than 30 (thirty) days prior to the likely completion of construction, notify the Authority's Engineer and the Authority of its intent to subject the Project Highway to Tests, and no later than 10 (ten) days prior to the actual date of Tests, furnish to the Authority's Engineer and the Authority detailed inventory and particulars of all works and equipment forming part of Works..
- 1.2 The Contractor shall notify the Authority's Engineer of its readiness to subject the Project Highway to Tests at any time after 10 (ten) days from the date of such notice, and upon receipt of such notice, the Authority's Engineer shall, in consultation with the Contractor, determine the date and time for each Test and notify the same to the Authority who may designate its representative to witness the Tests. The Authority's Engineer shall thereupon conduct the Tests itself or cause any of the Tests to be conducted in accordance with Article 12 and this Schedule-K..

2 Tests

- 2.1 **Visual and physical test:** The Authority's Engineer shall conduct a visual and physical check of construction to determine that all works and equipment forming part thereof conform to the provisions of this Agreement. The physical tests shall include (to be decided in consultation with Authority's Engineer as per relevant IRC codes/manual).
- 2.2 **Riding quality test:** Riding quality of each lane of the carriageway shall be checked with the help of a Network Survey Vehicle (NSV) fitted with latest equipment and the maximum permissible roughness for purposes of this Test shall be 2,000 (two thousand) mm for each kilometer.
- 2.3 **Tests for bridges:** All major and minor bridges shall be subjected to the rebound hammer and ultrasonic pulse velocity tests, to be conducted in accordance with the procedure described in Special Report No. 17: 1996 of the IRC Highway Research Board on Non-destructive Testing Techniques, at two spots in every span, to be chosen at random by the Authority's Engineer. Bridges with a span of 15 (fifteen) meters or more shall also be subjected to load testing.
- 2.4 **Other tests:** The Authority's Engineer may require the Contractor to carry out or cause to be carried additional tests, in accordance with Good Industry Practice, for determining the compliance of the Project Highway with Specifications and Standards, except tests as specified in Clause 5, but shall include measuring the reflectivity of road markings and road signs; and measuring the illumination level (lux) of lighting using requisite testing equipment.

- 2.5 **Environmental audit:** The Authority’s Engineer shall carry out a check to determine conformity of the Project Highway with the environmental requirements set forth in Applicable Laws and Applicable Permits.
- 2.6 **Safety Audit:** The Authority’s Engineer shall carry out, or cause to be carried out, a safety audit to determine conformity of the Project Highway with the safety requirements and Good Industry Practice.

3 Agency for conducting Tests:

All Tests set forth in this Schedule-K shall be conducted by the Authority’s Engineer or such other agency or person as it may specify in consultation with the Authority.

4 Completion Certificate:

Upon successful completion of Tests, the Authority’s Engineer shall issue the Completion Certificate in accordance with the provisions of Article 12.

5. The Authority Engineer will carry out tests with following equipment at his own cost in the presence of contractor’s representative:

Sr. No.	Key Metrics of Asset	Equipment to be used	Frequency of condition survey
1	Surface defects of Pavement	Network Survey Vehicle (NSV)	At least twice a year (As per survey months defined for the state basis rainy season)
2	Roughness of pavement	Network Survey Vehicle (NSV)	At least twice a year (As per survey months defined for the state basis rainy season)
3	Strength of pavement	Falling Weight Deflectometer (FWD)	At least once a year
4	Bridges	Mobile Bridge Inspection Unit (MBU)	At least twice a year (As per survey months defined for the state basis rainy season)
5	Road signs	Retro-reflectometer	At least twice a year (As per survey months defined for the state basis rainy season)

The first testing with the help of NSV shall be conducted at the time of issue of completion certificate.

SCHEDULE-L

(See Clause 12.2)

COMPLETION CERTIFICATE

- 1 I, (Name of the Authority’s Engineer), acting as the Authority’s Engineer, under and in accordance with the Agreement dated (the “Agreement”), for [**Construction of Balance works of Major Bridge over Middle Strait Creek between Km. 106.590 to km 108.553 of NH-04 connecting South Andaman & Baratang Island in the Union Territory of Andaman & Nicobar Islands**] (the “Project Highway”) on Engineering, Procurement and Construction (EPC) basis through (Name of Contractor), hereby certify that the Tests in accordance with Article 12 of the Agreement have been successfully undertaken to determine compliance of the Project Highway with the provisions of the Agreement, and I am satisfied that the Project Highway can be safely and reliably placed in service of the Users thereof.

- 2 It is certified that, in terms of the aforesaid Agreement, all works forming part of Project Highway have been completed, and the Project Highway is hereby declared fit for entry into operation on this the day of 20..... , Scheduled Completed Date for which was the day of20.....

SIGNED, SEALED AND DELIVERED

For and on behalf of Authority’s Engineer by:

(Signature)

(Name)

(Designation)

(Address)

SCHEDULE-M

(See Clauses 14.6., 15.2 and 19.7)

PAYMENT REDUCTION FOR NON-COMPLIANCE

1. Payment reduction for non-compliance with the Maintenance Requirements

1.1 Monthly lump sum payments for maintenance shall be reduced in the case of non-compliance with the Maintenance Requirements set forth in Schedule-E.

1.2 Any deduction made on account of non-compliance with the maintenance Requirements shall not be paid even after compliance subsequently. The deduction shall continue to be made every month until compliance is done.

1.3 The Authority's Engineer shall calculate the amount of payment reduction on the basis of weightage in percentage assigned to non-conforming items as given in Paragraph 2.

2. Percentage reductions in lump sum payments

2.1 The following percentages shall govern the payment reduction:

S. No.	Item/Defect/Deficiency	Percentage
(a)	Carriageway/Pavement	
(i)	Potholes, cracks, other surface defects	15%
(ii)	Repairs of Edges, Rutting	5%
(b)	Road, Embankment, Cuttings, Shoulders	
(i)	Edge drop, inadequate crossfall, undulations, settlement, potholes, ponding, obstructions	10%
(ii)	Deficient slopes, rain cuts, disturbed pitching, vegetation growth, pruning of trees	5%
(c)	Bridges and Culverts	
(i)	Desilting, cleaning, vegetation growth, damaged pitching, flooring, parapets, wearing course, footpaths, any damage to foundations	20%

(ii)	Any Defects in superstructures, bearings and sub-structures	10%
(iii)	Painting, repairs/replacement kerbs, railings, parapets, guideposts/crash barriers	5%
(d)	Roadside Drains	
(i)	Cleaning and repair of drains	5%
(e)	Road Furniture	
(i)	Cleaning, painting, replacement of road signs, delineators, road markings, 200 m/km/5th km stones	5%
(f)	Miscellaneous Items	
(i)	Removal of dead animals, broken down/accidented vehicles, fallen trees, road blockades or malfunctioning of mobile crane	10%
(ii)	Any other Defects in accordance with paragraph 1.	5%
(g)	Defects in Other Project Facilities	5%

2.2 The amount to be deducted from monthly lump-sum payment for non-compliance of particular item shall be calculated as under:

$$R = P/100 * (M1 \text{ or } M2) * L1/L$$

Where. P= Percentage of particular item//Defect/deficiency for deduction

M1 = Monthly lump-sum payment in accordance para 1.2 above of this schedule.

M2 = Monthly lump-sum payment in accordance para 1.2 above of this schedule

L1 = non-complying length

L = Total length of the road,

R = Reduction (the amount to be deducted for noncompliance for a particular item/Defect/deficiency)

The total amount of reduction shall be arrived at by summation of reductions for such items/Defects/deficiency or noncompliance.

For any Defect in a part of one kilometer, the non-conforming length shall be taken as one kilometer.

SCHEDULE-N

(See Clause 18.1.1)

SELECTION OF AUTHORITY'S ENGINEER

1 Selection of Authority's Engineer

- 1.1 The provisions of the Model Request for Proposal for Selection of Technical Consultants, issued by the Ministry of Finance in May 2009, or any substitute thereof shall apply for selection of an experienced firm to discharge the functions and duties of an Authority's Engineer.
- 1.2 In the event of termination of the Technical Consultants appointed in accordance with the provisions of Paragraph 1.1, the Authority shall appoint another firm of Technical Consultants forthwith and may engage a government-owned entity in accordance with the provisions of Paragraph 3 of this Schedule-N..

2 Terms of Reference

The Terms of Reference for the Authority's Engineer (the "TOR") shall substantially conform with Annex 1 to this Schedule N.

3 Appointment of Government entity as Authority's Engineer

Notwithstanding anything to the contrary contained in this Schedule, the Authority may in its discretion appoint a government-owned entity as the Authority's Engineer; provided that such entity shall be a body corporate having as one of its primary functions the provision of consulting, advisory and supervisory services for engineering projects; provided further that a government-owned entity which is owned or controlled by the Authority shall not be eligible for appointment as Authority's Engineer.

TERMS OF REFERENCE FOR AUTHORITY’S ENGINEER

1 Scope

1.1 These Terms of Reference (the “TOR”) for the Authority’s Engineer are being specified pursuant to the EPC Agreement dated (the “Agreement), which has been entered into between the [name and address of the Authority] (the “Authority”) and (the “Contractor”) for [**Rehabilitation and up-gradation and completion of balance work of section from Km 107.760 to Km 129.445 (After Middle strait to Humphrey) & Km 130.600 to Km 138.300 (After Humphrey to Kadamtala) to Intermediate / 2-Lane with hard shoulder in the Union Territory of Andaman & Nicobar Islands (Pkg- IIIA)**] on EPC Basis, and a copy of which is annexed hereto and marked as Annex-A to form part of this TOR.

1.2 The TOR shall apply to construction and maintenance of the Project Highway.

2 Definitions and interpretation

2.1 The words and expressions beginning with or in capital letters and not defined herein but defined in the Agreement shall have, unless repugnant to the context, the meaning respectively assigned to them in the Agreement.

2.2 References to Articles, Clauses and Schedules in this TOR shall, except where the context otherwise requires, be deemed to be references to the Articles, Clauses and Schedules of the Agreement, and references to Paragraphs shall be deemed to be references to Paragraphs of this TOR.

2.3 The rules of interpretation stated in Article 1 of the Agreement shall apply, *mutatis mutandis*, to this TOR.

1. General

1.1 The Authority’s Engineer shall discharge its duties in a fair, impartial and efficient manner, consistent with the highest standards of professional integrity and Good Industry Practice.

1.2 The Authority’s Engineer shall perform the duties and exercise the authority in accordance with the provisions of this Agreement, but subject to obtaining prior written approval of the Authority before determining:

- (a) any Time Extension;
 - (b) any additional cost to be paid by the Authority to the Contractor;
 - (c) the Termination Payment; or
 - (d) issuance of completion certificate; or
 - (e) any other matter which is not specified in (a), (b), (c) or (d) above and which creates a financial liability on either party.
- 1.3 The Authority's Engineer shall submit regular periodic reports, at least once every month, to the Authority in respect of its duties and functions under this Agreement. Such reports shall be submitted by the Authority's Engineer within 10(ten) days of the beginning of every month.
- 1.4 The Authority's Engineer shall inform the Contractor of any delegation of its duties and responsibilities to its suitably qualified and experienced personnel; provided, however, that it shall not delegate the authority to refer any matter for the Authority's prior approval in accordance with the provisions of Clause 18.2.
- 1.5 The Authority's Engineer shall aid and advise the Authority on any proposal for Change of Scope under Article 13.
- 1.6 In the event of any disagreement between the Parties regarding the meaning, scope and nature of Good Industry Practice, as set forth in any provision of the Agreement, the Authority's Engineer shall specify such meaning, scope and nature by issuing a reasoned written statement relying on good industry practice and authentic literature.

4 Construction Period

- 4.1 During the Construction Period, the Authority's Engineer shall review and approve the Drawings furnished by the Contractor along with supporting data, including the geo-technical and hydrological investigations, characteristics of materials from borrow areas and quarry sites, topographical surveys, and the recommendations of the Safety Consultant in accordance with the provisions of Clause 10.1 (vi). The Authority's Engineer shall complete such review and approval and send its observations to the Authority and the Contractor within 15 (fifteen) days of receipt of such Drawings; provided, however that in case of a Major Bridge or Structure, the aforesaid period of 15 (fifteen) days may be extended upto 30 (thirty) days. In particular, such comments shall specify the conformity or otherwise of such Drawings with the Scope of the Project and Specifications and Standards.

- 4.2 The Authority's Engineer shall review and approve any revised Drawings sent to it by the Contractor and furnish its comments within 10 (ten) days of receiving such Drawings.
- 4.3 The Authority's Engineer shall review and approve the Quality Assurance Plan submitted by the Contractor and shall convey its comments to the Contractor within a period of 21 (twenty-one) days stating the modifications, if any, required thereto.
- 4.4 The Authority's Engineer shall complete the review and approve of the methodology proposed to be adopted by the Contractor for executing the Works, and convey its comments to the Contractor within a period of 10 (ten) days from the date of receipt of the proposed methodology from the Contractor.
- 4.5 The Authority's Engineer shall grant written approval to the Contractor, where necessary, for interruption and diversion of the flow of traffic in the existing lane(s) of the Project Highway for purposes of maintenance during the Construction Period in accordance with the provisions of Clause 10.4.
- 4.6 The Authority's Engineer shall review the monthly progress report furnished by the Contractor and send its comments thereon to the Authority and the Contractor within 7 (seven) days of receipt of such report.
- 4.7 The Authority's Engineer shall inspect the Construction Works and the Project Highway and shall submit a monthly Inspection Report bringing out the results of inspections and the remedial action taken by the Contractor in respect of Defects or deficiencies. In particular, the Authority's Engineer shall include in its Inspection Report, the compliance of the recommendations made by the Safety Consultant.
- 4.8 The Authority's Engineer shall conduct the pre-construction review of manufacturer's test reports and standard samples of manufactured Materials, and such other Materials as the Authority's Engineer may require.
- 4.9 For determining that the Works conform to Specifications and Standards, the Authority's Engineer shall require the Contractor to carry out, or cause to be carried out, tests at such time and frequency and in such manner as specified in the Agreement and in accordance with Good Industry Practice for quality assurance. For purposes of this Paragraph 4.9, the tests specified in the IRC Special Publication-11 (Handbook of Quality Control for Construction of Roads and Runways) and the Specifications for Road and Bridge Works issued by MORTH (the "Quality Control Manuals") or any modification/substitution thereof shall be deemed to be tests conforming to Good Industry Practice for quality assurance.

- 4.10 The Authority's Engineer shall test check at least 50 (fifty) percent of the quantity or number of tests prescribed for each category or type of test for quality control by the Contractor.
- 4.11 The timing of tests referred to in Paragraph 4.9, and the criteria for acceptance/rejection of their results shall be determined by the Authority's Engineer in accordance with the Quality Control Manuals. The tests shall be undertaken on a random sample basis and shall be in addition to, and independent of, the tests that may be carried out by the Contractor for its own quality assurance in accordance with Good Industry Practice.
- 4.12 In the event that results of any tests conducted under Clause 11.10 establish any Defects or deficiencies in the Works, the Authority's Engineer shall require the Contractor to carry out remedial measures.
- 4.13 The Authority's Engineer may instruct the Contractor to execute any work which is urgently required for the safety of the Project Highway, whether because of an accident, unforeseeable event or otherwise; provided that in case of any work required on account of a Force Majeure Event, the provisions of Clause 21.6 shall apply.
- 4.14 In the event that the Contractor fails to achieve any of the Project Milestones, the Authority's Engineer shall undertake a review of the progress of construction and identify potential delays, if any. If the Authority's Engineer shall determine that completion of the Project Highway is not feasible within the time specified in the Agreement, it shall require the Contractor to indicate within 15 (fifteen) days the steps proposed to be taken to expedite progress, and the period within which the Project Completion Date shall be achieved. Upon receipt of a report from the Contractor, the Authority's Engineer shall review the same and send its comments to the Authority and the Contractor forthwith.
- 4.15 The Authority's Engineer shall obtain from the Contractor a copy of all the Contractor's quality control records and documents before the Completion Certificate is issued pursuant to Clause 12.2.
- 4.16 Authority's Engineer may recommend to the Authority suspension of the whole or part of the Works if the work threatens the safety of the Users and pedestrians. After the Contractor has carried out remedial measure, the Authority's Engineer shall inspect such remedial measures forthwith and make a report to the Authority recommending whether or not the suspension hereunder may be revoked.
- 4.17 In the event that the Contractor carries out any remedial measures to secure the safety of suspended works and Users, and requires the Authority's Engineer to inspect such works, the Authority's Engineer shall inspect the suspended works within 3 (three) days of receiving such notice, and make a report to the Authority forthwith, recommending whether or not such suspension may be revoked by the Authority.

4.18 The Authority's Engineer shall carry out, or cause to be carried out, all the Tests specified in Schedule-K and issue a Completion Certificate, as the case may be. For carrying out its functions under this Paragraph 4.18 and all matters incidental thereto, the Authority's Engineer shall act under and in accordance with the provisions of Article 12 and Schedule-K.

5. Maintenance Period

5.1 The Authority's Engineer shall aid and advise the Contractor in the preparation of its monthly Maintenance Programme and for this purpose carry out a joint monthly inspection with the Contractor.

5.2 The Authority's Engineer shall undertake regular inspections, at least once every month, to evaluate compliance with the Maintenance Requirements and submit a Maintenance Inspection Report to the Authority and the Contractor.

5.3 The Authority's Engineer shall specify the tests, if any, that the Contractor shall carry out, or cause to be carried out, for the purpose of determining that the Project Highway is in conformity with the Maintenance Requirements. It shall monitor and review the results of such tests and the remedial measures, if any, taken by the Contractor in this behalf.

5.4 In respect of any defect or deficiency referred to in Paragraph 3 of Schedule-E, the Authority's Engineer shall, in conformity with Good Industry Practice, specify the permissible limit of deviation or deterioration with reference to the Specifications and Standards and shall also specify the time limit for repair or rectification of any deviation or deterioration beyond the permissible limit.

5.5 The Authority's Engineer shall examine the request of the Contractor for closure of any lane(s) of the Project Highway for undertaking maintenance/repair thereof, and shall grant permission with such modifications, as it may deem necessary, within 5 (five) days of receiving a request from the Contractor. Upon expiry of the permitted period of closure, the Authority's Engineer shall monitor the reopening of such lane(s), and in case of delay, determine the Damages payable by the Contractor to the Authority under Clause 14.5.

6 Determination of costs and time

6.1 The Authority's Engineer shall determine the costs, and/or their reasonableness, that are required to be determined by it under the Agreement.

6.2 The Authority's Engineer shall determine the period of Time Extension that is required to be determined by it under the Agreement.

6.3 The Authority's Engineer shall consult each Party in every case of determination in accordance with the provisions of Clause 18.5.

7. Payments

- 7.1 The Authority's Engineer shall withhold payments for the affected works for which the Contractor fails to revise and resubmit the Drawings to the Authority's Engineer in accordance with the provisions of Clause 10.2.4 (d).
- 7.2 Authority's Engineer shall -
- (a) within 10 (ten) days of receipt of the Stage Payment Statement from the Contractor pursuant to Clause 19.4, determine the amount due to the Contractor and recommend the release of 90 (ninety) percent of the amount so determined as part payment, pending issue of the Interim Payment Certificate; and
 - (b) within 15 (fifteen) days of the receipt of the Stage Payment Statement referred to in Clause 19.4, deliver to the Authority and the Contractor an Interim Payment Certificate certifying the amount due and payable to the Contractor, after adjustments in accordance with the provisions of Clause 19.10.
- 7.3 The Authority's Engineer shall, within 15 (fifteen) days of receipt of the Monthly Maintenance Statement from the Contractor pursuant to Clause 19.6, verify the Contractor's monthly statement and certify the amount to be paid to the Contractor in accordance with the provisions of the Agreement.
- 7.4 The Authority's Engineer shall certify final payment within 30 (thirty) days of the receipt of the final payment statement of Maintenance in accordance with the provisions of Clause 19.16.

8. Other duties and functions

- 8.1 The Authority's Engineer shall perform all other duties and functions as specified in the Agreement.

9 Miscellaneous

- 9.1 A copy of all communications, comments, instructions, Drawings or Documents sent by the Authority's Engineer to the Contractor pursuant to this TOR, and a copy of all the test results with comments of the Authority's Engineer thereon, shall be furnished by the Authority's Engineer to the Authority forthwith.
- 9.2 The Authority's Engineer shall retain at least one copy each of all Drawings and Documents received by it, including 'as-built' Drawings, and keep them in its safe custody.
- 9.3 Within 90 (ninety) days of the Project Completion Date, the Authority's Engineer shall obtain a complete set of as-built Drawings, in 2 (two) hard copies and in micro film form or in such other medium as may be acceptable to the Authority, reflecting the Project Highway as actually designed, engineered and constructed, including an as-built survey illustrating the layout of the Project Highway and setback lines, if any, of the buildings and structures forming part of Project Facilities; and shall hand

them over to the Authority against receipt thereof.

- 9.4 The Authority's Engineer, if called upon by the Authority or the Contractor or both, shall mediate and assist the Parties in arriving at an amicable settlement of any Dispute between the Parties.
- 9.5 The Authority's Engineer shall inform the Authority and the Contractor of any event of Contractor's Default within one week of its occurrence.

SCHEDULE - O

(See Clauses 19.4.1, 19.6.1, and 19.8.1)

Forms of Payment Statements

1. Stage Payment Statement for Works

The Stage Payment Statement for Works shall state:

- (a) The estimated amount for the Works executed in accordance with Clause 19.3.1 subsequent to the last claim;
- (b) Amounts reflecting adjustments in price for the aforesaid claim;
- (c) The estimated amount of each Change of Scope Order executed subsequent to the last claim;
- (d) Amounts reflecting adjustment in price, if any, for (c) above in accordance with the provisions of Clause 13.2.3 (a);
- (e) Total of (a), (b), (c) and (d) above;
- (f) Deductions:
 - (i) Any amount to be deducted in accordance with the provisions of the Agreement except taxes;
 - (ii) Any amount towards deduction of taxes; and
 - (iii) Total of (i) and (ii) above.
- (g) Net claim: (e) – (f) (iii);
- (h) The amounts received by the Contractor upto the last claim:
 - (i) For the Works executed (excluding Change of Scope orders);
 - (ii) For Change of Scope Orders, and
 - (iii) Taxes deducted

2. Monthly Maintenance Payment Statement

The monthly Statement for Maintenance Payment shall state:

- (a) the monthly payment admissible in accordance with the provisions of the agreement;
- (b) the deductions for maintenance work not done;

- (c) net payment for maintenance due, (a) minus (b);
- (d) amounts reflecting adjustments in price under Clause 19.12; and
- (e) amount towards deduction of taxes

3. Contractor's claim for Damages

Note: The Contractor shall submit its claims in a form acceptable to the Authority.

SCHEDULE - P

(See Clause 20.1)

INSURANCE

1. Insurance during Construction Period

1.1 The Contractor shall effect and maintain at its own cost, from the Appointed Date till the date of issue of the Completion Certificate, the following insurances for any loss or damage occurring on account of Non Political Event of Force Majeure, malicious act, accidental damage, explosion, fire and terrorism:

- (a) insurance of Works, Plant and Materials and an additional sum of 15 (fifteen) per cent of such replacement cost to cover any additional costs of and incidental to the rectification of loss or damage including professional fees and the cost of demolishing and removing any part of the Works and of removing debris of whatsoever nature; and
- (b) insurance for the Contractor's equipment and Documents brought onto the Site by the Contractor, for a sum sufficient to provide for their replacement at the Site.

1.2 The insurance under paragraph 1.1 (a) and (b) above shall cover the Authority and the Contractor against all loss or damage from any cause arising under paragraph 1.1 other than risks which are not insurable at commercial terms.

2. Insurance for Contractor's Defects Liability

The Contractor shall effect and maintain insurance cover of not less than 15% of the Contract Price for the Works from the date of issue of the Completion Certificate until the end of the Defects Liability Period for any loss or damage for which the Contractor is liable and which arises from a cause occurring prior to the issue of the Completion Certificate. The Contractor shall also maintain other insurances for maximum sums as may be required under the Applicable Laws and in accordance with Good Industry Practice.

3. Insurance against injury to persons and damage to property

3.1 The Contractor shall insure against its liability for any loss, damage, death or bodily injury, or damage to any property (except things insured under Paragraphs 1 and 2 of this Schedule or to any person (except persons insured under Clause 20.9), which may arise out of the Contractor's performance of this Agreement. This insurance shall be for a limit per occurrence of not less than the amount stated below with no limit on the number of occurrences.

The insurance cover shall be not less than: Rs. [*****]

3.2 The insurance shall be extended to cover liability for all loss and damage to the Authority's property arising out of the Contractor's performance of this Agreement excluding:

- (a) the Authority's right to have the construction works executed on, over, under, in or through any land, and to occupy this land for the Works; and
- (b) damage which is an unavoidable result of the Contractor's obligations to execute the Works.

4. Insurance to be in joint names

The insurance under paragraphs 1 to 3 above shall be in the joint names of the Contractor and the Authority.

Schedule-Q

(See Clause 14.10)

Tests on Completion of Maintenance Period

1. Riding Quality test

Riding quality test: Riding quality of each lane of the carriageway shall be checked with the help of a calibrated bump integrator and the maximum permissible roughness for purposes of this Test shall be [2,200 (two thousand and two hundred only)] mm for each Kilometre.

2. Visual and physical test

The Authority's Engineer shall conduct a visual and physical check of construction to determine that all works and equipment forming part thereof conform to the provisions of this Agreement. The physical tests shall include measurement of cracking, rutting, stripping and potholes and shall be as per the requirement of maintenance mentioned in Schedule-E.

Schedule-R

(See Clause 14.10)

Taking Over Certificate

I, (Name and designation of the Authority’s Representative) under and in accordance with the Agreement dated (the “Agreement”), for [**Rehabilitation and up-gradation and completion of balance work of section from Km 107.760 to Km 129.445 (After Middle strait to Humphrey) & Km 130.600 to Km 138.300 (After Humphrey to Kadamtala) to Intermediate / 2-Lane with hard shoulder in the Union Territory of Andaman & Nicobar Islands (Pkg-III A)] (the “Project Highway”)** on EPC Basis through (Name of Contractor), hereby certify that the Tests on completion of Maintenance Period in accordance with Article 14 of the Agreement have been successfully undertaken to determine compliance of the Project Highway with the provisions of the Agreement and I hereby certify that the Authority has taken over the Project highway from the Contractor on this day.....

SIGNED, SEALED AND DELIVERED

(Signature)

(Name and designation of Authority’s Representative)

(Address)

******* End of the Document *******