

Schedule :A

SCHEDULE -A
(See Clauses 2.1 and 8.1)

SITE OF THE PROJECT

1. The Site

- 1.1 Site of the Four Laning divided Project Highway of Existing Dimapur- Kohima Road on EPC basis starts from design km. 152.490 to km 166.700 (Design Length 14.21 Kms) (Existing km. 156.000 to km. 172.900, Length 16.900 Kms) of NH 39 (New No. is NH-29) in the state of Nagaland. Project Highway shall include the land, buildings, structures and road works as described in Annex-1 of this Schedule-A.
- 1.2 The dates of handing over the Right of Way to the Contractor are specified in Annex-II of this Schedule-A.
- 1.3 An inventory of the Site including the land, buildings, structures, road works, trees and any other immovable property on, or attached to, the Site shall be prepared jointly by the Authority Representative and the Contractor, and such inventory shall form part of the memorandum referred to in Clause 8.2.1 of this Agreement.
- 1.4 The proposed alignment plans of the Project Highway are specified in Annex-III which has to be followed by the Contractor as a minimum The Contractor may, however, improve upon the alignment plans and profile and raise the finished roadway level (FRL) with approval from the Authority's Engineer within the available Right of Way.
- 1.5 The status of the environment clearances obtained or awaited is given in Annex IV.

Note:Through suitable drawings and description in words, the land, buildings, structures and road works comprising the Site shall be specified briefly but precisely in this Annex-1. All the chainages/location referred to in Annex- I to Schedule-A shall be existing chainages.

1. Site

The site of the four lane Project Highway comprises the section of Dimapur- Kohima road commencing from Km 156.000 to Km 172.900 (Existing, Length= 16.90 Kms) and from Design Km 152.490 to Km 166.700 (Design, Length = 14.21 Kms) i.e. Dimapur – Kohima Section in the State of Nagaland. The land, carriageway and structures comprising the Site are described below.

2. Current Status of Project Chainages: The following work has been completed.

Sl. No.	Activity	Chainage		Side	Length (M)	Remarks
		From	To			
1	Earthwork upto Subgrade Top	152+490	153+180	BHS	690	
		153+250	154+960	BHS	1710	
		155+000	155+650	BHS	650	
		155+710	155+840	BHS	130	
		156+100	156+300	BHS	200	
		156+400	157+250	BHS	850	
		157+480	158+030	BHS	550	
		158+100	161+280	BHS	3180	
		161+375	162+900	BHS	1525	
		162+960	165+450	BHS	2490	
		165+500	166+600	BHS	1100	
Total					13075	
Sl. No.	Activity	Chainage		Side	Length (M)	Remarks
		From	To			
2	GSB	152+490	153+100	LHS	610	
		153+425	154+890	LHS	1465	
		156+420	157+130	LHS	710	
		158+240	158+390	LHS	150	
		158+610	158+760	LHS	150	
		158+900	159+450	LHS	550	
		159+470	160+600	LHS	1130	
		160+830	161+180	LHS	350	
		161+530	161+790	LHS	260	
		161+820	162+540	LHS	720	
		163+070	163+980	LHS	910	
		164+300	164+720	LHS	420	
		164+785	164+990	LHS	205	
		166+290	166+340	LHS	50	
		152+490	152+560	RHS	70	
		152+620	153+100	RHS	480	
		153+510	154+800	RHS	1290	
		156+420	156+850	RHS	430	

		158+240	158+390	RHS	150	
		158+610	158+780	RHS	170	
		158+900	159+140	RHS	240	
		159+370	160+620	RHS	1250	
		160+830	161+200	RHS	370	
		161+460	162+600	RHS	1140	
		163+000	163+040	RHS	40	
		163+080	164+100	RHS	1020	
		164+300	164+500	RHS	200	
		164+600	164+670	RHS	70	
		164+800	164+990	RHS	190	
		165+870	165+920	RHS	50	
		166+290	166+380	RHS	90	
		Total			14930	
Sl. No.	Activity	Chainage		Side	Length (M)	Remarks
		From	To			
3	WMM	152+560	152+620	LHS	60	
		152+630	152+960	LHS	330	
		152+975	153+070	LHS	95	
		153+530	154+800	LHS	1270	
		156+420	156+970	LHS	550	
		158+680	158+760	LHS	80	
		158+900	159+450	LHS	550	
		160+040	160+600	LHS	560	
		160+830	160+960	LHS	130	
		160+970	161+170	LHS	200	
		161+530	162+540	LHS	1010	
		163+080	163+980	LHS	900	
		164+330	164+670	LHS	340	
		164+800	164+900	LHS	100	
		164+910	164+940	LHS	30	
		152+490	153+101	RHS	611	
		153+500	153+650	RHS	150	
		153+950	154+780	RHS	830	
		156+600	156+849	RHS	249	
		158+900	159+100	RHS	200	
		159+470	159+900	RHS	430	
		159+950	160+620	RHS	670	
		160+880	160+960	RHS	80	
		160+970	161+050	RHS	80	
		161+690	161+790	RHS	100	
		161+800	162+100	RHS	300	
		162+170	162+501	RHS	331	
163+100	163+339	RHS	239			

Sl. No.	Activity	Total			10475	Remarks
		Chainage		Side	Length (M)	
		From	To			
4	DBM	152+490	152+830	LHS	340	
		152+990	153+050	LHS	60	
		154+730	154+770	LHS	40	
		158+680	158+760	LHS	80	
		158+900	159+450	LHS	550	
		160+040	160+500	LHS	460	
		160+830	161+160	LHS	330	
		161+560	162+070	LHS	510	
		162+165	162+540	LHS	375	
		163+080	163+970	LHS	890	
		159+470	159+880	RHS	410	
		159+960	160+210	RHS	250	
		160+310	160+520	RHS	210	
		160+880	161+050	RHS	170	
		161+690	161+790	RHS	100	
		161+800	162+070	RHS	270	
		Total				

3. Land

The Site of the Project Highway as described below:

Sl. No.	Existing Chainage		Design Chainage		Length (m)	Available ROW (m)	Remarks
	From	To	From	To			
1	156.000	172.900	152.490	166.700	14210	45	

4. Carriageway

The Proposed Project section is completed partly 4-lane and partly 2-Lane bituminous carriageway with variable width with Earthen Shoulders with a Width of 1.5 m on Valley side as per proposed cross section. The Project stretch runs through hilly terrain.

5. Major Bridge -The Site includes the following Major Bridges:

Sl. No.	Design (Km)	Type of Structure			Span Length (m)	HFL (m)	Width (m)	Remarks (River/Nala Name)
		Foundation	Sub-Structure	Super Structure				
1	155.245	Steel Girder			1 x 81.0	-	7.80 m Carriage plus 1.5 footpath on either side	Dzozaru constructed in year 2013 (LHS)

2	155.245	Steel Girder	1 x 81.0	-	7.80 m Carriage plus 1.5 footpath on either side	Upto Sub- Structure completed (RHS)
---	---------	--------------	-------------	---	---	--

6. Road over-bridges (ROB)

The Site includes the following ROB (road over railway line)

Sl. No.	Chainage (km)	Type of Structure		No. of Spans with span length (m)	Width (m)	ROB
		Foundation	Superstructure			
NIL						

7. Grade separators

The Site includes the following grade separators:

Sl. No.	Chainage (km)	Type of Structure		No. of Spans with span length (m)	Width (m)
		Foundation	Superstructure		
NIL					

8. Minor bridges

The Site includes the following minor bridges:

Sl. No.	Design (Km)	Type of Structure			Span Length (m)	HFL (m)	Width (m)	Remarks (River/Nala Name)
		Foundation	Sub-Structure	Super Structure				
1	158.817	RCCSlab			1 x 9.80	967.980	7.9	Diaru, Completed
2	161.255	RCC T-Beam			1 x 14.50	961.440	8.4	Kharu, LHS, Existing
2A	161.255	RCC T-Beam			1 x 14.50	961.440	8.4	Kharu, RHS, Sub-Structure Completed
3	165.158	RCC T-Beam			1 x 24.5	981.146	8.6	Dzuzza, LHS, Existing
3A	165.158	RCC T-Beam			1 x 24.5	981.146	8.6	Dzuzza, RHS, To be constructed
4	165.585	RCC Box			1 x 9.80	967.980	7.9	Dzuzza, LHS, Completed and RHS to

						be constructed
--	--	--	--	--	--	----------------

9. Railway level crossings/Railway Track

The Site includes the following railway level crossings/Track:

Sl. No.	Location (km)	Remarks
NIL		

10. Underpasses (Vehicular, Non Vehicular)

The Site includes the following underpasses:

Sl. No.	Chainage (km)	Type of Structure	No. of Spans with span length (m)	Width (m)
NIL				

11. Culverts: The Site has the following culvert:

S.No	Design Ch.	Span Arrangement	Type of Culvert	Completed	Remarks
1	152+515	(1X1.5X1.5)	Box culvert	1.00	Completed
2	152+577	(1X1.5X1.5)	Box culvert	1.00	Completed
3	152+826	(1X1.5X1.5)	Box culvert	1.00	Completed
4	152+858	(1X1.5X1.5)	Box culvert	1.00	Completed
5	152+900	(1X1.5X1.5)	Box culvert	1.00	Completed
6	152+965	(1X1.5X1.5)	Box culvert	1.00	Completed
7	153+104	(1X1.5X1.5)	Box culvert	1.00	Completed
8	153+422	(1X1.5X1.5)	Box culvert	1.00	Completed
9	153+450	(1X1.5X1.5)	Box culvert	1.00	Completed
10	153+610	(1X1.5X1.5)	Box culvert	1.00	Completed
11	153+652	(1X1.5X1.5)	Box culvert	1.00	Completed
12	153+820	(1X1.5X1.5)	Box culvert	1.00	Completed
13	153+881	(1X1.5X1.5)	Box culvert	1.00	Completed
14	153+980	(1X1.5X1.5)	Box culvert	1.00	Completed
15	154+022	(1X1.5X1.5)	Box culvert	1.00	Completed
16	154+133	(1X1.5X1.5)	Box culvert	1.00	Completed
17	154+243	(1X1.5X1.5)	Box culvert	1.00	Completed
18	154+340	(1X1.5X1.5)	Box culvert	1.00	Completed
19	154+388	(1X1.5X1.5)	Box culvert	1.00	Completed
20	154+450	(1X1.5X1.5)	Box culvert	1.00	Completed
21	154+495	(1X1.5X1.5)	Box culvert	1.00	Completed
22	154+612	(1X1.5X1.5)	Box culvert	1.00	Completed
23	154+808	(1X1.5X1.5)	Box culvert	1.00	Completed
24	154+834	(1X1.5X1.5)	Box culvert	1.00	Completed

25	154+908	(1X1.5X1.5)	Box culvert	0.50	Partially Completed
26	154+989	(1X1.5X1.5)	Box culvert	0.00	To be constructed
27	155+039	(1X1.5X1.5)	Box culvert	0.00	To be constructed
28	155+130	(1X1.5X1.5)	Box culvert	0.00	To be constructed
29	155+445	(1X1.5X1.5)	Box culvert	0.00	To be constructed
30	155+555	(1X1.5X1.5)	Box culvert	0.00	To be constructed
31	155+680	(1X1.5X1.5)	Box culvert	0.00	To be constructed
32	155+707	(1X1.5X1.5)	Box culvert	0.00	To be constructed
33	155+820	(1X1.5X1.5)	Box culvert	0.00	To be constructed
34	155+867	(1X1.5X1.5)	Box culvert	0.00	To be constructed
35	156+087	(1X1.5X1.5)	Box culvert	0.00	To be constructed
36	156+230	(1X1.5X1.5)	Box culvert	0.00	To be constructed
37	156+418	(1X1.5X1.5)	Box culvert	1.00	Completed
38	156+485	(1X1.5X1.5)	Box culvert	1.00	Completed
39	156+543	(1x4.0x3.0)	Box culvert	1.00	Completed
40	156+595	(1X1.5X1.5)	Box culvert	1.00	Completed
41	156+786	(1X1.5X1.5)	Box culvert	1.00	Completed
42	156+847	(1X1.5X1.5)	Box culvert	1.00	Completed
43	157+003	(1X1.5X1.5)	Box culvert	1.00	Completed
44	157+074	(1x3.0x3.0)	Box culvert	1.00	Completed
45	157+750	(1X1.5X1.5)	Box culvert	1.00	Completed
46	157+800	(1X1.5X1.5)	Box culvert	1.00	Completed
47	157+475	(1X4.0X3.0)	Box culvert	0.00	To be constructed
48	158+045	(1x3.0x3.0)	Box culvert	0.00	To be constructed
49	158+140	(1X1.5X1.5)	Box culvert	0.50	Partially Completed
50	158+254	(1X1.5X1.5)	Box culvert	1.00	Completed
51	158+296	(1X1.5X1.5)	Box culvert	1.00	Completed
52	158+754	(1X1.5X1.5)	Box culvert	1.00	Completed
53	158+896	(1X1.5X1.5)	Box culvert	1.00	Completed
54	159+445	(1X1.5X1.5)	Box culvert	1.00	Completed
55	159+567	(1X1.5X1.5)	Box culvert	1.00	Completed
56	159+656	(1X1.5X1.5)	Box culvert	1.00	Completed
57	159+701	(1X1.5X1.5)	Box culvert	1.00	Completed
58	159+860	(1X1.5X1.5)	Box culvert	1.00	Completed
59	159+891	(1X1.5X1.5)	Box culvert	1.00	Completed
60	159+978	(1X1.5X1.5)	Box culvert	1.00	Completed
61	160+037	(1X1.5X1.5)	Box culvert	1.00	Completed
62	160+279	(1X1.5X1.5)	Box culvert	1.00	Completed
63	160+385	(1X1.5X1.5)	Box culvert	1.00	Completed
64	160+541	(1X1.5X1.5)	Box culvert	1.00	Completed
65	160+640	(1x3.0x3.0)	Box culvert	1.00	Completed
66	160+822	(1X1.5X1.5)	Box culvert	1.00	Completed
67	160+876	(1X1.5X1.5)	Box culvert	1.00	Completed
68	160+990	(1X1.5X1.5)	Box culvert	1.00	Completed
69	161+057	(1X1.5X1.5)	Box culvert	1.00	Completed

70	161+205	(1X1.5X1.5)	Box culvert	1.00	Completed
71	161+300	(1X1.5X1.5)	Box culvert	0.00	To be constructed
72	161+556	(1X1.5X1.5)	Box culvert	1.00	Completed
73	161+640	(1X1.5X1.5)	Box culvert	1.00	Completed
74	161+715	(1X1.5X1.5)	Box culvert	1.00	Completed
75	161+758	(1X1.5X1.5)	Box culvert	1.00	Completed
76	161+820	(1x6.0x3.0)	Box culvert	1.00	Completed
77	161+918	(1X1.5X1.5)	Box culvert	1.00	Completed
78	162+030	(1X1.5X1.5)	Box culvert	1.00	Completed
79	162+085	(1X1.5X1.5)	Box culvert	1.00	Completed
80	162+175	(1X1.5X1.5)	Box culvert	1.00	Completed
81	162+222	(1X1.5X1.5)	Box culvert	1.00	Completed
82	162+299	(1X1.5X1.5)	Box culvert	1.00	Completed
83	162+326	(1X1.5X1.5)	Box culvert	1.00	Completed
84	162+364	(1X1.5X1.5)	Box culvert	1.00	Completed
85	162+392	(1X1.5X1.5)	Box culvert	1.00	Completed
86	162+428	(1X1.5X1.5)	Box culvert	1.00	Completed
87	162+457	(1X1.5X1.5)	Box culvert	1.00	Completed
88	162+497	(1X1.5X1.5)	Box culvert	1.00	Completed
89	162+551	(1X1.5X1.5)	Box culvert	1.00	Completed
90	162+730	(1X1.5X1.5)	Box culvert	1.00	Completed
91	162+820	(1X1.5X1.5)	Box culvert	1.00	Completed
92	162+980	(1X1.5X1.5)	Box culvert	0.50	Partially Completed
93	163+065	(1X1.5X1.5)	Box culvert	1.00	Completed
94	163+138	(1X1.5X1.5)	Box culvert	1.00	Completed
95	163+177	(1X1.5X1.5)	Box culvert	1.00	Completed
96	163+280	(1X1.5X1.5)	Box culvert	1.00	Completed
97	163+309	(1x2.0X2.0)	Box culvert	1.00	Completed
98	163+380	(1X1.5X1.5)	Box culvert	1.00	Completed
99	163+514	(1X1.5X1.5)	Box culvert	1.00	Completed
100	163+579	(1X1.5X1.5)	Box culvert	1.00	Completed
101	163+694	(1X1.5X1.5)	Box culvert	1.00	Completed
102	163+892	(1X1.5X1.5)	Box culvert	1.00	Completed
103	164+018	(1x2.0X2.0)	Box culvert	1.00	Completed
104	164+123	(1X1.5X1.5)	Box culvert	1.00	Completed
105	164+314	(1X1.5X1.5)	Box culvert	1.00	Completed
106	164+431	(1X1.5X1.5)	Box culvert	1.00	Completed
107	164+507	(1X1.5X1.5)	Box culvert	1.00	Completed
108	164+596	(1X1.5X1.5)	Box culvert	1.00	Completed
109	164+667	(1X1.5X1.5)	Box culvert	1.00	Completed
110	164+782	(1x2.0X2.0)	Box culvert	1.00	Completed
111	164+907	(1X1.5X1.5)	Box culvert	1.00	Completed
112	165+014	(1X1.5X1.5)	Box culvert	1.00	Completed
113	165+290	(1X1.5X1.5)	Box culvert	1.00	Completed
114	165+390	(1X1.5X1.5)	Box culvert	0.00	To be constructed

115	165+418	(1X1.5X1.5)	Box culvert	0.50	Partially Completed
116	165+691	(1X1.5X1.5)	Box culvert	0.00	To be constructed
117	166+247	(1X1.5X1.5)	Box culvert	0.00	To be constructed
118	165+762	(1X1.5X1.5)	Box culvert	0.50	Partially Completed
119	165+837	(1X1.5X1.5)	Box culvert	0.50	Partially Completed
120	165+974	(1X1.5X1.5)	Box culvert	0.50	Completed
121	166+092	(1X1.5X1.5)	Box culvert	0.50	Partially Completed
122	166+191	(1X1.5X1.5)	Box culvert	0.50	Partially Completed
123	166+210	(1X1.5X1.5)	Box culvert	0.50	Partially Completed
124	166+340	(1X1.5X1.5)	Box culvert	1.00	Completed
125	166+530	(1X1.5X1.5)	Box culvert	0.00	To be constructed

* Protection work to be constructed for all culverts as per side condition.

12. Bus Bays

The proposed details of bus bays/sheds on the Site are as follows:

Sl. No.	Design Chainage	LHS	RHS	Village Name	Remarks
1	154+330		√		
2	155+400	√	√		
3	156+650	√	√	KIRUPHEMA	
4	158+400	√	√	ZUBZA	
5	160+820	√	√	SECHU ZUBZA	
6	161+600	√	√		
Total		11			

13. Truck Lay Bys

The details of truck lay byes are as follows:

Sl. No.	Chainage (km)	Length (m)	Left Hand Side	Right Hand Side
NIL				

14. Road Side Drains

The details of completed PCC roadside drains are as follows:

SL NO.	Chainage		LENGTH IN Mtrs	SIDE
	From	To		
1	152+520	152+575	55	RHS
2	153+465	153+606	141	RHS
3	153+613	153+649	36	RHS
4	153+740	153+790	50	RHS

5	153+985	154+129	144	RHS
6	154+136	154+240	104	RHS
7	154+255	154+300	45	RHS
8	154+390	154+560	170	RHS
9	154+615	154+680	65	RHS
10	156+660	156+840	180	RHS
11	159+450	159+695	245	RHS
12	159+710	159+880	170	RHS
13	159+965	159+975	10	RHS
14	159+980	160+080	100	RHS
15	160+180	160+250	70	RHS
16	160+310	160+350	40	RHS
17	160+470	160+540	70	RHS
18	161+830	161+910	80	RHS
19	161+930	162+020	90	RHS
20	162+180	162+295	115	RHS
21	162+305	162+360	55	RHS
22	162+400	162+450	50	RHS
23	163+180	163+220	40	RHS

15. Major Junctions

Sl. No.	Location		At Grade	Separated	Category of Cross Road			
	Existing Ch.	Design Ch.			NH	SH	MDR	Others
NIL								

The details of major junctions are as follows,

(NH: National Highway, SH: State Highway, MDR: Major District Road)

16. Minor Junctions

The details of the minor junctions are as follows:

Sl. No.	Design Ch. (m)	Side	Type of Junction	Remarks
1	156556	RHS	Minor	To Village

17. Bypass

The details of the existing road sections proposed to be bypassed are as follows:

Sl. No.	Name of Bypass to Town	Chainage (km) from km to km
NIL		

18. Other Structure/Details

The locations of other structure/Land Slide are as follows:

Sl. No.	Existing Chainage (m)		Design Chainage (m)		Length in m (Design)	Remarks
	From	To	From	To		
NIL						

Annex-III
(Schedule-A)

Alignment Plans

The existing alignment of the Project Highway shall be modified in the following sections as per the alignment plan indicated below:

Annex-IV
(Schedule-A)

Environment Clearances

Environment Clearance for the Project Road Section has been obtained on 22.10.2007.

SCHEDULE - B

(See Clause 2.1)

Development of the Project Highway

1. Development of the Project Highway

Development of the Project Highway shall include design and construction of the Project Highway as described in this Schedule-B and in Schedule-C.

2. Upgradation to 4 lane highway

Upgradation shall include Four-Lanning of the Project Highway as described in Annex-I of this Schedule-B and in Schedule-C.

3. Specifications and Standards

The Project Highway shall be designed and constructed in conformity with the Specifications and Standards specified in Annex-I of Schedule-D.

Annex – I

(SCHEDULE-B)

Description of Four-Lanning

1. WIDENING OF THE EXISTING HIGHWAY

1.1 The Project Highway shall follow the existing alignment as specified by the Authority and shown in the alignment plans specified in Annex-III of Schedule-A. Geometric deficiencies, if any, in the existing horizontal and vertical profiles shall be corrected as per the prescribed standards for hilly terrain to the extent land is available.

1.2 WIDTH OF CARRIAGEWAY

1.2.1 Construction of Four-Lane pavement with paved shoulders shall be undertaken. The paved carriageway on both side of median shall be 7m wide with paved shoulders and 1.5 m wide median in accordance with the typical cross sections drawings as per four lane manual 2014

1.2.1 Except as otherwise provided in this Agreement, the width of the paved carriageway and cross-sectional features shall conform to paragraph 1.1 above.

2. GEOMETRIC DESIGN AND GENERAL FEATURES

2.1 General

Geometric design and general features of the Project Highway shall be in accordance with Section 2 of the Manual.

2.2 Design speed

The design speed shall be the minimum design speed of 40 km/hr and ruling design speed of 60 km/hr for mountainous and steep terrain.

2.3 Improvement of the existing road geometrics

Improvement of the existing road geometrics shall be carried out as per section 2 of the Manual (IRC: 84-2014).

2.4 Right of Way

Details of the Right of Way are given below.

Design ch. (from)	Design ch. (to)	Design Length	PROW width (m)	EROW width (m)
152+490	166+700	14210	45	45

2.5 Type of shoulders

The shoulder shall be paved shoulder on hill and valley in open areas along with divided carriageway and 1.75m wide raised footpath in Built-up locations as per typical cross section of Four lane manual 2014

(a) In built-up sections. Raised footpaths shall be provided in the following stretches:

Sl. No.	Stretch (from Km to Km)	Raised footpaths	Reference to cross section
1	Length of 555m	2 X 1.75 m width Footpath	TCS-II

(b) Paved shoulders of 1.5 m width shall be provided with selected earth wherever applicable as per TCS drawing.

(c) Design and specifications of paved shoulders and granular material shall conform to the requirements specified in the relevant Manual.

2.6 Lateral and vertical clearances at underpasses

2.6.1 Lateral and vertical clearances at underpasses and provision of guardrails/crash barriers shall be as per requirements specified in the relevant Manual.

2.6.2 Lateral clearance: The width of the opening at the under passes shall be as follows:

Sl.No.	Location (Chainage) (from km to km)	Span/opening(m)	Remarks
1	NIL		

2.7 Lateral and vertical clearances at overpasses

2.7.1 Lateral and vertical clearances at overpasses shall be as per requirements specified in the relevant Manual.

2.7.2 Lateral clearance: The width of the opening at the overpasses shall be as follows:

Sl. No.	Location (Chainage) (from km to km)	Span/Opening (m)	Remarks
Nil			

2.8 Service roads

Service roads shall be constructed at the locations and for the lengths indicated below: [Refer requirements specified in the relevant Manual]

Sl. No.	Location of service road(from km to km)	Right hand side(RHS)/Left hand side(LHS)/or Both sides	Length(km) of service road
Nil			

2.9 Grade separated structures

2.9.1 Grade separated structures shall be provided as per provision of the Manual. The requisite are given below:

[Refer to requirements specified in the relevant Manual]

Sl. No.	Location of Structure (VUP)	Length (m)	Number andlengthofspans	Approach gradient	Remarks. if any
Nil					

(b) In the case of grade separated structures the type of structure and the level of the Project

Highway and the crossroads shall be as follows:[Refer to provision of the Manual and specify the type of vehicular underpass/ overpass structure and whether the cross road is to be carried at the existing Level. Raised or lowered]

Sl. No.	Location	Type of structure Length(m)	Cross road at			Remarks.if any
			Existing Level	Raised Level	Lowered Level	
Nil						

2.10 Cattle and pedestrian underpass /overpass


Cattle and pedestrian underpass/overpass shall be constructed as follows: [Refer to provision of the relevant Manual and specify the requirements of cattle and pedestrian underpass/overpass]



Sl.No.	Location	Type of crossing
Nil		

2.11 Typical cross-sections of the Project Highway

[Give typical cross-sections of the Project Highway by reference to the Manual]As per attached Drawings

TCS TYPE	DESCRIPTION
TCS-II	In Built Up section
TCS-I	Widening on Hill side
TCS-II	Re-alignment section





Realignment chainages of the Project Highway are tabulated below:

Design Chainage (m) as per Plan & Profile		
From	To	Length (m)
152490	152560	70
152620	152700	80
152800	152860	60
152975	153425	450
153680	153780	100
153820	153870	50
154155	154235	80
155040	155120	80
155580	155650	70
155710	156220	510
156300	156980	680
157130	157480	350
158300	158470	170
158680	158760	80
158830	159450	620
159590	159660	70
159730	159760	30
159800	159830	30
159880	159930	50
160060	160150	90
160620	160810	190
160910	160970	60
161530	161690	160
161790	162030	240
162100	162165	65
162210	162275	65
162600	162710	110
162745	162790	45
162840	162900	60
162960	163040	80
163080	163290	210
163380	163440	60
163570	163850	280
163920	164010	90
164220	164270	50
164100	164150	50
164800	164860	60
164910	164990	80
165740	165800	60
165870	165920	50
165980	166140	160

166235	166495	260
166640	166670	30
Total		6235

3. INTERSECTIONS AND GRADE SEPARATORS

All intersections and grade separators shall be as per Section 3 of the Manual. Existing intersections which are deficient shall be improved to the prescribed standards.

[Refer to provision of the relevant Manual and specify the requirements. Explain where necessary with drawings/sketches/general arrangement]

Properly designed intersections shall be provided at the locations and of the types and features given in the tables below:

(a) At-grade intersections

Sl. No.	Design chainage (Km)	Side	Type of Junction	Remarks
1	156550	RHS	Minor	To Village

(b) Grade separated intersection with/without ramps

Sl. No.	Location	Salient features	Minimum length of viaduct to be provided	Road to be carried over/under the structures
Nil				

4. ROAD EMBANKMENT AND CUT SECTION

4.1 Widening and improvement of the existing road embankment/cuttings and construction of new road embankment/cuttings shall conform to the Specifications and Standards given in Section 4 of the Manual and the specified cross sectional details. Deficiencies in the plan and profile of the existing road shall be corrected.

4.2 The existing road including raising shall be reconstructed as per FRL mentioned in Plan & Profile as attached in Annex III of Schedule A.

The existing road shall be raised in the following sections:

Sl. No.	Section (from km to km)	Length (km)	Extent of raising [Top of finished road level]
Nil			

5. PAVEMENT DESIGN

5.1 Pavement design shall be carried out in accordance with provision of the relevant manual.

5.2 Type of pavement

5.2.1 Flexible pavement design as per Clause 2.2 (i) i.e. Granular base and sub base with

DBM & BC as per IRC 37-2012, plate for 8 CBR and 30 msa, is considered as tabulated below-

Sl. No.	Section (Design Km)	Design Length (km)	BC (mm)	DBM (mm)	WMM (250)	GSB (mm)	Total Crust (mm)
1	Km 152+490 to Km 166+700	14.210	40	100	250	200	590

Flexible pavement for section 1 of above table under sub clause 5.2.1 shall be adopted in accordance with IRC:37-2012. Clause 2.2 of IRC:37-2012 identifies four types of flexible pavements. Since, the successful bidders under EPC mode can use any type of four flexible pavements mentioned in Clause 2.2 of IRC:37-2012, they may carry out their own due diligence to arrive at project cost before submitting bids.

5.3 Design requirements

5.3.1 Design Period and Strategy

Flexible pavement for new pavement or for widening and strengthening of the existing pavement shall be designed for a minimum design period of 15 years. Stage construction shall not be permitted.

5.3.2 Design Traffic

Notwithstanding anything to the contrary contained in this Agreement or the Manual. The Contractor shall design the pavement for design traffic of 30 msa & minimum CBR of 8.

6 Reconstruction of stretches

[Refer to provision of the relevant Manual and specify the stretches if any to be reconstructed.]

The following stretches of the existing road shall be reconstructed. These shall be designed as new pavement.

SL NO.	Stretch from Km to Km	Remarks	TCS Type
1		Nil	

7 Balance work of 4 laning: layer wise and side wise

a) Earthwork upto Top of subgrade:

SL. NO.	CHAINAGE		Side	LENGTH IN Mtrs	REMARKS
	From	To			
1	153+180	153+250	BHS	70	
2	154+960	155+000	BHS	40	

3	155+650	155+710	BHS	60	
4	155+840	156+100	BHS	260	
5	156+300	156+400	BHS	100	
6	157+250	157+480	BHS	230	
7	158+030	158+100	BHS	70	
8	161+280	161+375	BHS	95	
9	162+900	162+960	BHS	60	
10	165+450	165+500	BHS	50	
11	166+600	166+700	BHS	100	
Total				1135	

b) Preparation of subgrade Top:

SL. NO.	CHAINAGE		Side	LENGTH IN Mtrs	REMARKS
	From	To			
1	153+100	153+425	LHS	325	
2	154+890	156+420	LHS	1530	
3	157+130	158+240	LHS	1110	
4	158+390	158+610	LHS	220	
5	158+760	158+900	LHS	140	
6	159+450	159+470	LHS	20	
7	160+600	160+830	LHS	230	
8	161+180	161+530	LHS	350	
9	161+790	161+820	LHS	30	
10	162+540	163+070	LHS	530	
11	163+980	164+300	LHS	320	
12	164+720	164+785	LHS	65	
13	164+990	166+290	LHS	1300	
14	166+340	166+700	LHS	360	
15	152+560	152+620	RHS	60	
16	153+100	153+510	RHS	410	
17	154+800	156+420	RHS	1620	
18	156+850	158+240	RHS	1390	
19	158+390	158+610	RHS	220	
20	158+780	158+900	RHS	120	
21	159+140	159+370	RHS	230	
22	160+620	160+830	RHS	210	
23	161+200	161+460	RHS	260	
24	162+600	163+000	RHS	400	
25	163+040	163+080	RHS	40	
26	164+100	164+300	RHS	200	
27	164+500	164+600	RHS	100	
28	164+670	164+800	RHS	130	
29	164+990	165+870	RHS	880	

30	165+920	166+290	RHS	370	
31	166+380	166+700	RHS	320	
Total				13490	

c) Granular Works (Sub –Base)

SL. NO.	CHAINAGE		Side	LENGTH IN Mtrs	REMARKS
	From	To			
1	153+100	153+425	LHS	325	
2	154+890	156+420	LHS	1530	
3	157+130	158+240	LHS	1110	
4	158+390	158+610	LHS	220	
5	158+760	158+900	LHS	140	
6	159+450	159+470	LHS	20	
7	160+600	160+830	LHS	230	
8	161+180	161+530	LHS	350	
9	161+790	161+820	LHS	30	
10	162+540	163+070	LHS	530	
11	163+980	164+300	LHS	320	
12	164+720	164+785	LHS	65	
13	164+990	166+290	LHS	1300	
14	166+340	166+700	LHS	360	
15	152+560	152+620	RHS	60	
16	153+100	153+510	RHS	410	
17	154+800	156+420	RHS	1620	
18	156+850	158+240	RHS	1390	
19	158+390	158+610	RHS	220	
20	158+780	158+900	RHS	120	
21	159+140	159+370	RHS	230	
22	160+620	160+830	RHS	210	
23	161+200	161+460	RHS	260	
24	162+600	163+000	RHS	400	
25	163+040	163+080	RHS	40	
26	164+100	164+300	RHS	200	
27	164+500	164+600	RHS	100	
28	164+670	164+800	RHS	130	
29	164+990	165+870	RHS	880	
30	165+920	166+290	RHS	370	
31	166+380	166+700	RHS	320	
Total				13490	

d) Granular Works (Base, Shoulders)

SL. NO.	CHAINAGE		Side	LENGTH IN Mtrs	REMARKS
	From	To			
1	152+490	152+560	LHS	70	
2	152+620	152+630	LHS	10	
3	152+960	152+975	LHS	15	
4	153+070	153+530	LHS	460	
5	154+800	156+420	LHS	1620	
6	156+970	158+680	LHS	1710	
7	158+760	158+900	LHS	140	
8	159+450	160+040	LHS	590	
9	160+600	160+830	LHS	230	
10	160+960	160+970	LHS	10	
11	161+170	161+530	LHS	360	
12	162+540	163+080	LHS	540	
13	163+980	164+330	LHS	350	
14	164+670	164+800	LHS	130	
15	164+900	164+910	LHS	10	
16	164+940	166+700	LHS	1760	
17	153+101	153+500	RHS	399	
18	153+650	153+950	RHS	300	
19	154+780	156+600	RHS	1820	
20	156+849	158+900	RHS	2051	
21	159+100	159+470	RHS	370	
22	159+900	159+950	RHS	50	
23	160+620	160+880	RHS	260	
24	160+960	160+970	RHS	10	
25	161+050	161+690	RHS	640	
26	161+790	161+800	RHS	10	
27	162+100	162+170	RHS	70	
28	162+501	163+100	RHS	599	
29	163+339	166+700	RHS	3361	
	Total			17945	

e) DBM with Prime coat & Tack Coat

SL NO	CHAINAGE		Side	LENGTH IN Mtrs	REMARKS
	From	To			
1	152+830	152+990	LHS	160	
2	153+050	154+730	LHS	1680	
3	154+770	158+680	LHS	3910	

4	158+760	158+900	LHS	140	
5	159+450	160+040	LHS	590	
6	160+500	160+830	LHS	330	
7	161+160	161+560	LHS	400	
8	162+070	162+165	LHS	95	
9	162+540	163+080	LHS	540	
10	163+970	166+700	LHS	2730	
11	152+490	159+470	RHS	6980	
12	159+880	159+960	RHS	80	
13	160+210	160+310	RHS	100	
14	160+520	160+880	RHS	360	
15	161+050	161+690	RHS	640	
16	161+790	161+800	RHS	10	
17	162+070	166+700	RHS	4630	
Total				23375	

f) **BC with Tack Coat** : From Km 152+490 to Km 166+700= 14.21 Km (4 lane)

g) **Rectification / Reconstruction of Damaged DBM stretch** :

SL. NO.	CHAINAGE		Side	LENGTH IN Mtrs	REMARKS
	From	To			
1	152+490	152+830	LHS	340	
2	158+900	159+420	LHS	520	
3	159+430	159+800	RHS	370	
4	161+820	162+000	LHS	180	
5	161+820	162+000	RHS	180	
6	162+150	162+400	LHS	250	
7	163+200	164+000	LHS	800	
			Total	2640	

8. **ROADSIDE DRAINAGE**

Drainage system including surface and subsurface drains for the Project Highway has been provided as per Section 6 of the Manual. However balance drains shall be provided in the table given below:

RCC/PCC Drain

SL. NO.	DESIGN CHAINAGE (Km)		Length (M)	Remarks
	FROM	TO		
1	As per TCS II Schedule	In Built up section	555m	As per Four lane manual 2014 & IRC :

2	As per TCS I Schedule	Widening on Hill Side	5480m	SP-48
3	As per TCS III Schedule	Re-alignment section	6235m	

9. DESIGN OF STRUCTURES

9.1 General

9.1.1 All bridges culverts and structures shall be designed and constructed in accordance with provision of the relevant Manual and shall conform to the cross-sectional features and other details specified therein.

9.1.2 Width of the carriageway of new bridges and structures shall be as per figure 7.2 A and figure 7.3 of the Four lane manual (IRC SP:84-2014)

9.1.3 Cross section of two lane new bridge with existing two lane shall be as per figure 7.4 A & &.4 B of four lane Manual (IRC:84-2014)

9.1.4 The following structures shall be provided with footpaths:

Sl. No.	Design (Km)	Type of Structure			Span Length (m)	Footpath Width (m)	Remarks
		Foundation	Sub-structure	Superstructure			
1	155+245	Steel Truss			1 x 81.00	1.5	Dzozaru
2	158+817	RCC slab			1 x 9.8	1.5	Diaru
3	161+255	RCC T – Beam Girder			1 x 14.50	1.5	Kharu
4	165+158	RCC T-Beam Girder			1 x 24.75	1.5	Dzuza
5	165+585	RCC Box Type			1 x 9.8	1.5	

9.1.5 All bridges shall be high-level bridges.

9.1.6 The following structures shall be designed to carry utility services specified in Table below:

Sl.No.	Bridge at km	Utility service to be carried	Remarks
1	155+245	Water Pipe	New

2	158+817	Water Pipe	New
3	161+255	Water Pipe	New
4	165+158	Water Pipe	New
5	165+585	Water Pipe	New

9.1.7 Cross-section of the new culverts and bridges at deck level for the Project Highway shall conform to the typical cross-sections given in provision of the relevant Manual.

9.2 Culverts

9.2.1 Overall width of all culverts shall be equal to the roadway width of the approaches.

9.2.2 Widening of Proposed culverts:

The culverts at the following locations shall be constructed as widening / new culverts:

S.No	Design Ch.	Span Arrangement	Type of Culvert	Completed	Balance to be constructed
1	152+515	(1X1.5X1.5)	Box culvert	1.00	0.0
2	152+577	(1X1.5X1.5)	Box culvert	1.00	0.0
3	152+826	(1X1.5X1.5)	Box culvert	1.00	0.0
4	152+858	(1X1.5X1.5)	Box culvert	1.00	0.0
5	152+900	(1X1.5X1.5)	Box culvert	1.00	0.0
6	152+965	(1X1.5X1.5)	Box culvert	1.00	0.0
7	153+104	(1X1.5X1.5)	Box culvert	1.00	0.0
8	153+422	(1X1.5X1.5)	Box culvert	1.00	0.0
9	153+450	(1X1.5X1.5)	Box culvert	1.00	0.0
10	153+610	(1X1.5X1.5)	Box culvert	1.00	0.0
11	153+652	(1X1.5X1.5)	Box culvert	1.00	0.0
12	153+820	(1X1.5X1.5)	Box culvert	1.00	0.0
13	153+881	(1X1.5X1.5)	Box culvert	1.00	0.0
14	153+980	(1X1.5X1.5)	Box culvert	1.00	0.0
15	154+022	(1X1.5X1.5)	Box culvert	1.00	0.0
16	154+133	(1X1.5X1.5)	Box culvert	1.00	0.0
17	154+243	(1X1.5X1.5)	Box culvert	1.00	0.0
18	154+340	(1X1.5X1.5)	Box culvert	1.00	0.0
19	154+388	(1X1.5X1.5)	Box culvert	1.00	0.0
20	154+450	(1X1.5X1.5)	Box culvert	1.00	0.0
21	154+495	(1X1.5X1.5)	Box culvert	1.00	0.0

22	154+612	(1X1.5X1.5)	Box culvert	1.00	0.0
23	154+808	(1X1.5X1.5)	Box culvert	1.00	0.0
24	154+834	(1X1.5X1.5)	Box culvert	1.00	0.0
25	154+908	(1X1.5X1.5)	Box culvert	0.50	0.5
26	154+989	(1X1.5X1.5)	Box culvert	0.00	1.0
27	155+039	(1X1.5X1.5)	Box culvert	0.00	1.0
28	155+130	(1X1.5X1.5)	Box culvert	0.00	1.0
29	155+445	(1X1.5X1.5)	Box culvert	0.00	1.0
30	155+555	(1X1.5X1.5)	Box culvert	0.00	1.0
31	155+680	(1X1.5X1.5)	Box culvert	0.00	1.0
32	155+707	(1X1.5X1.5)	Box culvert	0.00	1.0
33	155+820	(1X1.5X1.5)	Box culvert	0.00	1.0
34	155+867	(1X1.5X1.5)	Box culvert	0.00	1.0
35	156+087	(1X1.5X1.5)	Box culvert	0.00	1.0
36	156+230	(1X1.5X1.5)	Box culvert	0.00	1.0
37	156+418	(1X1.5X1.5)	Box culvert	1.00	0.0
38	156+485	(1X1.5X1.5)	Box culvert	1.00	0.0
39	156+543	(1x4.0x3.0)	Box culvert	1.00	0.0
40	156+595	(1X1.5X1.5)	Box culvert	1.00	0.0
41	156+786	(1X1.5X1.5)	Box culvert	1.00	0.0
42	156+847	(1X1.5X1.5)	Box culvert	1.00	0.0
43	157+003	(1X1.5X1.5)	Box culvert	1.00	0.0
44	157+074	(1x3.0x3.0)	Box culvert	1.00	0.0
45	157+750	(1X1.5X1.5)	Box culvert	1.00	0.0
46	157+800	(1X1.5X1.5)	Box culvert	1.00	0.0
47	157+475	(1X4.0X3.0)	Box culvert	0.00	1.0
48	158+045	(1x3.0x3.0)	Box culvert	0.00	1.0
49	158+140	(1X1.5X1.5)	Box culvert	0.50	0.5
50	158+254	(1X1.5X1.5)	Box culvert	1.00	0.0
51	158+296	(1X1.5X1.5)	Box culvert	1.00	0.0
52	158+754	(1X1.5X1.5)	Box culvert	1.00	0.0
53	158+896	(1X1.5X1.5)	Box culvert	1.00	0.0
54	159+445	(1X1.5X1.5)	Box culvert	1.00	0.0
55	159+567	(1X1.5X1.5)	Box culvert	1.00	0.0
56	159+656	(1X1.5X1.5)	Box culvert	1.00	0.0
57	159+701	(1X1.5X1.5)	Box culvert	1.00	0.0
58	159+860	(1X1.5X1.5)	Box culvert	1.00	0.0
59	159+891	(1X1.5X1.5)	Box culvert	1.00	0.0
60	159+978	(1X1.5X1.5)	Box culvert	1.00	0.0
61	160+037	(1X1.5X1.5)	Box culvert	1.00	0.0
62	160+279	(1X1.5X1.5)	Box culvert	1.00	0.0
63	160+385	(1X1.5X1.5)	Box culvert	1.00	0.0
64	160+541	(1X1.5X1.5)	Box culvert	1.00	0.0
65	160+640	(1x3.0x3.0)	Box culvert	1.00	0.0
66	160+822	(1X1.5X1.5)	Box culvert	1.00	0.0

67	160+876	(1X1.5X1.5)	Box culvert	1.00	0.0
68	160+990	(1X1.5X1.5)	Box culvert	1.00	0.0
69	161+057	(1X1.5X1.5)	Box culvert	1.00	0.0
70	161+205	(1X1.5X1.5)	Box culvert	1.00	0.0
71	161+300	(1X1.5X1.5)	Box culvert	0.00	1.0
72	161+556	(1X1.5X1.5)	Box culvert	1.00	0.0
73	161+640	(1X1.5X1.5)	Box culvert	1.00	0.0
74	161+715	(1X1.5X1.5)	Box culvert	1.00	0.0
75	161+758	(1X1.5X1.5)	Box culvert	1.00	0.0
76	161+820	(1x6.0x3.0)	Box culvert	1.00	0.0
77	161+918	(1X1.5X1.5)	Box culvert	1.00	0.0
78	162+030	(1X1.5X1.5)	Box culvert	1.00	0.0
79	162+085	(1X1.5X1.5)	Box culvert	1.00	0.0
80	162+175	(1X1.5X1.5)	Box culvert	1.00	0.0
81	162+222	(1X1.5X1.5)	Box culvert	1.00	0.0
82	162+299	(1X1.5X1.5)	Box culvert	1.00	0.0
83	162+326	(1X1.5X1.5)	Box culvert	1.00	0.0
84	162+364	(1X1.5X1.5)	Box culvert	1.00	0.0
85	162+392	(1X1.5X1.5)	Box culvert	1.00	0.0
86	162+428	(1X1.5X1.5)	Box culvert	1.00	0.0
87	162+457	(1X1.5X1.5)	Box culvert	1.00	0.0
88	162+497	(1X1.5X1.5)	Box culvert	1.00	0.0
89	162+551	(1X1.5X1.5)	Box culvert	1.00	0.0
90	162+730	(1X1.5X1.5)	Box culvert	1.00	0.0
91	162+820	(1X1.5X1.5)	Box culvert	1.00	0.0
92	162+980	(1X1.5X1.5)	Box culvert	0.50	0.5
93	163+065	(1X1.5X1.5)	Box culvert	1.00	0.0
94	163+138	(1X1.5X1.5)	Box culvert	1.00	0.0
95	163+177	(1X1.5X1.5)	Box culvert	1.00	0.0
96	163+280	(1X1.5X1.5)	Box culvert	1.00	0.0
97	163+309	(1x2.0X2.0)	Box culvert	1.00	0.0
98	163+380	(1X1.5X1.5)	Box culvert	1.00	0.0
99	163+514	(1X1.5X1.5)	Box culvert	1.00	0.0
100	163+579	(1X1.5X1.5)	Box culvert	1.00	0.0
101	163+694	(1X1.5X1.5)	Box culvert	1.00	0.0
102	163+892	(1X1.5X1.5)	Box culvert	1.00	0.0
103	164+018	(1x2.0X2.0)	Box culvert	1.00	0.0
104	164+123	(1X1.5X1.5)	Box culvert	1.00	0.0
105	164+314	(1X1.5X1.5)	Box culvert	1.00	0.0
106	164+431	(1X1.5X1.5)	Box culvert	1.00	0.0
107	164+507	(1X1.5X1.5)	Box culvert	1.00	0.0
108	164+596	(1X1.5X1.5)	Box culvert	1.00	0.0
109	164+667	(1X1.5X1.5)	Box culvert	1.00	0.0
110	164+782	(1x2.0X2.0)	Box culvert	1.00	0.0
111	164+907	(1X1.5X1.5)	Box culvert	1.00	0.0

112	165+014	(1X1.5X1.5)	Box culvert	1.00	0.0
113	165+290	(1X1.5X1.5)	Box culvert	1.00	0.0
114	165+390	(1X1.5X1.5)	Box culvert	0.00	1.0
115	165+418	(1X1.5X1.5)	Box culvert	0.50	0.5
116	165+691	(1X1.5X1.5)	Box culvert	0.00	1.0
117	166+247	(1X1.5X1.5)	Box culvert	0.00	1.0
118	165+762	(1X1.5X1.5)	Box culvert	0.50	0.5
119	165+837	(1X1.5X1.5)	Box culvert	0.50	0.5
120	165+974	(1X1.5X1.5)	Box culvert	0.50	0.0
121	166+092	(1X1.5X1.5)	Box culvert	0.50	0.5
122	166+191	(1X1.5X1.5)	Box culvert	0.50	0.5
123	166+210	(1X1.5X1.5)	Box culvert	0.50	0.5
124	166+340	(1X1.5X1.5)	Box culvert	1.00	0.0
125	166+530	(1X1.5X1.5)	Box culvert	0.00	1.0

9.2.3 Repairs/replacements of railing/parapets, flooring and protection works of the existing culverts shall be undertaken as follows:

[Refer provision of the relevant Manual and provide details]

Sl.No.	Location at km	Type of repair required
Nil		

9.2.4 Floor protection works shall be as specified in the relevant IRC Codes and Specifications.

9.3 Bridges

9.3.1 Existing bridges to be re-constructed/widened

(i) The existing bridges at the following locations shall be re-constructed as new Structures

[Refer provision of the relevant Manual and provide details]

Sl. No.	Bridge location	Salient details of existing bridge		Adequacy or otherwise of the existing waterway, vertical clearance etc.*	Remarks
	(km)	Type of Structures	Span Arrangement and Total Vent way (No. x Length) (m)		
1	Nil				

(ii) The following narrow bridges shall be widened:

Sl. No.	Location (km)	Existing width(m)	Extent of widening(m)	Cross-section at deck level for widening@
Nil				

9.3.2 Additional new bridges (Minor)

New bridges at the following locations on the Project Highway shall be constructed.

GADs for the new bridges are attached in the drawings folder.

Sl. No.	Location (km)	Total Length (m)	Remarks. If any
1	161+255	14.5	2 lane
2	165+158	24.75	2 lane
3	165+585	9.8	2 lane

9.3.3 The railings of existing bridges shall be replaced by crash barriers at the following locations:

[Refer provision of the relevant Manual and provide details:]

Sl.No.	Location at km	Remarks
Nil		

9.3.4 Repairs / replacements of railing/parapets of the existing bridges shall be undertaken as follows:

[Refer to provision of the relevant Manual and provide details]

Sl.No.	Location at km	Remarks
1	161+225	Repair
2	165+158	Repair

9.3.5 Drainage system for bridge decks

An effective drainage system for bridge decks shall be provided as specified in provision of the relevant Manual.

9.3.6 Structures in marine environment

Nil

9.4 Rail-road bridges

9.4.4 Design construction and detailing of ROB/RUB shall be as specified in provision of the relevant Manual

Nil

9.4.5 Road over-bridges

Road over-bridges(road over rail)shall be provided at the following level crossings.

Sl. No.	Location of Level crossing(Chainage km)	Length of bridge(m)
Nil		

(c) Road under-bridges

Road under-bridges (road under railway line) shall be provided at the following level crossings as per GAD drawings attached:

Sl. No.	Location of Level crossing (Chainage km)	Number and length of span(m)
1	Nil	

9.5 Grade separated structures

Nil

9.6 Repairs and strengthening of bridges and structures

A. Bridges

The existing bridges and structures to be repaired/strengthened and the nature and extent of repairs /strengthening required are given below:

Sl. No.	Location of bridge (km)	Remark
1	161+255	Existing 2 lane
2	165+158	Existing 2 lane

B. ROB / RUB

Nil

C. Overpasses/Underpasses and other structures

Nil

9.7 List of Major Bridges and Structures

The following is the list of the Major Bridges and Structures:

Sl. No.	Location (Km)	Proposed span (in m)	Proposed width
1	155+254	81*	New 2 lane with existing 2 lane

* Only balance work of superstructure is required to be done.

10. TRAFFIC CONTROL DEVICES AND ROAD SAFETY WORKS

10.1 Traffic control devices and road safety works shall be provided in accordance with Section 9 of the Manual.

10.2 Specifications of the reflective sheeting. As per the Clause 9.3 of the Manual of Specifications and Standards

11. ROADSIDE FURNITURE

11.1 Road side furniture shall be provided in accordance with the provisions of Section 12 of the Manual.

11.2 The Overhead traffic signs: location and size

Sl. No.	Location (Km)	Remarks
---------	---------------	---------

1	Full width overhead sign at 166+700	Location may change in consultation with Authority's Engineer
2	Cantilever over head signs (6 nos.)	Location to be identified in consultation with Authority's Engineer

12. COMPULSORY AFFORESTATION

The number of trees which are required to be planted by the contractor as compulsory afforestation shall be as per Forest Conservation Act and as per the section 11 of four lane Manual 2014

13. HAZARDOUS LOCATION / SAFETY PRECAUTIONS / PROTECTION WORKS

The safety barriers/protection works shall also be provided at the following hazardous locations:

13.1 Gabion Breast Wall :- The provision of Breast wall including slope protection measures are:

Sl. no.	Chainage		Length(m)	Remarks
	From km.	To Km.		
1	158350	158538	188	
		Total	188	

13.2 R R masonry / CC Breast Wall :- The provision of Breast wall including slope protection measures are:

Sl.No	CHAINAGE		Length (m)	Remarks
	From	To		
1	153140	153390	500	BHS
2	155840	156300	920	BHS
3	159130	159350	220	
4	162560	162730	170	
5	162770	162845	75	
6	163050	163270	220	
7	165200	165500	300	
		Total	2405	

13.3 Retaining Wall : The Provision of Retaining wall including slope protection measures are:

Sl.No	CHAINAGE		Length (m)	Remarks
	From	To		
1	154890	154910	20	

2	155100	155140	40	
3	156220	156280	60	
4	156490	156530	40	
5	157990	158080	90	
6	159460	159470	10	
7	159550	159560	10	
8	159840	159860	20	
9	160280	160360	80	
10	161130	161170	40	
11	161300	161360	60	
12	162570	162600	30	
13	162780	162800	20	
14	162925	162950	25	
15	164180	164200	20	
16	164200	164220	20	
17	164270	164305	35	
18	164415	164470	55	
19	165330	165400	70	
20	165550	165565	15	
21	165595	165640	45	
22	165680	165730	50	
23	165800	165850	50	
24	165930	165970	40	
Total			945	

14. Slope Protection Measures

The location must be carefully analyzed for providing suitable measures in consultation with Authority's Engineer and accordingly get the scope of work approved for this item.

15. Metal Beam Crash Barrier / Parapet wall with Cement Concrete block:

The parapet wall shall be provided on valley edge in complete length minus built up length, bridge span etc. Minimum length of parapet shall be 7362 m. The design of parapet shall be as per IRC SP48:1998.

16. SPECIAL REQUIREMENT FOR HILL ROADS

All special features shall be provided as per Manual.

The side slope shall be protected by using suitable slope protection measures all along the highway on Hill side and valley side as per Cross Sections. Contractor shall identify areas and provide the suitable protection measures to stabilize all the landslide zones. A report on the landslide zones shall be furnished along with the design for the review of the Authority Engineer.

17. UTILITIES

Provision of accommodating utilities shall be made both over as well as underground wherever required.

18. Change of Scope

The length of Structures and bridges specified here in above shall be treated as an approximate assessment. The actual lengths as required on the basis of detailed investigations shall be determined by the Contractor in accordance with the Specifications and Standards. Any variations in the lengths specified in this Schedule- B shall not constitute a Change of Scope save and except any variations in the length arising out of a Change of Scope expressly undertaken in accordance with the provisions of Article 13.

(Schedule-B1)

1. The shifting of utilities and felling of trees shall be carried out by the concerned department. The cost of the same shall be borne by the concerned department.

SCHEDULE - C

(See Clause 2.1)

PROJECT FACILITIES

1 Project Facilities

The Contractor shall construct the Project Facilities in accordance with the provisions of this Agreement. Such Project Facilities shall include:

- a) Toll plaza [s];
- b) Roadside furniture;
- c) Pedestrian facilities;
- d) Tree plantation;
- e) Truck lay-bays;
- f) Bus-bays and bus shelters;
- g) Rest areas; and
- h) Others to be specified

2 Description of Project Facilities

- a) **Toll Plaza:** The detail of Toll plaza proposed on Project road section is:

SI. No.	Existing Chainage (Km)	Design Chainage (Km)	Remarks
NIL			

*Typical layout of Toll plaza shall be as per fig 10.1 & 10.2 of four lane manual 2014

- b) **Road Side Furniture**

Roadside furniture shall be provided in accordance with the provisions of Section 12 of the manual.

- c) **Pedestrian Facilities**

Pedestrian Facilities in the form of guard rails, footpath, at grade pedestrian crossing etc. shall be provided wherever required as per Four Lane Manual.

- d) **Tree plantation**

Tree plantation shall be done as per section 11 of Manual.

e) **Truck lay-bays**

The locations of proposed truck lay byes are as under:

Sl. No.	Existing Km	Design Km	Side	Remarks
NIL				

f) **Bus-bays and bus shelters**

11nos of Bus bays shall be provided, the location of proposed Bus bays are as under:

Sl. No.	Design Chainage	LHS	RHS	Village Name	Remarks
1	154+330		√		
2	155+400	√	√		
3	156+650	√	√	KIRUPHEMA	
4	158+400	√	√	ZUBZA	
5	160+820	√	√	SECHU ZUBZA	
6	161+600	√	√		
Total Numbers....		11			

g) **Rest areas:**

NIL

h) **Others to be specified:**

NIL

SCHEDULE - D
(See Clause 2.1)

SPECIFICATIONS AND STANDARDS

1. Construction

The Contractor shall comply with the Specifications and Standards set forth in Annex - I of this Schedule - D for construction of the Project Highway.

2. Design Standards

The Project Highway including Project Facilities shall conform to design requirements set out in the following documents:

Two Lane Manual (IRC: SP 73 - 2018) of Specifications and Standards for Two Laning published by IRC and Hill Road Manual IRC SP 48:1998

Annex - I
(Schedule - D)

Specifications and Standards for Construction

1 Specifications and Standards

All materials, works and construction operations shall confirm to the Two Lane Manual (IRC: SP 73 - 2018) of Specifications and Standards for Two Laning (IRC: SP: 73 - 2018), referred as the Two Lane Manual (IRC: SP: 73 - 2018), and MORTH Specifications for Road and Bridge Works, IRC: SP: 48-1998 and IRC 56-2011. Where the specification for a work is not given, Good Industry Practice shall be adopted to the satisfaction of the Authority's Engineer.

2 Deviations from the Specifications and Standards

- 2.1 The terms 'Concessionaire', 'Independent Engineer' and 'Concession Agreement' used in the Two Lane Manual (IRC: SP 73-2018) shall be deemed to be substituted by the terms 'Contractor', 'Authority's Engineer' and 'Agreement' respectively.

Schedule - E

(See Clauses 2.1 and 14.2)

Maintenance Requirements

1. Maintenance Requirements

- (i) The Contractor shall, at all times maintain the Project Highway in accordance with the provisions of this Agreement, Applicable Laws and Applicable Permits.

- (ii) The Contractor shall repair or rectify any Defect or deficiency set forth in Paragraph 2 of this Schedule-E within the time limit specified therein and any failure in this behalf shall constitute non-fulfilment of the Maintenance obligations by the Contractor. Upon occurrence of any breach hereunder, the Authority shall be entitled to effect reduction in monthly lump sum payment as set forth in Clause 14.6 of this Agreement, without prejudice to the rights of the Authority under this Agreement, including Termination thereof.

- (iii) All Materials, works and construction operations shall conform to the MORTH Specifications for Road and Bridge Works, and the relevant IRC publications. Where the specifications for a work are not given, Good Industry Practice shall be adopted.

[Specify all the relevant documents]

2. Repair/rectification of Defects and deficiencies

The obligations of the Contractor in respect of Maintenance Requirements shall include repair and rectification of the Defects and deficiencies specified in Annex - I of this Schedule-E within the time limit set forth therein.

3. Other Defects and deficiencies

In respect of any Defect or deficiency not specified in Annex - I of this Schedule-E, the Authority's Engineer may, in conformity with Good Industry Practice, specify the permissible limit of deviation or deterioration with reference to the Specifications and Standards, and any deviation or deterioration beyond the

permissible limit shall be repaired or rectified by the Contractor within the time limit specified by the Authority's Engineer.

4. Extension of time limit

Notwithstanding anything to the contrary specified in this Schedule-E, if the nature and extent of any Defect or deficiency justifies more time for its repair or rectification than the time specified herein, the Contractor shall be entitled to additional time in conformity with Good Industry Practice. Such additional time shall be determined by the Authority's Engineer and conveyed to the Contractor and the Authority with reasons thereof.

5. Emergency repairs/restoration

Notwithstanding anything to the contrary contained in this Schedule-E, if any Defect, deficiency or deterioration in the Project Highway poses a hazard to safety or risk of damage to property, the Contractor shall promptly take all reasonable measures for eliminating or minimizing such danger.

6. Daily inspection by the Contractor

The Contractor shall, through its engineer, undertake a daily visual inspection of the Project Highway and maintain a record thereof in a register to be kept in such form and manner as the Authority's Engineer may specify. Such record shall be kept in safe custody of the Contractor and shall be open to inspection by the Authority and the Authority's Engineer at any time during office hours.

7. Pre-monsoon inspection / Post-monsoon inspection

The Contractor shall carry out a detailed pre-monsoon inspection of all bridges, culverts and drainage system before [1st June] every year in accordance with the guidelines contained in IRC: SP35. Report of this inspection together with details of proposed maintenance works as required on the basis of this inspection shall be sent to the Authority's Engineer before the [10th June] every year. The Contractor shall complete the required repairs before the onset of the monsoon and send to the Authority's Engineer a compliance report. Post monsoon inspection shall be done by the [30th September] and the inspection report together with details of any damages observed and proposed action to remedy the same shall be sent to the Authority's Engineer.

8. Repairs on account of natural calamities

All damages occurring to the Project Highway on account of a Force Majeure Event or wilful default or neglect of the Authority shall be undertaken by the Authority at its own cost. The Authority may instruct the Contractor to undertake the repairs at the rates agreed between the Parties.

Annex – I

(Schedule-E) Repair/rectification of Defects and deficiencies

The Contractor shall repair and rectify the Defects and deficiencies specified in this Annex-I of Schedule-E within the time limit set forth in the table below.

Table -1: Maintenance Criteria for Pavements:

Asset Type	Performance Parameter	Level of Service (LOS)		Frequency of Inspection	Tools/Equipment	Standards and References for Inspection and Data Analysis	Time limit for Rectification/Repair	Maintenance Specifications
		Desirable	Acceptable					
Flexible Pavement (Pavement of MCW, Service Road, approach)	Potholes	Nil	< 0.1 % of area and subject to limit of 10 mm in depth	Daily	Length Measurement Unit like Scale, Tape, odometer etc.	IRC 82: 2015 and Distress Identification Manual for Long Term Pavement Performance Program, FHWA 2003 (http://www.tfhrc.com/pavement/ltp/reports/03031/)	24-48 hours	MORT&H Specification 3004.2

Asset Type	Performance Parameter	Level of Service (LOS)		Frequency of Inspection	Tools/Equipment	Standards and References for Inspection and Data Analysis	Time limit for Rectification/Repair	Maintenance Specifications
		Desirable	Acceptable					
s of Grade structure, approaches of connecting roads, slip roads, lay byes etc. as applicable)	Cracking	Nil	< 5 % subject to limit of 0.5 sqm for any 50 m length	Daily			7-15 days	MORT&H Specification 3004.3
	Rutting	Nil	< 5 mm	Daily	Straight Edge		15 -30 days	MORT&H Specification 3004.2
	Corrugations and Shoving	Nil	< 0.1 % of area	Daily	Length Measurement Unit like		2-7 days	IRC:82-2015

Asset Type	Performance Parameter	Level of Service (LOS)		Frequency of Inspection	Tools/Equipment	Standards and References for Inspection and Data Analysis	Time limit for Rectification/Repair	Maintenance Specifications
		Desirable	Acceptable					
	Bleeding	Nil	< 1 % of area	Daily	Scale, Tape, odometer etc.		3-7 days	MORT&H Specification 3004.4
	Ravelling / Stripping	Nil	< 1 % of area	Daily			7-15 days	IRC:82-2015 read with IRC SP 81
	Edge Deformation/ Breaking	Nil	< 1 m for any 100 m section and width < 0.1 m at any location, restricte	Daily			7- 15 days	IRC:82-2015

Asset Type	Performance Parameter	Level of Service (LOS)		Frequency of Inspection	Tools/Equipment	Standards and References for Inspection and Data Analysis	Time limit for Rectification/Repair	Maintenance Specifications
		Desirable	Acceptable					
			ed to 30 cm from the edge					
	Roughness BI	2000 mm/km	2400 mm/km	Bi-Annually	Class I Profilometer	Class I Profilometer : ASTM E950 (98) :2004 –Standard Test Method for measuring Longitudinal Profile of Travelled Surfaces with Accelerometer Established Inertial Profiling Reference ASTM E1656 -94: 2000- Standard Guide for Classification of Automatic Pavement Condition Survey Equipment	180 days	IRC:82-2015
	Skid Number	60SN	50SN	Bi-Annually	SCRIM (Sideway-force Coefficient Routine Investigation Machine or equivalent)		180 days	BS: 7941-1:2006
	Pavement Condition Index	3	2.1	Bi-Annually			180 days	IRC:82-2015

Asset Type	Performance Parameter	Level of Service (LOS)		Frequency of Inspection	Tools/Equipment	Standards and References for Inspection and Data Analysis	Time limit for Rectification/Repair	Maintenance Specifications
		Desirable	Acceptable					
	Other Pavement Distresses			Bi-Annually			2-7 days	IRC:82-2015
	Deflection/Remaining Life			Annually	Falling Weight Deflectometer	IRC 115: 2014	180 days	IRC:115-2014
	Rigid Pavement (Pavement of MCW, Service Road, Grade structure,	Roughness BI	2200m m/km	2400mm /km	Bi-Annually	Class I Profilometer	ASTM E950 (98) :2004 and ASTM E1656 -94: 2000	180 days
	Skid	Skid Resistance no. at different speed of vehicles		Bi-Annually	SCRIM (Sideway-force	IRC:SP:83-2008	180 days	IRC:SP:83-2008

Asset Type	Performance Parameter	Level of Service (LOS)		Frequency of Inspection	Tools/Equipment	Standards and References for Inspection and Data Analysis	Time limit for Rectification/Repair	Maintenance Specifications
		Desirable	Acceptable					
approaches of connecting roads, slip roads, lay byes etc. as applicable)		Minimum SN	Traffic Speed (Km/h)		Coefficient Routine Investigation Machine or equivalent)			
		36	50					
		33	65					
		32	80					
		31	95					
		31	110					

Asset Type	Performance Parameter	Level of Service (LOS)		Frequency of Inspection	Tools/Equipment	Standards and References for Inspection and Data Analysis	Time limit for Rectification/Repair	Maintenance Specifications
		Desirable	Acceptable					
Embankment/ Slope	Edge drop at shoulders	Nil	40m m	Daily	Length Measurement Unit like Scale, Tape, odometer etc.	IRC	7-15 days	MORT&H Specification 408.4
	Slope of camber/cross fall	Nil	<2% variation in prescribed slope of camber /cross fall	Daily			7-15 days	MORT&H Specification 408.4
	Embankment Slopes	Nil	<15 % variation in prescribe	Daily			7-15 days	MORT&H Specification 408.4

Asset Type	Performance Parameter	Level of Service (LOS)		Frequency of Inspection	Tools/Equipment	Standards and References for Inspection and Data Analysis	Time limit for Rectification/Repair	Maintenance Specifications
		Desirable	Acceptable					
			side slope					
	Embankment Protection	Nil	Nil	Daily	NA		7-15 days	MORT&H Specification
	Rain Cuts/Gullies in slope	Nil	Nil	Daily Specially During Rainy Season	NA		7-15 days	MORT&H Specification

In addition to the above performance criterion, the contractor shall strictly maintain the rigid pavements as per requirements in the following table Table -

2: Maintenance Criteria for Rigid Pavements:

S.No.	Type of Distress	Measured Parameter	Degree of Severity	Assessment Rating	Repair Action	
					For the case $d < D/2$	For the case $d > D/2$
CRACKING						
1	Single Discrete Cracks Not intersecting with any joint	w = width of crack L = length of crack d = depth of crack D = depth of slab	0	Nil, not discernible	No Action	Not applicable
			1	w < 0.2 mm. hair cracks		
			2	w = 0.2 - 0.5 mm, discernible from slow-moving car	Seal without delay	Seal, and stitch if L > 1m.
			3	w = 0.5 - 1.5 mm, discernible from fast-moving car		

S.No.	Type of Distress	Measured Parameter	Degree of Severity	Assessment Rating	Repair Action	
					For the case $d < D/2$	For the case $d > D/2$
2	Single Transverse (or Diagonal) Crack intersecting with one or more joints	w = width of crack L = length of crack d = depth of crack D = depth of slab	4	w = 1.5 - 3.0 mm	Seal, and stitch if L > 1 m. Within 7 days	Staple or Dowel Bar Retrofit, FDR for affected portion. Within 15days
			5	w > 3 mm.		
			0	Nil, not discernible	No Action	
			1	w < 0.2 mm, hair cracks	Route and seal with epoxy.	Staple or Dowel Bar Retrofit.
			2	w = 0.2 - 0.5 mm, discernible from slow vehicle	Within 7 days	Within 15days
			3	w = 0.5 - 3.0 mm, discernible from fast vehicle	Route, seal and stitch, if L > 1 m. Within 7 days	

S.No.	Type of Distress	Measured Parameter	Degree of Severity	Assessment Rating	Repair Action	
					For the case $d < D/2$	For the case $d > D/2$
			4	$w = 3.0 - 6.0 \text{ mm}$	Dowel Bar Retrofit. Within 15 days	Full Depth Repair Dismantle and reconstruct affected. Portion with norms and specifications - See Para 5.5 & 9.2
			5	$w > 6 \text{ mm}$, usually associated with spalling, and/or slab rocking under traffic	Not Applicable, as it may be full depth	Within 15days
3	Single Longitudinal Crack intersecting with one or more joints	$w = \text{width of crack}$ $L = \text{length of crack}$ $d = \text{depth of crack}$ $D = \text{depth of slab}$	0	Nil, not discernible	No Action	
			1	$w < 0.5 \text{ mm}$, discernable from slow moving vehicle	Seal with epoxy, if $L > 1 \text{ m}$. Within 7 days	Staple or dowel bar retrofit. Within 15days

S.No.	Type of Distress	Measured Parameter	Degree of Severity	Assessment Rating	Repair Action	
					For the case $d < D/2$	For the case $d > D/2$
			2	w = 0.5 - 3.0 mm, discernible from fast vehicle	Route seal and stitch, if L > 1 m. Within 15 days	-
			3	w = 3.0 - 6.0 mm	Staple, if L > 1 m. Within 15 days	Partial Depth Repair with stapling. Within 15 days
			4	w = 6.0 - 12.0 mm, usually associated with spalling	Not Applicable, as it may be full	
			5	w > 12 mm, usually associated with spalling, and/or slab rocking under traffic	depth	Full Depth Repair Dismantle and reconstruct affected portion as per norms and specifications -

S.No.	Type of Distress	Measured Parameter	Degree of Severity	Assessment Rating	Repair Action	
					For the case $d < D/2$	For the case $d > D/2$
						See Para 5.6.4 Within 15 days
4	Multiple Cracks intersecting with one or more joints	w = width of crack	0	Nil, not discernible	No Action	-
			1	w < 0.2 mm, hair cracks	Seal, and stitch if L > 1 m.	
			2	w = 0.2 - 0.5 mm. discernible from slow vehicle	Within 15 days	
			3	w = 0.5 - 3.0 mm, discernible from fast vehicle	Full depth repair within 15 days	
			4	w = 3.0 - 6.0 mm panel broken into 2 or 3 pieces		
			5	w > 6 mm and/or panel broken		
					Dismantle, Reinstatement subbase, Reconstruct whole slab as per specifications within 30 days	

S.No.	Type of Distress	Measured Parameter	Degree of Severity	Assessment Rating	Repair Action	
					For the case $d < D/2$	For the case $d > D/2$
				into more than 4 pieces		
5	Corner Break	w = width of crack L = length of crack	0	Nil, not discernible	No Action	-
			1	w < 0.5 mm; only 1 corner broken	Seal with low viscosity epoxy to secure broken parts	Seal with epoxy seal with epoxy
			2	w < 1.5 mm; L < 0.6 m, only one corner broken	Within 7 days	Within 7 days
			3	w < 1.5 mm; L < 0.6 m, two corners broken	Partial Depth (Refer Figure 8.3 of IRC:SP: 83-2008)	Full depth repair
			4	w > 1.5 mm; L > 0.6 m or three corners broken		
			5	ree or four corners broken		
					Reinstate sub-base, and reconstruct the	

S.No.	Type of Distress	Measured Parameter	Degree of Severity	Assessment Rating	Repair Action	
					For the case $d < D/2$	For the case $d > D/2$
						slab as per norms and specifications within 30days
6	Punchout (Applicable to Continuous Reinforced Concrete Pavement (CRCP) only)	w = width of crack L = length (m/m ²)	0	Nil, not discernible		No Action
			1	$w < 0.5 \text{ mm}; L < 3 \text{ m/m}^2$	Not Applicable, as it may be full depth	Seal with low viscosity epoxy to secure broken parts. Within 15days
			2	either $w > 0.5 \text{ mm}$ or $L < 3 \text{ m/m}^2$		
			3	$w > 1.5 \text{ mm}$ and $L < 3 \text{ m/m}^2$		
			4	$w > 3 \text{ mm}, L < 3 \text{ m/m}^2$ and deformation		
			5	$w > 3 \text{ mm}, L > 3 \text{ m/m}^2$ and deformation		
					Full depth repair - Cut out and replace damaged area taking care not to damage reinforcement. Within 30days	

S.No.	Type of Distress	Measured Parameter	Degree of Severity	Assessment Rating	Repair Action	
					For the case $d < D/2$	For the case $d > D/2$
Surface Defects						
7	Ravelling Honeycomb surface	$r = \frac{\text{area damaged or surface}}{\text{total surface of slab}} (\%)$ $h = \text{maximum depth of damage}$	0	Nil, not discernible	Short Term	Long Term
					No action.	Not Applicable
			1	$r < 2 \%$	Local repair of areas damaged	
			2	$r = 2 - 10 \%$	and liable to be damaged. Within 15 days	
			3	$r = 10-25\%$	Bonded Inlay, 2 or 3 slabs if	
4	$r = 25 - 50 \%$	affecting.				

S.No.	Type of Distress	Measured Parameter	Degree of Severity	Assessment Rating	Repair Action	
					For the case $d < D/2$	For the case $d > D/2$
					Within 30 days	
			5	$r > 50\%$ and $h > 25$ mm	Reconstruct slabs, 4 or more slabs if affecting. Within 30 days	
8	Scaling	r = damaged surface/total surface of slab (%) h = maximum depth of damage	0	Nil, not discernible	Short Term No action.	Long Term
			1	$r < 2\%$	Local repair of areas damaged and liable to be damaged.	Not Applicable
			2	$r = 2 - 10\%$	Within 7days	

S.No.	Type of Distress	Measured Parameter	Degree of Severity	Assessment Rating	Repair Action	
					For the case $d < D/2$	For the case $d > D/2$
			3	$r = 10 - 20\%$	Bonded Inlay within 15 days	
			4	$r = 20 - 30 \%$		
			5	$r > 30 \%$ and $h > 25 \text{ mm}$	Reconstruct slab within 30 days	
			0		No action.	
			1	$t > 1 \text{ mm}$		
9	Polished Surface/Glazing	$t = \text{texture depth, sand patch test}$	2'	$t = 1 - 0.6 \text{ mm}$	Monitor rate of deterioration	Not Applicable
			3	$t = 0.6 - 0.3 \text{ mm}$		
			4	$t = 0.3 - 0.1 \text{ mm}$		

S.No.	Type of Distress	Measured Parameter	Degree of Severity	Assessment Rating	Repair Action	
					For the case $d < D/2$	For the case $d > D/2$
			5	$t < 0.1 \text{ mm}$	Diamond Grinding if affecting 50% or more slabs in a continuous stretch of minimum 5 km. Within 30 days	
10	Popout (Small Hole) , Pothole Refer Para 8.4	n = number/m ² d = diameter h = maximum depth	0	$d < 50 \text{ mm}; h < 25 \text{ mm}; n < 1 \text{ per } 5 \text{ m}^2$	No action.	Not Applicable
			1	$d = 50 - 100 \text{ mm}; h < 50 \text{ mm}; n < 1 \text{ per } 5 \text{ m}^2$	Partial depth repair 65 mm deep.	
			2	$d = 50 - 100 \text{ mm}; h > 50 \text{ mm}; n < 1 \text{ per } 5 \text{ m}^2$	Within 15 days	

S.No.	Type of Distress	Measured Parameter	Degree of Severity	Assessment Rating	Repair Action	
					For the case $d < D/2$	For the case $d > D/2$
			3	$d = 100 - 300 \text{ mm}; h < 100 \text{ mm}$ $n < 1$ per 5 m^2	Partial depth repair 110mm	
			4	$d = 100 - 300 \text{ mm}; h > 100 \text{ mm}; n < 1$ per 5 m^2	i.e.10 mm more than the depth of the hole. Within 30 days	
			5	$d > 300 \text{ mm}; h > 100 \text{ mm}; n > 1$ per 5 m^2	Full depth repair. Within 30 days	

Joint Defects							
11	Joint Seal Defects	loss or damage L = Length as % total joint length	0	Difficult to discern.	Short Term	Long Term	
					No action.	Clean joint, inspect later.	Not Applicable
			1	Discernible, L < 25% but of little immediate consequence with regard to ingress of water or trapping incompressible material.			
3	Notable. L > 25% insufficient protection against ingress of water and trapping incompressible material.	Clean and reapply sealant in selected locations. Within 7 days					

			5	Severe; $w > 3$ mm negligible protection against ingress of water	Clean, widen and reseal the joint. Within 7 days
--	--	--	---	---	---

				and trapping incompressible material.		
12	Spalling of Joints	w = width on either side of the joint L = length of spalled portion (as % joint length)	0	Nil, not discernible	No action.	Not Applicable
			1	w < 10 mm	Apply low viscosity epoxy resin/ mortar in cracked portion.	
			2	w = 10 - 20 mm, L < 25%	Within 7 days	
			3	w = 20 - 40 mm, L > 25%	Partial Depth Repair. Within 15 days	
			4	w = 40 - 80 mm, L > 25%	30 - 50 mm deep, h = w + 20% of w, within 30 days	
			5	w > 80 mm, and L > 25%	50 - 100 mm deep repair. H = w + 20% of w. Within 30 days	
13	Faulting (or Stepping)	f = difference of level	0	not discernible, < 1 mm	No action.	No action.

	in Cracks or Joints		1	$f < 3 \text{ mm}$		
			2	$f = 3 - 6 \text{ mm}$	Determine cause and observe, take action for diamond grinding	Replace the slab as appropriate. Within 30days
			3	$f = 6 - 12 \text{ mm}$	Diamond Grinding	
			4	$f = 12 - 18 \text{ mm}$	Raise sunken slab.	Replace the slab as appropriate. Within 30days
			5	$f > 18 \text{ mm}$	Strengthen subgrade and sub-base by grouting and raising sunken slab	
14	Blowup or Buckling	h = vertical displacement from normal profile	0	Nil, not discernible	Short Term	Long Term
			1	$h < 6 \text{ mm}$	No Action	
			2	$h = 6 - 12 \text{ mm}$		

			3	h = 12 - 25 mm	within 7 days	
			4	h > 25 mm	Full Depth Repair. Within 30 days	
			5	shattered slabs, ie 4 or more pieces	Replace broken slabs. Within 30 days	
15	Depression	h = negative vertical displacement from normal profile L =length	0	Not discernible, h < 5 mm	No action.	Not Applicable
			1	h = 5 - 15 mm		
			2	h = 15-30 mm, Nos <20% joints	Install Signs to Warn Traffic within 7 days	
			3	h = 30 - 50 mm		
			4	h > 50 mm or > 20% joints	Strengthen subgrade. Reinstate pavement at normal level	

			5	$h > 100$ mm	if $L < 20$ m. Within 30 days	
16	Heave	h = positive vertical displacement from normal profile. L = length	0	Not discernible. $h < 5$ mm	Short Term	Long Term
					No action.	scrabble
			1	$h = 5 - 15$ mm	Follow up.	
			2	$h = 15 - 30$ mm, Nos $< 20\%$ joints	Install Signs to Warn Traffic within 7 days	
			3	$h = 30 - 50$ mm		
			4	$h > 50$ mm or $> 20\%$ joints	Stabilise subgrade. Reinstate pavement at normal level if length < 20 m. Within 30 days	
			5	$h > 100$ mm		
17	Bump	h = vertical	0	$h < 4$ mm	No action	

		displacement from normal profile	1	$h = 4 - 7 \text{ mm}$	Grind, in case of new construction within 7 days	Construction Limit for New Construction.
			3	$h = 7 - 15 \text{ mm}$	Grind, in case of ongoing Maintenance within 15 days	Replace in case of new construction. Within 30days
			5	$h > 15 \text{ mm}$	Full Depth Repair. Within 30 days	Full Depth Repair. Within 30days
18	Lane Shoulder Dropoff	to f = difference of level	0	Nil, not discernible	Short Term	Long Term
				< 3mm	No action.	
			1	$f = 3 - 10 \text{ mm}$	Spot repair of shoulder	
			2	$f = 10 - 25 \text{ mm}$	within 7 days	
			3	$f = 25 - 50 \text{ mm}$	Fill up shoulder	

			4	f = 50 - 75 mm	within 7 dayss	For any 100 m stretch Reconstruct shoulder, if affecting 25% or more of stretch. Within 30days
			5	f > 75 mm		

Drainage

19	Pumping	quantity of fines and water expelled through open joints and cracks Nos	0	not discernible	No Action	Inspect and repair sub-drainage at distressed sections and upstream.
			1 to 2	slight/ occasional Nos < 10%	Repair cracks and joints Without delay.	
			3 to 4	appreciable/ Frequent 10 - 25%	Lift or jack slab within 30 days.	
		Nos/100 m stretch	5	abundant, crack development > 25%	Repair distressed pavement sections. Strengthen subgrade and subbase. Replace slab. Within 30 days	

20	Ponding	Ponding on slabs due to blockage of drains	0-2	No discernible problem	No action.	
			3 to 4	Blockages observed in drains, but water flowing	Clean drains etc within 7 days, Follow up	Action required to stop water damaging foundation within 30 days.
			5	Ponding, accumulation of water observed	-do-	

Table -3: Maintenance Criteria for Safety Related Items and Other Furniture Items:

Asset Type	Performance Parameter	Level of Service (LOS)			Frequency of Measurement	Testing Method	Recommended Remedial measures	Time limit for Rectification	Specifications and Standards
Highway	Availability of Safe Sight Distance	As per IRC SP :84-2014, a minimum of safe stopping sight distance shall be available throughout.			Monthly	Manual Measurements with Odometer along with video/ image backup	Removal of obstruction within 24 hours, in case of sight line affected by temporary objects such as trees, temporary encroachments. In case of permanent structure or design deficiency: Removal of obstruction/improvement of deficiency at the earliest Speed Restriction boards and suitable traffic calming measures such as transverse bar marking, blinkers, etc. shall be applied during the period of rectification.		IRC:SP 84-2014
		Design Speed, kmph	Desirable Minimum Sight Distance (m)	Safe Stopping Sight Distance (m)					
		100	360	180					
		80	260	130					
Pavement Marking	Wear	<70% of marking remaining			Bi-Annually	Visual Assessment as per Annexure-F of IRC:35-2015	Re - painting	Cat-1 Defect - within 24 hours Cat-2 Defect - within 2 months	IRC:35-2015

Asset Type	Performance Parameter	Level of Service (LOS)	Frequency of Measurement	Testing Method	Recommended Remedial measures	Time limit for Rectification	Specifications and Standards										
	Day time Visibility	During expected life Service Time Cement Road - 130mcd/m ² /lux Bituminous Road - 100mcd/m ² /lux	Monthly	As per Annexure-D of IRC:35-2015	Re - painting	Cat-1 Defect - within 24 hours Cat-2 Defect - within 2 months	IRC:35-2015										
	Night Time Visibility	<p><u>Initial and Minimum Performance for Dry Retro reflectivity during night time:</u></p> <table border="1"> <thead> <tr> <th>Design Speed</th> <th>(RL) Retro Reflectivity (mcd/m²/lux)</th> </tr> </thead> <tbody> <tr> <td></td> <td>Initial (7 days) Minimum Threshold level (TL) & warranty period required up to 2 years</td> </tr> <tr> <td>Up to 65</td> <td>200 80</td> </tr> <tr> <td>65 - 100</td> <td>250 120</td> </tr> <tr> <td>Above 100</td> <td>350 150</td> </tr> </tbody> </table> <p><u>Initial and Minimum Performance for Night Visibility under wet condition (Retro reflectivity):</u></p>	Design Speed	(RL) Retro Reflectivity (mcd/m ² /lux)		Initial (7 days) Minimum Threshold level (TL) & warranty period required up to 2 years	Up to 65	200 80	65 - 100	250 120	Above 100	350 150	Bi-Annually	As per Annexure-E of IRC:35-2015	Re - painting	Cat-1 Defect - within 24 hours Cat-2 Defect - within 2 months	IRC:35-2015
Design Speed	(RL) Retro Reflectivity (mcd/m ² /lux)																
	Initial (7 days) Minimum Threshold level (TL) & warranty period required up to 2 years																
Up to 65	200 80																
65 - 100	250 120																
Above 100	350 150																

Asset Type	Performance Parameter	Level of Service (LOS)	Frequency of Measurement	Testing Method	Recommended Remedial measures	Time limit for Rectification	Specifications and Standards
		Initial 7 days Retro reflectivity: 100 mcd/m ² /lux Minimum Threshold Level: 50 mcd/m ² /lux					
	Skid Resistance	Initial and Minimum performance for Skid Resistance: Initial (7days): 55BPN Min. Threshold: 44BPN *Note: shall be considered under urban/city traffic condition encompassing the locations like pedestrian crossings, bus bay, bus stop, cycle track intersection delineation, transverse bar markings etc	Bi-Annually	As per Annexure-G of IRC:35-2015		Within 24 hours	IRC:35-2015
Road Signs	Shape and Position	Shape and Position as per IRC:67-2012. Signboard should be clearly visible for the design speed of the section.	Daily	Visual with video/image backup	Improvement of shape, in case if shape is damaged. Relocation as per requirement	48 hours in case of Mandatory Signs, Cautionary and Informatory Signs (Single and Dual post signs) 15 Days in case of Gantry/Cantilever Sign boards	IRC:67-2012
	Retro reflectivity	As per specifications in IRC:67-2012	Bi-Annually	Testing of each	change of signboard	48 hours in case of Mandatory	RC:67-2012

Asset Type	Performance Parameter	Level of Service (LOS)	Frequency of Measurement	Testing Method	Recommended Remedial measures	Time limit for Rectification	Specifications and Standards
				signboard using Retro Reflectivity Measuring Device. In accordance with ASTM D 4956-09.		Signs, Cautionary and Informatory Signs (Single and Dual post signs) 1 Month in case of Gantry/Cantilever Sign boards	
Kerb	Kerb Height	As per IRC 86:1983 depending upon type of Kerb	Bi-Annually	Use of distance measuring tape	Raising Kerb Height	Within 1 Month	RC 86:1983
	Kerb Painting	<u>Functionality:</u> Functioning of Kerb painting as intended	Daily	Visual with video/image backup	Kerb Repainting	Within 7-days	RC 35:2015
Other Road Furniture	Reflective Pavement Markers (Road Studs)	Numbers and Functionality as per specifications in IRC:SP:84-2014 and IRC:35-2015, unless specified in Schedule-B.	Daily	Counting	New Installation	Within 2 months	IRC:SP:84-2014, IRC:35-2015
	Pedestrian Guardrail	<u>Functionality:</u> Functioning of guardrail as intended	Daily	Visual with video/image backup	Rectification	Within 15 days	IRC:SP:84-2014
	Traffic Safety Barriers	<u>Functionality:</u> Functioning of Safety Barriers as intended	Daily	Visual with video/image backup	Rectification	Within 7 days	IRC:SP:84-2014, IRC:119-2015
	End Treatment of	<u>Functionality:</u> Functioning of End Treatment as intended	Daily	Visual with video/image	Rectification	Within 7 days	IRC:SP:84-2014,

Asset Type	Performance Parameter	Level of Service (LOS)	Frequency of Measurement	Testing Method	Recommended Remedial measures	Time limit for Rectification	Specifications and Standards
	Traffic Safety Barriers			backup			IRC:119-2015
	Attenuators	Functionality: _____ Functioning of Attenuators as intended	Daily	Visual with video/image backup	Rectification	Within 7 days	IRC:SP-2014, IRC:119-2015
	Guard Posts and Delineators	Functionality: Functioning of Guard Posts and Delineators as intended	Daily	Visual with video/image backup	Rectification	Within 15 days	IRC: 79 - 1981
	Overhead Sign Structure	Overhead sign structure shall be structurally adequate	Daily	Visual with video/image backup	Rectification	Within 15 days	IRC:67-2012
	Traffic Blinkers	Functionality: Functioning of Traffic Blinkers as intended	Daily	Visual with video/image backup	Rectification	Within 7 days	IRC:SP:84-2014
Highway Lighting System	Highway Lights	Illumination: Minimum 40 Lux illumination on the road surface	Daily	The illumination level shall be measured with luxmeter	Improvement in Lighting System	24 hours	IRC:SP:84-2014
		No major failure in the lighting system	Daily	-	Rectification of failure	24 hours	IRC:SP:84-2014
		No minor failure in the lighting system	Monthly	-	Rectification of failure	8 hours	IRC:SP:84-2014
	Toll Plaza Canopy Lights	Minimum 40 Lux illumination on the road surface	Daily	The illumination level shall be measured with luxmeter	Improvement in Lighting System	24 hours	IRC:SP:84-2014
		No major/minor failure in the lighting system	Daily	-	Rectification of failure	8 hours	IRC:SP:84-2014

Asset Type	Performance Parameter	Level of Service (LOS)	Frequency of Measurement	Testing Method	Recommended Remedial measures	Time limit for Rectification	Specifications and Standards
Trees and Plantation including median plantation	Obstruction in a minimum head-room of 5.5 m above carriageway or obstruction in visibility of road signs	No obstruction due to trees	Monthly	Visual with video/image backup	Removal of trees	Immediate	IRC:SP:84-2014
	Deterioration in health of trees and bushes	Health of plantation shall be as per requirement of specifications & instructions issued by Authority from time to time	Daily	Visual with video/image backup	Timely watering and treatment. Or Replacement of Trees and Bushes.	Within 90 days	IRC:SP:84-2014
	Vegetation affecting sight line and road structures	Sight line shall be free from obstruction by vegetation	Daily	Visual with video/image backup	Removal of Trees	Immediate	IRC:SP 84-2014
Rest Areas	Cleaning of toilets	-	Daily	-	-	Every 4 hours	
	Defects in electrical, water and sanitary installations	-	Daily	-	Rectification	24 hours	

Asset Type	Performance Parameter	Level of Service (LOS)	Frequency of Measurement	Testing Method	Recommended Remedial measures	Time limit for Rectification	Specifications and Standards
Other Project Facilities and Approach roads	Damage or deterioration in Approach Roads, pedestrian facilities, truck lay-bys, bus-bays, bus-shelters, cattle crossings, Traffic Aid Posts, Medical Aid Posts and other works		Daily	-	Rectification	15 days	IRC:SP 84-2014

Asset Type	Performance Parameter	Level of Service (LOS)	Frequency of Measurement	Testing Method	Recommended Remedial measures	Time limit for Rectification	Specifications and Standards
Pipe/box/slab culverts	Free waterway/unobstructed flow section	85% of culvert normal flow area to available.	2 times in a year (before and after rainy season)	Inspection by Bridge Engineer as per IRC SP: 35-1990 and recording of depth of silting and area of vegetation.	Cleaning silt up soils and debris in culvert barrel after rainy season, removal of bushes and vegetation, U/s of barrel, under barrel and D/s of barrel before rainy season.	15 days before onset of monsoon and within 30 days after end of rainy season.	IRC 5-2015, IRC SP:40-1993 and IRC SP:13-2004
	Leak-proof expansion joints if any	No leakage through expansion joints	Bi-Annually	Physical inspection of expansion joints as per IRC SP: 35-1990 if any, for leakage strains on walls at joints.	Fixing with sealant suitably	30 days or before onset of rains whichever comes earlier	IRC SP:40-1993 and IRC SP:69-2011
	Structurally sound	Spalling of concrete not more than 0.25 sqm	Bi-Annually	Detailed inspection of all components of culvert as per IRC SP:35-1990 and recording the defects	Repairs to spalling, cracking, delamination, rusting shall be followed as per IRC:SP:40-1993.	15 days	IRC SP 40-1993 and MORTH Specifications clause 2800
		Delamination of concrete not more than 0.25 sq.m.					
Cracks wider than 0.3 mm not more than 1m aggregate length							

	Protection works in good condition	Damaged of rough stone apron or bank revetment not more than 3 sqm, damage to solid apron (concrete apron) not more than 1 sqm	2 times in a year (before and after rainy season)	Condition survey as per IRC SP:35-1990	Repairs to damaged aprons and pitching	30 days after defect observation or 2 weeks before onset of rainy season whichever is earlier.	IRC: SP 40-1993 and IRC:SP:13-2004.
Bridges including ROBs Flyover etc. as applicable	Riding quality or user comfort	No pothole in wearing coat on bridge deck	Daily	Visual inspection as per IRC SP:35-1990	Repairs to BC or wearing coat	15 days	MORT&H Specification 2811
Bridge -Super Structure	Bumps	No bump at expansion joint	Daily	Visual inspection as per IRC SP:35-1990	Repairs to BC on either side of expansion joints, profile correction course on approach slab in case of settlement to approach embankment	15 days	MORT&H Specification 3004.2 & 2811.
	User safety (condition of crash barrier and guard rail)	No damaged or missing stretch of crash barrier or pedestrian hand railing	Daily	Visual inspection and detailed condition survey as per IRC SP: 35-1990.	Repairs and replacement of safety barriers as the case may be	3days	IRC: 5-1998, IRC SP: 84-2014 and IRC SP: 40-1993.

Rusted reinforcement	Not more than 0.25 sq.m	Bi-Annually	Detailed condition survey as per IRC SP: 35-1990 using Mobile Bridge Inspection Unit	All the corroded reinforcement shall need to be thoroughly cleaned from rusting and applied with anti-corrosive coating before carrying out the repairs to affected concrete portion with epoxy mortar / concrete.	15 days	IRC SP: 40-1993 and MORTH Specification 1600.
Spalling of concrete	Not more than 0.50 sq.m					
Delamination	Not more than 0.50 sq.m					
Cracks wider than 0.30 mm	Not more than 1m total length	Bi-Annually	Detailed condition survey as per IRC SP: 35-1990 using Mobile Bridge Inspection Unit	Grouting with epoxy mortar, investigating causes for cracks development and carry out necessary rehabilitation.	48 Hours	IRC SP: 40-1993 and MORTH Specification 2800.
Rainwater seepage through deck slab	Leakage - nil	Quarterly	Detailed condition survey as per IRC SP: 35-1990 using Mobile Bridge Inspection Unit	Grouting of deck slab at leakage areas, waterproofing, repairs to drainage spouts	1 months	MORTH specifications 2600 & 2700.
Deflection due to permanent loads and	Within design limits.	Once in every 10 years for spans more	Load test method	Carry out major rehabilitation works on bridge to retain original design loads capacity	6 months	IRC SP: 51-1999.

live loads		than 40 m				
Vibrations in bridge deck due to moving trucks	Frequency of vibrations shall not be more than 5 Hz	Once in every 5 years for spans more than 30m and every 10 years for spans between 15 to 30 m	Laser displacement sensors or laser vibro-meters	Strengthening of super structure	4 months	AASHTO LRFD specifications
Leakage in Expansion joints	No damage to elastomeric sealant compound in strip seal expansion joint, no leakage of rain water through expansion joint in case of buried and asphalt plug and copper strip joint.	Bi-Annually	Detailed condition survey as per IRC SP:35-1990 using Mobile Bridge Inspection Unit	Replace of seal in expansion joint	15 days	MORTH specifications 2600 and IRC SP: 40-1993.
Debris and dust in strip seal	No dust or debris in expansion joint	Monthly	Detailed condition survey as per IRC SP:35-1990 using	Cleaning of expansion joint gaps thoroughly	3 days	MORTH specifications 2600 and

	expansion joint	gap.		Mobile Bridge Inspection Unit			IRC SP: 40-1993.
	Drainage spouts	No down take pipe missing/broken below soffit of the deck slab. No silt, debris, clogging of drainage spout collection chamber.	Monthly	Detailed condition survey as per IRC SP: 35-1990 using Mobile Bridge Inspection Unit	Cleaning of drainage spouts thoroughly. Replacement of missing/broken down take pipes with a minimum pipe extension of 500mm below soffit of slab. Providing sealant around the drainage spout if any leakages observed.	3 days	MORTH specification 2700.
Bridge-substructure	Cracks/spalling of concrete/rusted steel	No cracks, spalling of concrete and rusted steel	Bi-Annually	Detailed condition survey as per IRC SP: 35-1990 using Mobile Bridge Inspection Unit	All the corroded reinforcement shall need to be thoroughly cleaned from rusting and applied with anti-corrosive coating before carrying out repairs to substructure by grouting/guniting and micro concreting depending on type of defect noticed	30 days	IRC SP: 40-1993 and MORTH specification 2800.

	Bearings	Delamination of bearing reinforcement not more than 5%, cracking or tearing of rubber not more than 2 locations per side, no rupture of reinforcement or rubber	Bi-Annually	Detailed condition survey as per IRC SP: 35-1990 using Mobile Bridge Inspection Unit	In case of failure of even one bearing on any pier/abutment, all the bearings on that pier/abutment shall be replaced, in order to get uniform load transfer on to bearings.	3 months	MORTH specification 2810 and IRC SP: 40-199.
Bridge Foundations	Scouring around foundations	Scouring shall not be lower than maximum scour level for the bridge	Bi-Annually	Condition survey and visual inspection as per IRC SP:35-1990 using Mobile Bridge Inspection Unit. In case of doubt, use Underwater camera for inspection of deep wells in major Rivers.	Suitable protection works around pier/abutment	1 month	IRC SP: 40-1993, IRC 83-2014, MORTH specification 2500
	Protection works in good condition	Damaged of rough stone apron or bank revetment not more than 3	2 times in a year (before and after rainy season)	Condition survey as per IRC SP:35-1990	Repairs to damaged aprons and pitching.	30 days after defect observation or 2	IRC: SP 40-1993 and IRC:SP:13-2004.

		sq.m, damage to solid apron (concrete apron) not more than 1 sq.m				weeks before onset of rainy season whichever is earlier.	
<p>Note: Any Structure during the entire contract period which is found that does not complies with all requirements of this Table will be prepared, rehabilitated or even reconstructed under the scope of the contractor.</p>							

Table 4: Maintenance Criteria for Structures and Culverts:

Table 5: Maintenance Criteria for Hill Roads

In addition to above, for hill roads the following provisions for maintenance is also to done.

Hill Roads		
(i)	Damage to Retaining wall/ Breast wall	7 (Seven) days
(ii)	Landslides requiring clearance	12 (Twelve) hours
(iii)	Snow requiring clearance	24 (Twenty Four) hours

Note: For all tables 1 to 5 above, latest BIS & IRC standards (even those not indicated herewith) along with MoRTH specifications shall be binding for all maintenance activities.

A. Flexible Pavement

Nature of Defect or deficiency	Time limit for repair/rectification
(b) Granular earth shoulders, side slopes, drains and culverts	
(i)	Variation by more than 1 % in the prescribed slope of camber/cross fall (shall not be less than the camber on the main carriageway) 7 (seven) days
(ii)	Edge drop at shoulders exceeding 40 mm 7 (seven) days
(iii)	Variation by more than 15% in the prescribed side (embankment) slopes 30 (thirty) days
(iv)	Rain cuts/gullies in slope 7 (seven) days
(v)	Damage to or silting of culverts and side drains 7 (seven) days
(vi)	Desilting of drains in urban/semi- urban areas 24 (twenty four) hours
(vii)	Railing, parapets, crash barriers 7 (seven) days (Restore immediately if causing safety hazard)
(c) Road side furniture including road sign and pavement marking	
(i)	Damage to shape or position, poor visibility or loss of retro- reflectivity 48 (forty eight) hours
(ii)	Painting of km stone, railing, parapets, crash barriers As and when required/ Once every year
(iii)	Damaged/missing signs road requiring replacement 7 (seven) days
(iv)	Damage to road mark ups 7 (seven) days
(d) Road lighting	
(i)	Any major failure of the system 24 (twenty four) hours
(ii)	Faults and minor failures 8 (eight) hours
(e) Trees and plantation	

Nature of Defect or deficiency		Time limit for repair/ rectification
(i)	Obstruction in a minimum head- room of 5 m above carriageway or obstruction in visibility of road signs	24 (twenty four)hours
(ii)	Removal of fallen trees from carriageway	4 (four) hours
(iii)	Deterioration in health of trees and bushes	Timely watering and treatment
(iv)	Trees and bushes requiring replacement	30 (thirty) days
(v)	Removal of vegetation affecting sight line and road structures	15 (fifteen) days
(f) Rest area		
(i)	Cleaning of toilets	Every 4 (four) hours
(ii)	Defects in electrical, water and sanitary installations	24 (twenty four) hours
(g) [Toll Plaza]		
(h)	Other Project Facilities and Approach roads	
(i)	Damage in approach roads, pedestrian facilities, truck lay- byes, bus-bays, bus-shelters, cattle crossings, [Traffic Aid Posts, Medical Aid Posts] and service roads	15 (fifteen) days
(ii)	Damaged vehicles or debris on the road	4 (four) hours
(iii)	Malfunctioning of the mobile crane	4 (four) hours
Bridges		
(a) Superstructure		
(i)	Any damage, cracks, spalling/ scaling Temporary measures Permanent measures	within 48 (forty eight) hours within 15 (fifteen) days or as specified by the Authority's Engineer
(b) Foundations		

Nature of Defect or deficiency		Time limit for repair/ rectification
(i)	Scouring and/or cavitation	15 (fifteen) days
(c) Piers, abutments, return walls and wing walls		
(i)	Cracks and damages including settlement and tilting, spalling, scaling	30 (thirty) days
(d) Bearings (metallic) of bridges		
(i)	Deformation, damages, tilting or shifting of bearings	15 (fifteen) days Greasing of metallic bearings once in a year
(e) Joints		
(i)	Malfunctioning of joints	15 (fifteen) days
(f) Other items		
(i)	Deforming of pads in elastomeric bearings	7 (seven) days
(ii)	Gathering of dirt in bearings and joints; or clogging of spouts, weep holes and vent-holes	3 (three) days
(iii)	Damage or deterioration in kerbs, parapets, handrails and crash barriers	3 (three) days (immediately within 24 hours if posing danger to safety)
(iv)	Rain-cuts or erosion of banks of the side slopes of approaches	7 (seven) days
(v)	Damage to wearing coat	15 (fifteen) days
(vi)	Damage or deterioration in approach slabs, pitching, apron, toes, floor or guide bunds	30 (thirty) days
(vii)	Growth of vegetation affecting the structure or obstructing the waterway	15 (fifteen) days
(g) Hill Roads		
(i)	Damage to retaining wall/breast wall	7 (seven) days
(ii)	Landslides requiring clearance	12 (twelve) hours

Nature of Defect or deficiency		Time limit for repair/ rectification
(iii)	Snow requiring clearance	24 (twenty four) hours

[Note: Where necessary, the Authority may modify the time limit for repair/rectification, or add to the nature of Defect or deficiency before issuing the bidding document, with the approval of the competent authority.]

Schedule – F

(See Clause 4.1

(vii)(a) Applicable

Permits

1. Applicable Permits

- (i) The Contractor shall obtain, as required under the Applicable Laws, the following Applicable Permits:
 - (a) Permission of the State Government for extraction of boulders from quarry;
 - (b) Permission of Village Panchayats and Pollution Control Board for installation of crushers;
 - (c) Licence for use of explosives;
 - (d) Permission of the State Government for drawing water from river/reservoir;
 - (e) Licence from inspector of factories or other competent Authority for setting up batching plant;
 - (f) Clearance of Pollution Control Board for setting up batching plant;
 - (g) Clearance of Village Panchayats and Pollution Control Board for setting up asphalt plant;
 - (h) Permission of Village Panchayats and State Government for borrow earth; and
 - (i) Any other permits or clearances required under Applicable Laws.

- (ii) Applicable Permits, as required, relating to environmental protection and conservation shall have been procured by the Authority in accordance with the provisions of this Agreement.

Schedule – G

(See Clauses 7.1 and 19.2)

Annex-I

(See Clause 7.1)

Form of Bank Guarantee

[Performance Security/Additional Performance Security]

[MD, NHIDCL,

PTI Building] WHEREAS:

- (A) _____[name and address of contractor] (hereinafter called the “**Contractor**”) and [name and address of the authority], (hereinafter called the “**Authority**”) have entered into an agreement (hereinafter called the “**Agreement**”) for the construction of the ***** section of [National Highway No. **] on Engineering, Procurement and Construction (the “**EPC**”) basis, subject to and in accordance with the provisions of the Agreement
- (B) The Agreement requires the Contractor to furnish a Performance Security for due and faithful performance of its obligations, under and in accordance with the Agreement, during the {Construction Period/ Defects Liability Period and Maintenance Period} (as defined in the Agreement) in a sum of Rs..... cr. (Rupees crore) (the “**Guarantee Amount**”).
- (C) We, through our branch at..... (the “**Bank**”) have agreed to furnish this bank guarantee (*hereinafter called the “**Guarantee**”*) by way of Performance Security.

NOW, THEREFORE, the Bank hereby, unconditionally and irrevocably, guarantees and affirms as follows:

1. The Bank hereby unconditionally and irrevocably guarantees the due and faithful performance of the Contractor's obligations during the {Construction Period/ Defects Liability Period and Maintenance Period} under and in accordance with the Agreement, and agrees and undertakes to pay to the Authority, upon its mere first written demand, and without any demur, reservation, recourse, contest or protest, and without any reference to the Contractor, such sum or sums up to an aggregate sum of the Guarantee Amount as the Authority shall claim, without the Authority being required to prove or to show grounds or reasons for its demand and/or for the sum specified therein.
2. A letter from the Authority, under the hand of an officer not below the rank of [General Manager in the National Highways Authority of India], that the Contractor has committed default in the due and faithful performance of all or any of its obligations under and in accordance with the Agreement shall be conclusive, final and binding on the Bank. The Bank further agrees that the Authority shall be the sole judge as to whether the Contractor is in default in due and faithful performance of its obligations during and under the Agreement and its decision that the Contractor is in default shall be final and binding on the Bank, notwithstanding any differences between the Authority and the Contractor, or any dispute between them pending before any court, tribunal, arbitrators or any other authority or body, or by the discharge of the Contractor for any reason whatsoever.
3. In order to give effect to this Guarantee, the Authority shall be entitled to act as if the Bank were the principal debtor and any change in the constitution of the Contractor and/or the Bank, whether by their absorption with any other body or corporation or otherwise, shall not in any way or manner affect the liability or obligation of the Bank under this Guarantee.
4. It shall not be necessary, and the Bank hereby waives any necessity, for the Authority to proceed against the Contractor before presenting to the Bank its demand under this Guarantee.
5. The Authority shall have the liberty, without affecting in any manner the liability of the Bank under this Guarantee, to vary at any time, the terms and conditions of the Agreement or to extend the time or period for the compliance with, fulfillment and/or performance of all or any of the obligations of the Contractor contained in the Agreement or to postpone for any time, and from time to time, any of the rights and powers exercisable by the Authority against the Contractor, and either to enforce or forbear from enforcing any of the terms and conditions contained in the Agreement and/or the securities available to the Authority, and the Bank shall not be released from its liability and obligation under these presents by any exercise by the Authority of the liberty with reference to the matters aforesaid or by reason of time being given to the Contractor or any other forbearance, indulgence, act or omission on the part of the Authority or of any other matter or thing whatsoever which under any law

relating to sureties and guarantors would but for this provision have the effect of releasing the Bank from its liability and obligation under this Guarantee and the Bank hereby waives all of its rights under any such law.

6. This Guarantee is in addition to and not in substitution of any other guarantee or security now or which may hereafter be held by the Authority in respect of or relating to the Agreement or for the fulfillment, compliance and/or performance of all or any of the obligations of the Contractor under the Agreement.
7. Notwithstanding anything contained hereinbefore, the liability of the Bank under this Guarantee is restricted to the Guarantee Amount and this Guarantee will remain in force for the period specified in paragraph 8 below and unless a demand or claim in writing is made by the Authority on the Bank under this Guarantee all rights of the Authority under this Guarantee shall be forfeited and the Bank shall be relieved from its liabilities hereunder.
8. The Guarantee shall cease to be in force and effect on ****\$. Unless a demand or claim under this Guarantee is made in writing before expiry of the Guarantee, the Bank shall be discharged from its liabilities hereunder.
9. The Bank undertakes not to revoke this Guarantee during its currency, except with the previous express consent of the Authority in writing, and declares and warrants that it has the power to issue this Guarantee and the undersigned has full powers to do so on behalf of the Bank.
10. Any notice by way of request, demand or otherwise hereunder may be sent by post addressed to the Bank at its above referred branch, which shall be deemed to have been duly authorised to receive such notice and to effect payment thereof forthwith, and if sent by post it shall be deemed to have been given at the time when it ought to have been delivered in due course of post and in proving such notice, when given by post, it shall be sufficient to prove that the envelope containing the notice was posted and a certificate signed by an officer of the Authority that the envelope was so posted shall be conclusive.
11. This Guarantee shall come into force with immediate effect and shall remain in force and effect for up to the date specified in paragraph 8 above or until it is released earlier by the Authority pursuant to the provisions of the Agreement.
12. This guarantee shall also be operable at our Branch at New Delhi, from whom, confirmation regarding the issue of this guarantee or extension / renewal thereof shall be made available on demand. In the contingency of this guarantee being invoked and payment thereunder claimed, the said branch shall accept such invocation letter and make payment of amounts so demanded under the said invocation.
13. Bank Guarantee has been sent to authority's bank through SFMS gateway as per the details
below: -

SI. No	Particulars	Details
--------	-------------	---------

1	Name of the Beneficiary	National Highways and Infrastructure Development Corporation Limited
2	Beneficiary Bank Account No.	90621010002659
3	Beneficiary Bank Branch	IFSC SYNB0009062
4	Beneficiary Bank Branch Name	Transport Bhawan, New Delhi
5	Beneficiary Bank Address	Syndicate Bank, Transport Bhawan, 1st Parliament street, New Delhi-110001

Signed and sealed this day of, 20..... at

SIGNED, SEALED AND DELIVERED

For and on behalf of the Bank by:

(Signature)

(Name)

(Designation)

(Code

Number)

(Address)

NOTES:

(i) _____ The bank guarantee should contain the name, designation and code number of the officer(s) signing the guarantee.

(ii) _____ The address, telephone number and other details of the head office of the Bank as

well as of issuing branch should be mentioned on the covering letter of issuing branch.

§ Insert date being 2 (two) years from the date of issuance of this Guarantee (in accordance with Clause 7.2 of the Agreement).

Annex – II

(Schedule - G)

(See Clause 19.2)

Form for Guarantee for Advance Payment

[MD, NHIDCL,

PTI Building, 3rd Floor, New Delhi] WHEREAS:

- (A) [name and address of contractor] (hereinafter called the “**Contractor**”) has executed an agreement (hereinafter called the “**Agreement**”) with the [name and address of the authority], (hereinafter called the “**Authority**”) for the construction of the ***** section of [National Highway No. **] on Engineering, Procurement and Construction (the “**EPC**”) basis, subject to and in accordance with the provisions of the Agreement
- (B) In accordance with Clause 19.2 of the Agreement, the Authority shall make to the Contractor an interest bearing @Bank Rate + 3% advance payment (herein after called “**Advance Payment**”) equal to 10% (ten per cent) of the Contract Price; and that the Advance Payment shall be made in two installments subject to the Contractor furnishing an irrevocable and unconditional guarantee by a scheduled bank for an amount equivalent to 110% (one hundred and ten percent) of such installment to remain effective till the complete and full repayment of the installment of the Advance Payment as security for compliance with its obligations in accordance with the Agreement. The amount of {first/second} installment of the Advance Payment is Rs. ----- cr. (Rupees crore) and the amount of this Guarantee is Rs. ----- cr. (Rupees ----- crore) (the “**Guarantee Amount**”)§.
- (C) We, through our branch at (the “**Bank**”) have agreed to furnish this bank guarantee (*hereinafter called the “**Guarantee**”*) for the Guarantee Amount.

NOW, THEREFORE, the Bank hereby, unconditionally and irrevocably, guarantees and affirms as follows:

-
1. The Bank hereby unconditionally and irrevocably guarantees the due and faithful repayment on time of the aforesaid instalment of the Advance Payment under and in

accordance with the Agreement, and agrees and undertakes to pay to the Authority, upon its mere first written demand, and without any demur, reservation, recourse, contest or protest, and without any reference to the Contractor, such sum or sums up to an aggregate sum of the Guarantee Amount as the Authority shall claim, without the Authority being required to prove or to show grounds or reasons for its demand and/or for the sum specified therein.

A letter from the Authority, under the hand of an officer not below the rank of [General Manager in the National Highways Authority of India], that the Contractor has committed default in the due and faithful performance of all or any of its obligations for the repayment of the instalment of the Advance Payment under and in accordance with the Agreement shall be conclusive, final and binding on the Bank. The Bank further agrees that the Authority shall be the sole judge as to whether the Contractor is in default in due and faithful performance of its obligations during and under the Agreement and its decision that the Contractor is in default shall be final and binding on the Bank, notwithstanding any differences between the Authority and the Contractor, or any dispute between them pending before any court, tribunal, arbitrators or any other authority or body, or by the discharge of the Contractor for any reason whatsoever.

2. In order to give effect to this Guarantee, the Authority shall be entitled to act as if the Bank were the principal debtor and any change in the constitution of the Contractor and/or the Bank, whether by their absorption with any other body or corporation or otherwise, shall not in any way or manner affect the liability or obligation of the Bank under this Guarantee.
3. It shall not be necessary, and the Bank hereby waives any necessity, for the Authority to proceed against the Contractor before presenting to the Bank its demand under this Guarantee.
4. The Authority shall have the liberty, without affecting in any manner the liability of the Bank under this Guarantee, to vary at any time, the terms and conditions of the Advance Payment or to extend the time or period of its repayment or to postpone for any time, and from time to time, any of the rights and powers exercisable by the Authority against the Contractor, and either to enforce or forbear from enforcing any of the terms and conditions contained in the Agreement and/or the securities available to the Authority, and the Bank shall not be released from its liability and obligation under these presents by any exercise by the Authority of the liberty with reference to the matters aforesaid or by reason of time being given to the Contractor or any other forbearance, indulgence, act or omission on the part of the Authority or of any other matter or thing whatsoever which under any law relating to sureties and guarantors would but for this provision have the effect of releasing the Bank from its liability and obligation under this Guarantee and the Bank hereby waives all of its rights under any such law.

5. This Guarantee is in addition to and not in substitution of any other guarantee or security now or which may hereafter be held by the Authority in respect of or relating to the Advance Payment.
6. Notwithstanding anything contained hereinbefore, the liability of the Bank under this Guarantee is restricted to the Guarantee Amount and this Guarantee will remain in force for the period specified in paragraph 8 below and unless a demand or claim in writing is made by the Authority on the Bank under this Guarantee all rights of the Authority under this Guarantee shall be forfeited and the Bank shall be relieved from its liabilities hereunder.
7. The Guarantee shall cease to be in force and effect on ****. Unless a demand or claim under this Guarantee is made in writing on or before the aforesaid date, the Bank shall be discharged from its liabilities hereunder.
8. The Bank undertakes not to revoke this Guarantee during its currency, except with the previous express consent of the Authority in writing, and declares and warrants that it has the power to issue this Guarantee and the undersigned has full powers to do so on behalf of the Bank.
9. Any notice by way of request, demand or otherwise hereunder may be sent by post addressed to the Bank at its above referred branch, which shall be deemed to have been duly authorised to receive such notice and to effect payment thereof forthwith, and if sent by post it shall be deemed to have been given at the time when it ought to have been delivered in due course of post and in proving such notice, when given by post, it shall be sufficient to prove that the envelope containing the notice was posted and a certificate signed by an officer of the Authority that the envelope was so posted shall be conclusive.
10. This Guarantee shall come into force with immediate effect and shall remain in force and effect up to the date specified in paragraph 8 above or until it is released earlier by the Authority pursuant to the provisions of the Agreement.
11. This guarantee shall also be operable at our Branch at New Delhi, from whom, confirmation regarding the issue of this guarantee or extension / renewal thereof shall be made available on demand. In the contingency of this guarantee being invoked and payment thereunder claimed, the said branch shall accept such invocation letter and make payment of amounts so demanded under the said invocation.
12. Bank Guarantee has been sent to authority's bank through SFMS gateway as per the details below: -

Sl. No	Particulars	Details
1	Name of the Beneficiary	National Highways and Infrastructure Development Corporation Limited
2	Beneficiary Bank Account No.	90621010002659

3	Beneficiary Bank Branch	IFSC SYNB0009062
4	Beneficiary Bank Branch Name	Transport Bhawan, New Delhi
5	Beneficiary Bank Address	Syndicate Bank, Transport Bhawan, 1st Parliament street, New Delhi-110001

Signed and sealed this day of, 20..... at

SIGNED, SEALED AND DELIVERED

For and on behalf of the Bank by:

(Signature)

(Name)

(Designation)

(Code

Number)

(Address)

NOTES:

- (i) The bank guarantee should contain the name, designation and code number of the officer(s) signing the guarantee.
- (ii) The address, telephone number and other details of the head office of the Bank as well as of issuing branch should be mentioned on the covering letter of issuing branch.

SCHEDULE-H
(See Clauses 10.1.4 and 19.3)
Contract Price Weightages

1.1 DELETED-

1.2 Proportions of the Contract Price for different stages of Construction of the project highway shall be as specified below:

ITEM	WEIGHTAGE IN PERCENTAGE TO THE CONTRACT PRICE	STAGE FOR PAYMENT	PERCENTAGE WEIGHTAGE
1	2	3	4
Road works including culverts, minor bridges, underpasses, overpasses, approaches to ROB/RUB/ Major Bridges/ Structures	81.87%	A-Widening and Strengthening	
		(1) Earthwork up to top of the sub-grade including excavation in soil, soft rock and hard rock.	1.17%
		(2) Subgrade Preparation	1.47%
		(3) Granular work (sub- base)	2.84%
		(4) Granular work (sub- base, base, shoulders)	6.70%
		(5) Bituminous work	
		a) DBM with Prime coat & Tack Coat	11.72%
		b) BC with Tack Coat	6.08%
		(6) Widening and repair of culverts	1.50%
		(7) Widening and repair of minor bridges	0.81%
		(8) Reconstruction of Damaged DBM stretch	4.49%
		B- New 4-lane alignment	
		(1) Earthwork up to top of the sub-grade including excavation in soil, soft rock and hard rock.	5.87%
		(2) Subgrade Preparation	1.42%
		(3) Granular work (sub- base)	2.00%
		(4) Granular work (sub- base, base, shoulders)	5.26%
		(5) Bituminous work	
a) DBM with Prime coat & Tack Coat	8.63%		
b) BC with Tack Coat	4.77%		

		C- New culverts, minor bridges, underpasses, overpasses on existing road, realignments, bypasses:	
		(1) Culverts	8.48%
		(2) Protection work of Culverts	4.50%
		(3) Minor bridges balance work	
		(1) Foundation	0.60%
		(2) Sub-structure	0.82%
		(3) Super-structure (including crash barriers etc. complete)	2.74%
Major Bridge works and ROB/RUB	2.59%	D- New Major Bridges	
		(1) Balance work of Sub-structure	0.12%
		(2) Super-structure (including crash barriers etc. complete)	2.47%

ITEM	WEIGHTAGE IN PERCENTAGE TO THE CONTRACT PRICE	STAGE FOR PAYMENT	PERCENTAGE WEIGHTAGE
1	2	3	4
Other Works	15.54%		
		(i) Foot Over Bridge	0.00%
		(ii) Toll Plaza	0.00%
		(iii) Road side drains	
		a) RCC / PCC Drain	1.35%
		(iv) Road signs, markings, km stones, safety devices,	0.79%
		(v) Project facilities	
		(a) Bus bays	1.01%
		(b) Truck lay-byes	0.00%
		(c) Junction Improvement	0.07%
		(d) others	0.07%
		(vi) Protection works	

		a) Slope Protection Works (Including Retaining wall, Gabion wall & Breast wall, Parapet etc)	
		Parapet wall on Valley Side.	1.57%
		Gabion W all	1.23%
		Retaining W all	1.87%
		Breast W all	1.87%
		Slope protection measures in hill side	4.49%
		(vii) Road furniture, Road Light, plantation & Miscellaneous works on issue of completion certificate	1.22%
			100.00%

TABLE 1.3.1

1.3 Procedure of estimating the value of work done

STAGE OF PAYMENT	PERCENTAGE-WEIGHTAGE	PAYMENT PROCEDURE
A-Widening and Strengthening		Unit of measurement is linear length. Payment of each stage shall be made on pro rata basis on completion of a stage in a length of not less than 5 (Five) percent of the balance length.
(1) Earthwork up to top of the sub-grade including excavation in soil, soft rock and hard rock.	1.17%	
(2) Subgrade Preparation	1.47%	
(3) Granular work (sub- base)	2.84%	
(4) Granular work (sub- base, base, shoulders)	6.70%	
(5) Bituminous work		
a) DBM with Prime coat & Tack Coat	11.72%	
b) BC with Tack Coat	6.08%	
(6) Widening and repair of culverts	1.50%	Cost of five completed culverts shall be determined pro rata with respect to the total number of culverts. Payment shall be made on the completion of five culverts.
(7) Widening and repair of minor bridges	0.81%	Cost of each minor bridge shall be determined on pro rata basis with respect to the total linear length of the minor bridges. Payment shall be made on the completion of a minor bridge.
(8) Reconstruction of Damaged DBM stretch	4.49%	Unit of measurement is linear length. Payment of each stage shall be made on pro rata basis on completion of a stage in 0.25 km length.
B- New 4-lane alignment		Unit of measurement is linear length. Payment of each stage shall be made on pro rata basis on completion of a stage in a length of not less than 5 (five) percent of the balance length.
(1) Earthwork up to top of the sub-grade including excavation in soil, soft rock and hard rock.	5.87%	
(2) Subgrade Preparation	1.42%	

(3) Granular work (sub- base)	2.00%	
(4) Granular work (sub- base, base, shoulders)	5.26%	
(5) Bituminous work		
a) DBM with Prime coat & Tack Coat	8.63%	
b) BC with Tack Coat	4.77%	
C- New culverts, minor bridges, underpasses, overpasses on existing road, realignments, bypasses:		
(1) Culverts	8.48%	Cost of each culvert shall be determined on pro rata basis with respect to the total number of culverts. Payment shall be made on the completion of five culverts.
(2) Protection work of Culverts	4.50%	Cost of each culvert shall be determined on pro rata basis with respect to the total number of culverts. Payment shall be made on the completion of five culverts.
(3) Minor bridges balance work		Cost of each minor bridge shall be determined on pro rata basis with respect to the total linear length of the minor bridges. Payment shall be made on the completion of a minor bridge.
(1) Foundation	0.60%	
(2) Sub-structure	0.82%	
(3) Super-structure (including crash barriers etc. complete)	2.74%	

1.3.2 Major Bridge works.

Procedure for estimating the value of Major Bridge works shall be as stated in table 1.3.2

TABLE 1.3.2

STAGE OF PAYMENT	PERCENTAGE -WEIGHTAGE	PAYMENT PROCEDURE
D- New Major Bridges		Payment shall be made on pro rata basis on completion of each stage of a Major Bridge as per the weightage given in this table.
(1) Balance work of Sub-structure	0.12%	
(2) Super-structure (including crash barriers etc. complete)	2.47%	

1.3.4 Other works.

Procedure for estimating the value of the other works done shall be as stated in table 1.3.4:

TABLE 1.3.4

STAGE OF PAYMENT	WEIGHTAGE	PAYMENT PROCEDURE	
(i) Foot Over Bridge	0.00%	Unit of measurement is completed FOB. Payment of FOB shall be made on pro rata basis with respect to the total of all items completed.	
(ii) Toll Plaza	0.00%	Unit of measurement is each completed toll plaza. Payment of each toll plaza shall be made on pro rata basis with respect to the total of all toll plazas.	
(iii) Road side drains		Unit of measurement is linear length in km. Payment shall be made on pro rata basis on completion of a stage in a length of not less than 10 (ten) percent of the total length.	
a) RCC / PCC Drain	1.35%		
b) Random Rubble Masonry Drain	0.00%		
(iv) Road signs, markings, km stones, safety devices,	0.79%	Payment shall be made on pro rata basis for completed facilities.	
(iv) Project facilities			
(a) Bus bays	1.01%		
(b) Truck lay-byes	0.00%		
(c) Junction Improvement	0.07%		
(d) others	0.07%		
(v) Protection works		Unit of measurement is linear length. Payment shall be made on pro rata basis on completion of a stage in a length of not less than 5 (ten) percent of the total length.	
a) Slope Protection Works (Including Retaining wall, Gabion wall & Breast wall, Parapet etc)			
Parapet wall on Valley Side.	1.57%		
Gabion W all	1.23%		
Retaining W all	1.87%		
Breast W all	1.87%		
Slope protection measures in hill side	4.49%		
(vii) Road furniture, Road Light, plantation & Miscellaneous works on issue of completion certificate	1.22%		Payment shall be made for completed items.

Schedule - I

(See Clause 10.2 (iv))

Drawings

1. Drawings

In compliance of the obligations set forth in Clause 10.2 of this Agreement, the Contractor shall furnish to the Authority's Engineer, free of cost, all Drawings listed in Annex-I of this Schedule-I.

2. Additional Drawings

If the Authority's Engineer determines that for discharging its duties and functions under this Agreement, it requires any drawings other than those listed in Annex-I, it may by notice require the Contractor to prepare and furnish such drawings forthwith. Upon receiving a requisition to this effect, the Contractor shall promptly prepare and furnish such drawings to the Authority's Engineer, as if such drawings formed part of Annex-I of this Schedule-I.

Annex – I

(Schedule - I)

List of Drawings

[**Note:** The Authority shall describe in this Annex-I, all the Drawings that the Contractor is required to furnish under Clause 10.2.]

Schedule - J

(See Clause 10.3 (ii))

Project Completion Schedule

1 Project Completion Schedule

During Construction period, the Contractor shall comply with the requirements set forth in this Schedule-J for each of the Project Milestones and the **Scheduled Completion Date**. Within 15 (fifteen) days of the date of each Project Milestone, the Contractor shall notify the Authority of such compliance along with necessary particulars thereof.

2. Project Milestone-I

- (i) Project Milestone-I shall occur on the date falling on the [36th] day from the Appointed Date (the “**Project Milestone- I**”).
- (ii) Prior to the occurrence of Project Milestone-I, the Contractor shall have commenced construction of the Project Highway and submitted to the Authority duly and validly prepared Stage Payment Statements for an amount not less than 10% (ten per cent) of the Contract Price.

3. Project Milestone-II

- (i) Project Milestone-II shall occur on the date falling on the [128th] day from the Appointed Date (the “**Project Milestone- II**”).
- (ii) Prior to the occurrence of Project Milestone-II, the Contractor shall have continued with construction of the Project Highway and submitted to the Authority duly and validly prepared Stage Payment Statements for an amount not less than 35% (thirty five per cent) of the Contract Price and should have started construction of all bridges

4. Project Milestone-III

- (i) Project Milestone-III shall occur on the date falling on the [255th] day from the Appointed Date (the “**Project Milestone- III**”).
- (ii) Prior to the occurrence of Project Milestone-III, the Contractor shall have continued with construction of the Project Highway and submitted to the Authority duly and validly prepared Stage Payment Statements for an amount not less than 70% (seventy per cent) of the Contract Price and **should have** started construction of all project facilities.

5. Scheduled Completion Date

- (i) The Scheduled Completion Date shall occur on the [365th] day from the Appointed Date.
- (ii) On or before the Scheduled Completion Date, the Contractor shall have completed construction in accordance with this Agreement.

6. Extension of time

Upon extension of any or all of the aforesaid Project Milestones or the Scheduled Completion Date, as the case may be, under and in accordance with the provisions of this Agreement, the Project Completion Schedule shall be deemed to have been amended accordingly.

Schedule - K

(See Clause 12.1 (ii))

Tests on Completion

1. Schedule for Tests

- (i) The Contractor shall, no later than 30 (thirty) days prior to the likely completion of construction, notify the Authority's Engineer and the Authority of its intent to subject the Project Highway to Tests, and no later than 10(ten) days prior to the actual date of Tests, furnish to the Authority's Engineer and the Authority detailed inventory and particulars of all works and equipment forming part of Works.
- (ii) The Contractor shall notify the Authority's Engineer of its readiness to subject the Project Highway to Tests at any time after 10 (ten) days from the date of such notice, and upon receipt of such notice, the Authority's Engineer shall, in consultation with the Contractor, determine the date and time for each Test and notify the same to the Authority who may designate its representative to witness the Tests. The Authority's Engineer shall thereupon conduct the Tests itself or cause any of the Tests to be conducted in accordance with Article 12 and this Schedule-K.

2. Tests

- (i) Visual and physical test: The Authority's Engineer shall conduct a visual and physical check of construction to determine that all works and equipment forming part thereof conform to the provisions of this Agreement. The physical tests shall include [***].
- (ii) Riding quality test: Riding quality of each lane of the carriageway shall be checked with the help of a Network Survey Vehicle (NSV) fitted with latest equipments and the maximum permissible roughness for purposes of this Test shall be [2,000 (two thousand)] mm for each kilometre.
- (iii) Tests for bridges: All major and minor bridges shall be subjected to the rebound hammer and ultrasonic pulse velocity tests, to be conducted in accordance with the procedure described in Special Report No. 17: 1996 of the IRC Highway Research Board on Nondestructive Testing Techniques, at two spots in every span, to be chosen at random by

the Authority's Engineer. Bridges with a span of 15 (fifteen) metres or more shall also be subjected to load testing.

- (iv) Other tests: The Authority's Engineer may require the Contractor to carry out or cause to be carried additional tests, in accordance with Good Industry Practice, for determining the compliance of the Project Highway with Specifications and Standards, except tests as specified in clause 5, but shall include measuring the reflectivity of road markings and road signs; and measuring the illumination level (lux) of lighting using requisite testing equipment.
- (v) Environmental audit: The Authority's Engineer shall carry out a check to determine conformity of the Project Highway with the environmental requirements set forth in Applicable Laws and Applicable Permits.
- (vi) Safety Audit: The Authority's Engineer shall carry out, or cause to be carried out, a safety audit to determine conformity of the Project Highway with the safety requirements and Good Industry Practice.

3. Agency for conducting Tests

All Tests set forth in this Schedule-K shall be conducted by the Authority's Engineer or such other agency or person as it may specify in consultation with the Authority.

4. Completion Certificate

Upon successful completion of Tests, the Authority's Engineer shall issue the Completion Certificate in accordance with the provisions of Article 12.

- 5. The Authority Engineer will carry out tests with following equipment at his own cost in the presence of contractor's representative.

Sr. No.	Key metrics of Asset	Equipment to be used	Frequency of condition survey
1	Surface defects of pavement	Network Survey Vehicle (NSV)	At least twice a year (As per survey months defined for the state basis rainy season)

2	Roughness of pavement	Network Survey Vehicle (NSV)	At least twice a year (As per survey months defined for the state basis rainy season)
3	Strength of pavement	Falling Weight Deflectometer (FWD)	At least once a year
4	Bridges	Mobile Bridge Inspection Unit (MBU)	At least twice a year (As per survey months defined for the state basis rainy season)
5	Road signs	Retro-reflectometer	At least twice a year (As per survey months defined for the state basis rainy season)

The first testing with the help of NSV shall be conducted at the time of issue of Completion Certificate.

Schedule - L

(See Clause 12.2)

Completion Certificate

- 1 I, (Name of the Authority’s Engineer), acting as the Authority’s Engineer, under and in accordance with the Agreement dated.....(the “Agreement”), for **Balance work for Four-laning of NH-39 Dimapur – Kohima Road from Design Km 152.490 to Km 166.700 (Existing Km 156.000 to Km 172.900), in the state of Nagaland under SARDP-NE through an Engineering, Procurement and Construction(EPC) Contract (Package-III)** (the “Project Highway”) on Engineering, Procurement and Construction (EPC) basis through(Name of Contractor), hereby certify that the Tests in accordance with Article 12 of the Agreement have been successfully undertaken to determine compliance of the Project Highway with the provisions of the Agreement, and I am satisfied that the Project Highway can be safely and reliably placed in service of the Users thereof.
- 2 It is certified that, in terms of the aforesaid Agreement, all works forming part of Project Highway have been completed, and the Project Highway is hereby declared fit for entry into operation on this the day of 20... , Scheduled Completed Date for which was the day of20.....

SIGNED, SEALED AND DELIVERED

For and on behalf of the Authority’s Engineer by:

(Signature)

(Name

) (Designation)

(Address)

Schedule - M

(See Clauses 14.6, 15.2 and 19.7)

Payment Reduction for Non-Compliance

1. Payment reduction for non-compliance with the Maintenance Requirements

- (i) Monthly lump sum payments for maintenance shall be reduced in the case of non-compliance with the Maintenance Requirements set forth in Schedule-E.
- (ii) Any deduction made on account of non-compliance with the Maintenance Requirements shall not be paid even after compliance subsequently. The deductions shall continue to be made every month until compliance is done.
- (iii) The Authority's Engineer shall calculate the amount of payment reduction on the basis of weightage in percentage assigned to non-conforming items as given in Paragraph 2.

2. Percentage reductions in lump sum payments on monthly basis

- (i) The following percentages shall govern the payment reduction:

S. No.	Item/Defect/Deficiency	Percentage
(a)	Carriageway/Pavement	
(i)	Potholes, cracks, other surface defects	15%
(ii)	Repairs of Edges, Rutting	5%
(b)	Road, Embankment, Cuttings, Shoulders	
(i)	Edge drop, inadequate cross fall, undulations, settlement, potholes, ponding, obstructions	10%
(ii)	Deficient slopes, raincuts, disturbed pitching, vegetation growth, pruning of trees	5%

(c)	Bridges and Culverts	
(i)	Desilting, cleaning, vegetation growth, damaged pitching, flooring, parapets, wearing course, footpaths, any damage to foundations	20%
(ii)	Any Defects in superstructures, bearings and sub-structures	10%
S. No.	Item/Defect/Deficiency	Percentage
(iii)	Painting, repairs/replacement kerbs, railings, parapets, guideposts/crash barriers	5%
(d)	Roadside Drains	
(i)	Cleaning and repair of drains	5%
(e)	Road Furniture	
(i)	Cleaning, painting, replacement of road signs, delineators, road markings, 200 m/km/5 th km stones	5%
(f)	Miscellaneous Items	
(i)	Removal of dead animals, broken down/accidented vehicles, fallen trees, road blockades or malfunctioning of mobile crane	10%
(ii)	Any other Defects in accordance with paragraph 1.	5%
(g)	Defects in Other Project Facilities	5%

- (ii) The amount to be deducted from monthly lump-sum payment for non-compliance of particular item shall be calculated as under:

$$R = \frac{P}{100} \times (M1 \text{ or } M2) \times \frac{L1}{L}$$

Where,

P= Percentage of particular item/Defect/deficiency for deduction

M1= Monthly lump-sum payment in accordance para 1.2 above of this
Schedule M2= Monthly lump-sum payment in accordance para 1.2 above of
this Schedule L1= Non-complying length L = Total length of the road,

R= Reduction (the amount to be deducted for non-compliance for a particular
item/Defect/deficiency

The total amount of reduction shall be arrived at by summation of reductions for such
items/Defects/deficiency or non-compliance.

For any Defect in a part of one kilometer, the non-conforming length shall be taken as
one kilometer.

Schedule - N

(See Clause 18.1 (i))

Selection of Authority's Engineer

1. Selection of Authority's Engineer

- (i) The provisions of the Model Request for Proposal for Selection of Technical Consultants, issued by the Ministry of Finance in May 2009, or any substitute thereof shall apply for selection of an experienced firm to discharge the functions and duties of an Authority's Engineer.
- (ii) In the event of termination of the Technical Consultants appointed in accordance with the provisions of Paragraph 1.1, the Authority shall appoint another firm of Technical Consultants forthwith and may engage a government-owned entity in accordance with the provisions of Paragraph 3 of this Schedule-N.

2. Terms of Reference

The Terms of Reference for the Authority's Engineer (the "TOR") shall substantially conform with Annex 1 to this Schedule N.

3. Appointment of Government entity as Authority's Engineer

Notwithstanding anything to the contrary contained in this Schedule, the Authority may in its discretion appoint a government-owned entity as the Authority's Engineer; provided that such entity shall be a body corporate having as one of its primary functions the provision of consulting, advisory and supervisory services for engineering projects; provided further that a government-owned entity which is owned or controlled by the Authority shall not be eligible for appointment as Authority's Engineer.

Annex – I

(Schedule - N)

Terms of Reference for Authority's Engineer

1. Scope

- (i) These Terms of Reference (the “TOR”) for the Authority’s Engineer are being specified pursuant to the EPC Agreement dated (the “**Agreement**”), which has been entered into between the [NHIDCL, PTI Building, Parliament Street, New Delhi-11001] (the “**Authority**”) and
..... (the “**Contractor**”)# for **Balance work for Four-laning of NH-39 Dimapur – Kohima Road from Design Km 152.490 to Km 166.700 (Existing Km 156.000 to Km 172.900), in the state of Nagaland under SARDP-NE through an Engineering, Procurement and Construction (EPC) Contract (Package-III)**, and a copy of which is annexed hereto and marked as Annex-A to form part of this TOR.

- In case the bid of Authority’s Engineer is invited simultaneously with the bid of EPC project, then the status of bidding of EPC project only to be indicated

- (ii) The TOR shall apply to construction and maintenance of the Project Highway.

2. Definitions and interpretation

- (i) The words and expressions beginning with or in capital letters and not defined herein but defined in the Agreement shall have, unless repugnant to the context, the meaning respectively assigned to them in the Agreement.
- (ii) References to Articles, Clauses and Schedules in this TOR shall, except where the context otherwise requires, be deemed to be references to the Articles, Clauses and Schedules of the Agreement, and references to Paragraphs shall be deemed to be references to Paragraphs of this TOR.
- (iii) The rules of interpretation stated in Article 1 of the Agreement shall apply, mutatis mutandis, to this TOR.

3. General

- (i) The Authority's Engineer shall discharge its duties in a fair, impartial and efficient manner, consistent with the highest standards of professional integrity and Good Industry Practice.
- (ii) The Authority's Engineer shall perform the duties and exercise the authority in accordance with the provisions of this Agreement, but subject to obtaining prior written approval of the Authority before determining:
 - (a) any Time Extension;
 - (b) any additional cost to be paid by the Authority to the Contractor;
 - (c) the Termination Payment; or
 - (d) issuance of Completion Certificate or
 - (e) any other matter which is not specified in (a), (b), (c) or (d) above and which creates a financial liability on either Party.
- (iii) The Authority's Engineer shall submit regular periodic reports, at least once every month, to the Authority in respect of its duties and functions under this Agreement. Such reports shall be submitted by the Authority's Engineer within 10 (ten) days of the beginning of every month.
- (iv) The Authority's Engineer shall inform the Contractor of any delegation of its duties and responsibilities to its suitably qualified and experienced personnel; provided, however, that it shall not delegate the authority to refer any matter for the Authority's prior approval in accordance with the provisions of Clause 18.2.
- (v) The Authority's Engineer shall aid and advise the Authority on any proposal for Change of Scope under Article 13.
- (vi) In the event of any disagreement between the Parties regarding the meaning, scope and nature of Good Industry Practice, as set forth in any provision of the Agreement, the Authority's Engineer shall specify such meaning, scope and nature by issuing a reasoned written statement relying on good industry practice and authentic literature.

4. Construction Period

- (i) During the Construction Period, the Authority's Engineer shall review and approve the Drawings furnished by the Contractor along with supporting data, including the geo-technical and hydrological investigations, characteristics of materials from borrow areas and quarry sites, topographical surveys, and the recommendations of the Safety

Consultant in accordance with the provisions of Clause 10.1 (vi). The Authority's Engineer shall complete such review and approval and send its observations to the Authority and the Contractor within 15 (fifteen) days of receipt of such Drawings; provided, however that in case of a Major Bridge or Structure, the aforesaid period of 15 (fifteen) days may be extended upto 30 (thirty) days. In particular, such comments shall specify the conformity or otherwise of such Drawings with the Scope of the Project and Specifications and Standards.

- (ii) The Authority's Engineer shall review and approve any revised Drawings sent to it by the Contractor and furnish its comments within 10 (ten) days of receiving such Drawings.
- (iii) The Authority's Engineer shall review and approve the Quality Assurance Plan submitted by the Contractor and shall convey its comments to the Contractor within a period of 21 (twenty one) days stating the modifications, if any, required thereto.
- (iv) The Authority's Engineer shall complete the review and approve of the methodology proposed to be adopted by the Contractor for executing the Works, and convey its comments to the Contractor within a period of 10 (ten) days from the date of receipt of the proposed methodology from the Contractor.
- (v) The Authority's Engineer shall grant written approval to the Contractor, where necessary, for interruption and diversion of the flow of traffic in the existing lane(s) of the Project Highway for purposes of maintenance during the Construction Period in accordance with the provisions of Clause 10.4.
- (vi) The Authority's Engineer shall review the monthly progress report furnished by the Contractor and send its comments thereon to the Authority and the Contractor within 7 (seven) days of receipt of such report.
- (vii) The Authority's Engineer shall inspect the Construction Works and the Project Highway and shall submit a monthly Inspection Report bringing out the results of inspections and the remedial action taken by the Contractor in respect of Defects or deficiencies. In particular, the Authority's Engineer shall include in its Inspection Report, the compliance of the recommendations made by the Safety Consultant.
- (viii) The Authority's Engineer shall conduct the pre-construction review of manufacturer's test reports and standard samples of manufactured Materials, and such other Materials as the Authority's Engineer may require.
- (ix) For determining that the Works conform to Specifications and Standards, the Authority's Engineer shall require the Contractor to carry out, or cause to be carried out, tests at such time and frequency and in such manner as specified in the Agreement and in accordance with Good Industry Practice for quality assurance. For purposes of this Paragraph 4 (ix),

the tests specified in the IRC Special Publication-11 (Handbook of Quality Control for Construction of Roads and Runways) and the Specifications for Road and Bridge Works issued by MORTH (the "Quality Control Manuals") or any modification/substitution thereof shall be deemed to be tests conforming to Good Industry Practice for quality assurance.

- (x) The Authority's Engineer shall test check at least 50 (fifty) percent of the quantity or number of tests prescribed for each category or type of test for quality control by the Contractor.
- (xi) The timing of tests referred to in Paragraph 4 (ix), and the criteria for acceptance/rejection of their results shall be determined by the Authority's Engineer in accordance with the Quality Control Manuals. The tests shall be undertaken on a random sample basis and shall be in addition to, and independent of, the tests that may be carried out by the Contractor for its own quality assurance in accordance with Good Industry Practice.
- (xii) In the event that results of any tests conducted under Clause 11.10 establish any Defects or deficiencies in the Works, the Authority's Engineer shall require the Contractor to carry out remedial measures.
- (xiii) The Authority's Engineer may instruct the Contractor to execute any work which is urgently required for the safety of the Project Highway, whether because of an accident, unforeseeable event or otherwise; provided that in case of any work required on account of a Force Majeure Event, the provisions of Clause 21.6 shall apply.
- (xiv) In the event that the Contractor fails to achieve any of the Project Milestones, the Authority's Engineer shall undertake a review of the progress of construction and identify potential delays, if any. If the Authority's Engineer shall determine that completion of the Project Highway is not feasible within the time specified in the Agreement, it shall require the Contractor to indicate within 15 (fifteen) days the steps proposed to be taken to expedite progress, and the period within which the Project Completion Date shall be achieved. Upon receipt of a report from the Contractor, the Authority's Engineer shall review the same and send its comments to the Authority and the Contractor forthwith.
- (xv) The Authority's Engineer shall obtain from the Contractor a copy of all the Contractor's quality control records and documents before the Completion Certificate is issued pursuant to Clause 12.2.
- (xvi) Authority's Engineer may recommend to the Authority suspension of the whole or part of the Works if the work threatens the safety of the Users and pedestrians. After the Contractor has carried out remedial measure, the Authority's Engineer shall inspect such remedial measures forthwith and make a report to the Authority recommending whether or not the suspension hereunder may be revoked.

- (xvii) In the event that the Contractor carries out any remedial measures to secure the safety of suspended works and Users, and requires the Authority's Engineer to inspect such works, the Authority's Engineer shall inspect the suspended works within 3 (three) days of receiving such notice, and make a report to the Authority forthwith, recommending whether or not such suspension may be revoked by the Authority.
- (xviii) The Authority's Engineer shall carry out, or cause to be carried out, all the Tests specified in Schedule-K and issue a Completion Certificate, as the case may be. For carrying out its functions under this Paragraph 4 (xviii) and all matters incidental thereto, the Authority's Engineer shall act under and in accordance with the provisions of Article 12 and Schedule-K.

5. Maintenance Period

- (i) The Authority's Engineer shall aid and advise the Contractor in the preparation of its monthly Maintenance Programme and for this purpose carry out a joint monthly inspection with the Contractor.
- (ii) The Authority's Engineer shall undertake regular inspections, at least once every month, to evaluate compliance with the Maintenance Requirements and submit a Maintenance Inspection Report to the Authority and the Contractor.
- (iii) The Authority's Engineer shall specify the tests, if any, that the Contractor shall carry out, or cause to be carried out, for the purpose of determining that the Project Highway is in conformity with the Maintenance Requirements. It shall monitor and review the results of such tests and the remedial measures, if any, taken by the Contractor in this behalf.
- (iv) In respect of any defect or deficiency referred to in Paragraph 3 of Schedule- E, the Authority's Engineer shall, in conformity with Good Industry Practice, specify the permissible limit of deviation or deterioration with reference to the Specifications and Standards and shall also specify the time limit for repair or rectification of any deviation or deterioration beyond the permissible limit.
- (v) The Authority's Engineer shall examine the request of the Contractor for closure of any lane(s) of the Project Highway for undertaking maintenance/repair thereof, and shall grant permission with such modifications, as it may deem necessary, within 5 (five) days of receiving a request from the Contractor. Upon expiry of the permitted period of closure, the Authority's Engineer shall monitor the reopening of such lane(s), and in case of delay, determine the Damages payable by the Contractor to the Authority under Clause 14.5.

6. Determination of costs and time

- (i) The Authority's Engineer shall determine the costs, and/or their reasonableness, that are required to be determined by it under the Agreement.
- (ii) The Authority's Engineer shall determine the period of Time Extension that is required to be determined by it under the Agreement.
- (iii) The Authority's Engineer shall consult each Party in every case of determination in accordance with the provisions of Clause 18.5.

7. Payments

- (i) The Authority's Engineer shall withhold payments for the affected works for which the Contractor fails to revise and resubmit the Drawings to the Authority's Engineer in accordance with the provisions of Clause 10.2 (iv) (d).
- (ii) Authority's Engineer shall -
 - (a) within 10 (ten) days of receipt of the Stage Payment Statement from the Contractor pursuant to Clause 19.4, determine the amount due to the Contractor and recommend the release of 90 (ninety) percent of the amount so determined as part payment, pending issue of the Interim Payment Certificate; and
 - (b) within 15 (fifteen) days of the receipt of the Stage Payment Statement referred to in Clause 19.4, deliver to the Authority and the Contractor an Interim Payment Certificate certifying the amount due and payable to the Contractor, after adjustments in accordance with the provisions of Clause 19.10.
- (iii) The Authority's Engineer shall, within 15 (fifteen) days of receipt of the Monthly Maintenance Statement from the Contractor pursuant to Clause 19.6, verify the Contractor's monthly statement and certify the amount to be paid to the Contractor in accordance with the provisions of the Agreement.
- (iv) The Authority's Engineer shall certify final payment within 30 (thirty) days of the receipt of the final payment statement of Maintenance in accordance with the provisions of Clause 19.16.

8. Other duties and functions

The Authority's Engineer shall perform all other duties and functions as specified in the Agreement.

9. Miscellaneous

- (i) A copy of all communications, comments, instructions, Drawings or Documents sent by the Authority's Engineer to the Contractor pursuant to this TOR, and a copy of all the test results with comments of the Authority's Engineer thereon, shall be furnished by the Authority's Engineer to the Authority forthwith.
- (ii) The Authority's Engineer shall retain at least one copy each of all Drawings and Documents received by it, including 'as-built' Drawings, and keep them in its safe custody.
- (iii) Within 90 (ninety) days of the Project Completion Date, the Authority's Engineer shall obtain a complete set of as-built Drawings, in 2 (two) hard copies and in micro film form or in such other medium as may be acceptable to the Authority, reflecting the Project Highway as actually designed, engineered and constructed, including an as-built survey illustrating the layout of the Project Highway and setback lines, if any, of the buildings and structures forming part of Project Facilities; and shall hand them over to the Authority against receipt thereof.
- (iv) The Authority's Engineer, if called upon by the Authority or the Contractor or both, shall mediate and assist the Parties in arriving at an amicable settlement of any Dispute between the Parties.
- (v) The Authority's Engineer shall inform the Authority and the Contractor of any event of Contractor's Default within one week of its occurrence.

Schedule - O

(See Clauses 19.4 (i), 19.6 (i), and 19.8 (i))

Forms of Payment Statements

1. Stage Payment Statement for Works

The Stage Payment Statement for Works shall state:

- (a) the estimated amount for the Works executed in accordance with Clause 19.3 (i) subsequent to the last claim;
- (b) amounts reflecting adjustments in price for the aforesaid claim;
- (c) the estimated amount of each Change of Scope Order executed subsequent to the last claim;
- (d) amounts reflecting adjustment in price, if any, for (c) above in accordance with the provisions of Clause 13.2 (iii) (a);
- (e) total of (a), (b), (c) and (d) above;
- (f) Deductions:
 - i. Any amount to be deducted in accordance with the provisions of the Agreement except taxes;
 - ii. Any amount towards deduction of taxes; and
 - iii. Total of (i) and (ii) above.
- (g) Net claim: (e) – (f) (iii);
- (h) The amounts received by the Contractor upto the last claim:
 - i. For the Works executed (excluding Change of Scope orders);
 - ii. For Change of Scope Orders, and
 - iii. Taxes deducted

2. Monthly Maintenance Payment Statement

The monthly Statement for Maintenance Payment shall state:

- (a) the monthly payment admissible in accordance with the provisions of the Agreement;
- (b) the deductions for maintenance work not done;
- (c) net payment for maintenance due, (a) minus (b);

- (d) amounts reflecting adjustments in price under Clause 19.12; and
- (e) amount towards deduction of taxes

3. Contractor's claim for Damages

Note: The Contractor shall submit its claims in a form acceptable to the Authority.

Schedule - P

(See Clause 20.1)

Insurance

1. Insurance during Construction Period

- (i) The Contractor shall effect and maintain at its own cost, from the Appointed Date till the date of issue of the Completion Certificate, the following insurances for any loss or damage occurring on account of Non Political Event of Force Majeure, malicious act, accidental damage, explosion, fire and terrorism:
 - (a) insurance of Works, Plant and Materials and an additional sum of [15 (fifteen)] per cent of such replacement cost to cover any additional costs of and incidental to the rectification of loss or damage including professional fees and the cost of demolishing and removing any part of the Works and of removing debris of whatsoever nature; and
 - (b) insurance for the Contractor's equipment and Documents brought onto the Site by the Contractor, for a sum sufficient to provide for their replacement at the Site.
- (ii) The insurance under sub para (a) and (b) of paragraph 1(i) above shall cover the Authority and the Contractor against all loss or damage from any cause arising under paragraph 1.1 other than risks which are not insurable at commercial terms.

2. Insurance for Contractor's Defects Liability

The Contractor shall effect and maintain insurance cover of not less than 15% of the Contract Price for the Works from the date of issue of the Completion Certificate until the end of the Defects Liability Period for any loss or damage for which the Contractor is liable and which arises from a cause occurring prior to the issue of the Completion Certificate. The Contractor shall also maintain other insurances for maximum sums as may be required under the Applicable Laws and in accordance with Good Industry Practice.

3. Insurance against injury to persons and damage to property

- (i) The Contractor shall insure against its liability for any loss, damage, death or bodily injury, or damage to any property (except things insured under Paragraphs 1 and 2 of this Schedule or to any person (except persons insured under Clause 20.9), which may arise out of the Contractor's performance of this Agreement. This insurance shall be for a limit per occurrence of not less than the amount stated below with no limit on the number of occurrences.

The insurance cover shall be not less than: Rs. [*****]

- (ii) The insurance shall be extended to cover liability for all loss and damage to the Authority's property arising out of the Contractor's performance of this Agreement excluding:
 - (a) the Authority's right to have the construction works executed on, over, under, in or through any land, and to occupy this land for the Works; and
 - (b) damage which is an unavoidable result of the Contractor's obligations to execute the Works.

4. Insurance to be in joint names

The insurance under paragraphs 1 to 3 above shall be in the joint names of the Contractor and the Authority.

Schedule-Q

(See Clause 14.10)

Tests on Completion of Maintenance Period

1. Riding Quality test:

Riding quality test: Riding quality of each lane of the carriageway shall be checked with the help of a calibrated bump integrator and the maximum permissible roughness for purposes of this Test shall be [2,200 (two thousand and two hundred only)] mm for each kilometre.

2. Visual and physical test:

The Authority's Engineer shall conduct a visual and physical check of construction to determine that all works and equipment forming part thereof conform to the provisions of this Agreement. The physical tests shall include measurement of cracking, rutting, stripping and potholes and shall be as per the requirement of maintenance mentioned in Schedule-E.

Schedule-R

(See Clause 14.10)

Taking Over Certificate

I, (Name and designation of the Authority’s Representative) under and in accordance with the Agreement dated (the “Agreement”), for **Balance work for Four-laning of NH-39 Dimapur – Kohima Road from Design Km 152.490 to Km 166.700 (Existing Km 156.000 to Km 172.900), in the state of Nagaland under SARDP-NE through an Engineering, Procurement and Construction (EPC) Contract (Package-III)** (the “Project Highway”) on Engineering, Procurement and Construction (EPC) basis through (Name of Contractor), hereby certify that the Tests on completion of

Maintenance Period in accordance with Article 14 of the Agreement have been successfully undertaken to determine compliance of the Project Highway with the provisions of the Agreement and I hereby certify that the Authority has taken over the Project highway from the Contractor on this day.....

SIGNED, SEALED AND
DELIVERED

(Signature)

(Name and designation of Authority’s
Representative)

(Address)

***** End of the Document *****